

SAFETY DATA SHEET

Revision Date 01-Jan.-2023 Version 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING Product identifier **Product Name** DISH SOAP Other means of identification **Product Code** 20528 Recommended use of the chemical and restrictions on use **Recommended Use** Detergent for manual dishwashing Follow the directions for use on the label when applying this product Uses advised against Details of the supplier of the safety data sheet Manufacturer Address Safe Foods Chemical Innovations 1501 E. 8th Street North Little Rock, AR 72114 Emergency telephone number **Company Phone Number** 501-758-8500 **Emergency Telephone** Chemtrec 1-800-424-9300 2. HAZARDS IDENTIFICATION **Classification OSHA Regulatory Status** This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200) Not a dangerous substance or mixture according to the Globally Harmonized System (GHS) Label elements **Emergency Overview** The product contains no substances which at their given concentration, are considered to be hazardous to health Appearance Aqueous solution Physical state Liquid Odor Mild soap Hazards not otherwise classified (HNOC) Not Applicable **Other Information** Toxic to aquatic life with long lasting effects 3. COMPOSITION/INFORMATION ON INGREDIENTS Chemical Name CAS No. weight-% Water 7732-18-5 62-71 Secondary alkane sulphonate, sodium salt 97489-15-1 22-26 Polyethylene glycol mono-C10-16-alkyl ether 68585-34-2 4-9 Cocamido propyl betaine 61789-40-0 0.5-1.5 Ethyl alcohol 64-17-5 0.5-1.5 Trade Secret 1 Proprietary < 0.5 Trade Secret 2 < 0.2 Proprietary < 0.2 Trade Secret 3 Proprietary *The exact percentage (concentration) of composition has been withheld as a trade secret. 4. FIRST AID MEASURES First aid measures Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact Eve contact lenses, if present, after first 5 minutes, then continue rinsing eye. If eye irritation persists: Get medical advice/attention. Skin contact Rinse skin with water. Get medical attention if irritation develops and persists. Wash contaminated clothing and shoes before reuse. Inhalation Not an expected route of exposure. Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Ingestion Never give anything by mouth to an unconscious person. Most important symptoms and effects, both acute and delayed **Symptoms** See Section 11 for symptom information. Indication of any immediate medical attention and special treatment needed Note to physicians Treat symptomatically. **5. FIRE-FIGHTING MEASURES** Suitable extinguishing media Dry chemical. Water spray (fog). Carbon dioxide (CO2). Foam.

Unsuitable extinguishing n		ble.	
Specific hazards arising from	<u>the chemical</u>		
No information available.			
Hazardous combustion pro	oducts Carbon monoxide. Ca	arbon dioxide (CO2).	
Explosion data		· · · ·	
Sensitivity to Mechanical I	mpact None.		
Sensitivity to Static Discha			
Protective equipment and pred			
		demand, MSHA/NIOSH (approved	l or equivalent) and full
protective gear. Cool containers	with flooding quantities of water u	until well after fire is out.	
	6. ACCIDENTAL RE	LEASE MEASURES	
Personal precautions, protecti	ive equipment and emergency	procedures	
Personal precautions		ecommended in Section 8.	
For emergency responders	Isolate area. Keep unnece		
Environmental precautions			
Environmental precautions	See Section 12 for additio	nal ecological information. Prever	t entry into waterways sewers
Environmental precations	basements or confined are		it chilly into waterways, sewers,
Mathada and matarial for cont		zas.	
Methods and material for cont		anillaga if acfa ta da ac	
Methods for containment	Prevent further leakage or		ort obsorbort material Oally (
Methods for cleaning up		surfaces slippery. Soak up with in	ert absorbent material. Collect
		t recovery, flush area with water.	
	7. HANDLING /	AND STORAGE	
Precautions for safe handling			
Advice on safe handling	Use personal protection re	ecommended in Section 8. Avoid of	contact with eyes. Rinse skin
-	with water. Handle in acco	ordance with good industrial hygie	ne and safety practice.
Conditions for safe storage, in		5 ,5	,,
Storage Conditions		y and cool place. Keep from freez	ina
Incompatible materials	Oxidizers.		
	. EXPOSURE CONTROLS	PERSONAL PROTECTIO	N
Control parameters			
Exposure Guidelines		11	
Exposure Guidelines Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Exposure Guidelines Chemical Name Ethyl alcohol	ACGIH TLV STEL: 1000 ppm	TWA: 1000 ppm	IDLH: 3300 ppm
Exposure Guidelines Chemical Name			IDLH: 3300 ppm TWA: 1000 ppm
Exposure Guidelines Chemical Name Ethyl alcohol 64-17-5	STEL: 1000 ppm	TWA: 1000 ppm	IDLH: 3300 ppm
Exposure Guidelines Chemical Name Ethyl alcohol 64-17-5 Appropriate engineering contr	STEL: 1000 ppm	TWA: 1000 ppm	IDLH: 3300 ppm TWA: 1000 ppm
Exposure Guidelines Chemical Name Ethyl alcohol 64-17-5 Appropriate engineering contr Engineering Controls	STEL: 1000 ppm ols Eyewash stations.	TWA: 1000 ppm TWA: 1900 mg/m ³	IDLH: 3300 ppm TWA: 1000 ppm
Exposure Guidelines Chemical Name Ethyl alcohol 64-17-5 Appropriate engineering contr Engineering Controls Individual protection measures	STEL: 1000 ppm <u>rols</u> Eyewash stations. s, such as personal protective	TWA: 1000 ppm TWA: 1900 mg/m ³ equipment	IDLH: 3300 ppm TWA: 1000 ppm
Exposure Guidelines Chemical Name Ethyl alcohol 64-17-5 Appropriate engineering contr Engineering Controls	STEL: 1000 ppm <u>rols</u> Eyewash stations. s, such as personal protective	TWA: 1000 ppm TWA: 1900 mg/m ³	IDLH: 3300 ppm TWA: 1000 ppm
Exposure Guidelines Chemical Name Ethyl alcohol 64-17-5 Appropriate engineering contr Engineering Controls Individual protection measures Eye/face protection	STEL: 1000 ppm ols Eyewash stations. s, such as personal protective Safety goggles when the p	TWA: 1000 ppm TWA: 1900 mg/m ³ equipment possibility of splashing exists.	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m ³
Exposure Guidelines Chemical Name Ethyl alcohol 64-17-5 Appropriate engineering contr Engineering Controls Individual protection measures Eye/face protection Skin and body protection	STEL: 1000 ppm ols Eyewash stations. s. such as personal protective Safety goggles when the p For prolonged and frequen	TWA: 1000 ppm TWA: 1900 mg/m ³ equipment possibility of splashing exists. nt use of this product rubber glove	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m ³ s are recommended.
Exposure Guidelines Chemical Name Ethyl alcohol 64-17-5 Appropriate engineering contr Engineering Controls Individual protection measures Eye/face protection Skin and body protection Respiratory protection	STEL: 1000 ppm ols Eyewash stations. s, such as personal protective Safety goggles when the p For prolonged and frequer No protective equipment is	TWA: 1000 ppm TWA: 1900 mg/m ³ possibility of splashing exists. nt use of this product rubber glove s needed under normal use condit	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m ³ s are recommended. tions.
Exposure Guidelines Chemical Name Ethyl alcohol 64-17-5 Appropriate engineering contr Engineering Controls Individual protection measures Eye/face protection Skin and body protection	STEL: 1000 ppm Tols Eyewash stations. s. such as personal protective Safety goggles when the p For prolonged and frequen No protective equipment is ns Rinse skin with water. Wa	TWA: 1000 ppm TWA: 1900 mg/m ³ possibility of splashing exists. In use of this product rubber glove s needed under normal use condit sh contaminated clothing and sho	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m ³ s are recommended. tions.
Exposure Guidelines Chemical Name Ethyl alcohol 64-17-5 Appropriate engineering contr Engineering Controls Individual protection measures Eye/face protection Skin and body protection Respiratory protection	STEL: 1000 ppm ols Eyewash stations. s. such as personal protective Safety goggles when the p For prolonged and frequer No protective equipment is ns Rinse skin with water. Wa drink or smoke when using	TWA: 1000 ppm TWA: 1900 mg/m ³ possibility of splashing exists. Int use of this product rubber glove s needed under normal use condit sh contaminated clothing and sho g this product.	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m ³ s are recommended. tions.
Exposure Guidelines Chemical Name Ethyl alcohol 64-17-5 Appropriate engineering controls Individual protection measures Eye/face protection Skin and body protection Respiratory protection General Hygiene Consideratio	STEL: 1000 ppm <u>rols</u> Eyewash stations. <u>s, such as personal protective</u> Safety goggles when the p For prolonged and frequer No protective equipment is ns Rinse skin with water. Wa drink or smoke when using <u>9. PHYSICAL AND CH</u>	TWA: 1000 ppm TWA: 1900 mg/m ³ possibility of splashing exists. In use of this product rubber glove s needed under normal use condit sh contaminated clothing and sho	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m ³ s are recommended. tions.
Exposure Guidelines Chemical Name Ethyl alcohol 64-17-5 Appropriate engineering controls Individual protection measures Eye/face protection Skin and body protection General Hygiene Consideratio Information on basic physical	STEL: 1000 ppm <u>rols</u> Eyewash stations. <u>s, such as personal protective</u> Safety goggles when the p For prolonged and frequer No protective equipment is ns Rinse skin with water. Wa drink or smoke when using <u>9. PHYSICAL AND CH</u> and chemical properties	TWA: 1000 ppm TWA: 1900 mg/m ³ possibility of splashing exists. Int use of this product rubber glove s needed under normal use condit sh contaminated clothing and sho g this product.	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m ³ s are recommended. tions.
Exposure Guidelines Chemical Name Ethyl alcohol 64-17-5 Appropriate engineering controls Individual protection measures Eye/face protection Skin and body protection Respiratory protection General Hygiene Consideratio Information on basic physical Physical state	STEL: 1000 ppm <u>rols</u> Eyewash stations. <u>s, such as personal protective</u> Safety goggles when the p For prolonged and frequen No protective equipment is ns Rinse skin with water. Wa drink or smoke when using <u>9. PHYSICAL AND CH</u> <u>and chemical properties</u> Liquid	TWA: 1000 ppm TWA: 1900 mg/m ³ cossibility of splashing exists. In use of this product rubber glove is needed under normal use condit sh contaminated clothing and sho g this product. EMICAL PROPERTIES	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m ³ es are recommended. tions. es before reuse. Do not eat,
Exposure Guidelines Chemical Name Ethyl alcohol 64-17-5 Appropriate engineering controls Individual protection measures Eye/face protection Skin and body protection Respiratory protection General Hygiene Consideratio Information on basic physical Physical state Appearance	STEL: 1000 ppm ols Eyewash stations. s, such as personal protective Safety goggles when the p For prolonged and frequel No protective equipment is ns Rinse skin with water. Wa drink or smoke when using 9. PHYSICAL AND CH and chemical properties Liquid Aqueous solution	TWA: 1000 ppm TWA: 1900 mg/m ³ Dossibility of splashing exists. In use of this product rubber glove is needed under normal use condit sh contaminated clothing and sho g this product. EMICAL PROPERTIES Odor	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m ³ s are recommended. tions. es before reuse. Do not eat, Mild soap
Exposure Guidelines Chemical Name Ethyl alcohol 64-17-5 Appropriate engineering controls Individual protection measures Eye/face protection Skin and body protection Respiratory protection General Hygiene Consideratio Information on basic physical Physical state	STEL: 1000 ppm <u>rols</u> Eyewash stations. <u>s, such as personal protective</u> Safety goggles when the p For prolonged and frequen No protective equipment is ns Rinse skin with water. Wa drink or smoke when using <u>9. PHYSICAL AND CH</u> <u>and chemical properties</u> Liquid	TWA: 1000 ppm TWA: 1900 mg/m ³ Dossibility of splashing exists. In use of this product rubber glove is needed under normal use condit sh contaminated clothing and sho g this product. EMICAL PROPERTIES Odor Odor threshold	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m ³ es are recommended. tions. es before reuse. Do not eat, Mild soap No information available
Exposure Guidelines Chemical Name Ethyl alcohol 64-17-5 Appropriate engineering controls Individual protection measures Eye/face protection Skin and body protection Respiratory protection General Hygiene Consideratio Information on basic physical Physical state Appearance	STEL: 1000 ppm ols Eyewash stations. s, such as personal protective Safety goggles when the p For prolonged and frequel No protective equipment is ns Rinse skin with water. Wa drink or smoke when using 9. PHYSICAL AND CH and chemical properties Liquid Aqueous solution	TWA: 1000 ppm TWA: 1900 mg/m ³ Dossibility of splashing exists. In use of this product rubber glove is needed under normal use condit sh contaminated clothing and sho g this product. EMICAL PROPERTIES Odor	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m ³ es are recommended. tions. es before reuse. Do not eat, Mild soap No information available
Exposure Guidelines Chemical Name Ethyl alcohol 64-17-5 Appropriate engineering controls Individual protection measures Eye/face protection Skin and body protection Respiratory protection General Hygiene Consideratio Information on basic physical Physical state Appearance Color	STEL: 1000 ppm ols Eyewash stations. s, such as personal protective Safety goggles when the p For prolonged and frequen No protective equipment is ns Rinse skin with water. Wa drink or smoke when using 9. PHYSICAL AND CH and chemical properties Liquid Aqueous solution Light blue	TWA: 1000 ppm TWA: 1900 mg/m ³ Dossibility of splashing exists. In use of this product rubber glove is needed under normal use condit sh contaminated clothing and sho g this product. EMICAL PROPERTIES Odor Odor threshold <u>Remarks • Methor</u>	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m ³ es are recommended. tions. es before reuse. Do not eat, Mild soap No information available
Exposure Guidelines Chemical Name Ethyl alcohol 64-17-5 Appropriate engineering controls Individual protection measures Eye/face protection Skin and body protection General Hygiene Consideratio Information on basic physical Physical state Appearance Color Property pH	STEL: 1000 ppm ols Eyewash stations. s, such as personal protective Safety goggles when the p For prolonged and frequel No protective equipment is ns Rinse skin with water. Wa drink or smoke when using 9. PHYSICAL AND CH and chemical properties Liquid Aqueous solution Light blue Values 7	TWA: 1000 ppm TWA: 1900 mg/m ³ Dossibility of splashing exists. In use of this product rubber glove is needed under normal use condit sh contaminated clothing and sho g this product. EMICAL PROPERTIES Odor Odor threshold	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m ³ es are recommended. tions. es before reuse. Do not eat, Mild soap No information available
Exposure Guidelines Chemical Name Ethyl alcohol 64-17-5 Appropriate engineering controls Individual protection measures Eye/face protection Skin and body protection General Hygiene Consideratio Information on basic physical Physical state Appearance Color Property pH Melting point/freezing point	STEL: 1000 ppm ols Eyewash stations. s, such as personal protective Safety goggles when the p For prolonged and frequen No protective equipment is ns Rinse skin with water. Wa drink or smoke when using 9. PHYSICAL AND CH and chemical properties Liquid Aqueous solution Light blue Values 7 ~ 1.7 °C / ~ 35 °F	TWA: 1000 ppm TWA: 1900 mg/m ³ TWA: 1900 mg/m ³ Source of this product rubber glove s needed under normal use condit sh contaminated clothing and sho g this product. EMICAL PROPERTIES Odor Odor threshold <u>Remarks • Methor</u> ±1 @ 21°C	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m ³ es are recommended. tions. es before reuse. Do not eat, Mild soap No information available
Exposure Guidelines Chemical Name Ethyl alcohol 64-17-5 Appropriate engineering controls Individual protection measures Eye/face protection Skin and body protection General Hygiene Consideratio Information on basic physical Physical state Appearance Color Property pH Melting point/freezing point Boiling point / boiling range	STEL: 1000 ppm ols Eyewash stations. s. such as personal protective Safety goggles when the p For prolonged and frequen No protective equipment is ns Rinse skin with water. Wa drink or smoke when using 9. PHYSICAL AND CH and chemical properties Liquid Aqueous solution Light blue Values 7 ~ 1.7 °C / ~ 35 °F 99-105 °C / 210-220 °F	TWA: 1000 ppm TWA: 1900 mg/m ³ TWA: 1900 mg/m ³ Source of this product rubber glove s needed under normal use condit sh contaminated clothing and sho g this product. EMICAL PROPERTIES Odor Odor threshold <u>Remarks • Methor</u> ±1 @ 21°C	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m ³ es are recommended. tions. es before reuse. Do not eat, Mild soap No information available
Exposure Guidelines Chemical Name Ethyl alcohol 64-17-5 Appropriate engineering controls Individual protection measures Eye/face protection Skin and body protection General Hygiene Consideratio Information on basic physical Physical state Appearance Color Property pH Melting point/freezing point Boiling point / boiling range Flash point	STEL: 1000 ppm ols Eyewash stations. s. such as personal protective Safety goggles when the p For prolonged and frequen No protective equipment is ns Rinse skin with water. Wa drink or smoke when using 9. PHYSICAL AND CH and chemical properties Liquid Aqueous solution Light blue Values 7 ~ 1.7 °C / ~ 35 °F 99-105 °C / 210-220 °F Not flammable	TWA: 1000 ppm TWA: 1900 mg/m ³ TWA: 1900 mg/m ³ Source of this product rubber glove s needed under normal use condit sh contaminated clothing and sho g this product. EMICAL PROPERTIES Odor Odor threshold <u>Remarks • Methor</u> ±1 @ 21°C	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m ³ es are recommended. tions. es before reuse. Do not eat, Mild soap No information available
Exposure Guidelines Chemical Name Ethyl alcohol 64-17-5 Appropriate engineering controls Individual protection measures Eye/face protection Skin and body protection General Hygiene Consideratio Information on basic physical Physical state Appearance Color Property pH Melting point/freezing point Boiling point / boiling range Flash point Evaporation rate	STEL: 1000 ppm ols Eyewash stations. s. such as personal protective Safety goggles when the p For prolonged and frequen No protective equipment is ns Rinse skin with water. Wa drink or smoke when using 9. PHYSICAL AND CH and chemical properties Liquid Aqueous solution Light blue Values 7 ~ 1.7 °C / ~ 35 °F 99-105 °C / 210-220 °F Not flammable < 1	TWA: 1000 ppm TWA: 1900 mg/m ³ TWA: 1900 mg/m ³ Source of this product rubber glove s needed under normal use condit sh contaminated clothing and sho g this product. EMICAL PROPERTIES Odor Odor threshold <u>Remarks • Methor</u> ±1 @ 21°C	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m ³ es are recommended. tions. es before reuse. Do not eat, Mild soap No information available
Exposure Guidelines Chemical Name Ethyl alcohol 64-17-5 Appropriate engineering controls Individual protection measures Eye/face protection Skin and body protection General Hygiene Consideratio Information on basic physical Physical state Appearance Color Property pH Melting point/freezing point Boiling point / boiling range Flash point Evaporation rate Flammability (solid, gas)	STEL: 1000 ppm ols Eyewash stations. s. such as personal protective Safety goggles when the p For prolonged and frequen No protective equipment is ns Rinse skin with water. Wa drink or smoke when using 9. PHYSICAL AND CH and chemical properties Liquid Aqueous solution Light blue Values 7 ~ 1.7 °C / ~ 35 °F 99-105 °C / 210-220 °F Not flammable	TWA: 1000 ppm TWA: 1900 mg/m ³ TWA: 1900 mg/m ³ Source of this product rubber glove s needed under normal use condit sh contaminated clothing and sho g this product. EMICAL PROPERTIES Odor Odor threshold <u>Remarks • Methor</u> ±1 @ 21°C	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m ³ es are recommended. tions. es before reuse. Do not eat, Mild soap No information available
Exposure Guidelines Chemical Name Ethyl alcohol 64-17-5 Appropriate engineering controls Individual protection measures Eye/face protection Skin and body protection Respiratory protection General Hygiene Consideratio Information on basic physical Physical state Appearance Color Property pH Melting point/freezing point Boiling point / boiling range Flash point Evaporation rate Flammability (solid, gas) Flammability Limit in Air	STEL: 1000 ppm ols Eyewash stations. s. such as personal protective Safety goggles when the p For prolonged and frequen No protective equipment is ns Rinse skin with water. Wa drink or smoke when using 9. PHYSICAL AND CH and chemical properties Liquid Aqueous solution Light blue Values 7 ~ 1.7 °C / ~ 35 °F 99-105 °C / 210-220 °F Not flammable < 1 No information available	TWA: 1000 ppm TWA: 1900 mg/m ³ TWA: 1900 mg/m ³ Source of this product rubber glove s needed under normal use condit sh contaminated clothing and sho g this product. EMICAL PROPERTIES Odor Odor threshold <u>Remarks • Methor</u> ±1 @ 21°C	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m ³ es are recommended. tions. es before reuse. Do not eat, Mild soap No information available
Exposure Guidelines Chemical Name Ethyl alcohol 64-17-5 Appropriate engineering controls Individual protection measures Eye/face protection Skin and body protection Respiratory protection General Hygiene Consideratio Information on basic physical Physical state Appearance Color Property pH Melting point/freezing point Boiling point / boiling range Flash point Evaporation rate Flammability (solid, gas) Flammability Limit in Air Upper flammability limit:	STEL: 1000 ppm ols Eyewash stations. s. such as personal protective Safety goggles when the p For prolonged and frequen No protective equipment is ns Rinse skin with water. Wa drink or smoke when using 9. PHYSICAL AND CH and chemical properties Liquid Aqueous solution Light blue Values 7 ~ 1.7 °C / ~ 35 °F 99-105 °C / 210-220 °F Not flammable < 1 No information available	TWA: 1000 ppm TWA: 1900 mg/m ³ TWA: 1900 mg/m ³ Source of this product rubber glove s needed under normal use condit sh contaminated clothing and sho g this product. EMICAL PROPERTIES Odor Odor threshold <u>Remarks • Methor</u> ±1 @ 21°C	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m ³ es are recommended. tions. es before reuse. Do not eat, Mild soap No information available
Exposure Guidelines Chemical Name Ethyl alcohol 64-17-5 Appropriate engineering controls Individual protection measures Eye/face protection Skin and body protection Respiratory protection General Hygiene Consideratio Information on basic physical Physical state Appearance Color Property pH Melting point/freezing point Boiling point / boiling range Flash point Evaporation rate Flammability (solid, gas) Flammability Limit in Air	STEL: 1000 ppm ols Eyewash stations. s. such as personal protective Safety goggles when the p For prolonged and frequen No protective equipment is ns Rinse skin with water. Wa drink or smoke when using 9. PHYSICAL AND CH and chemical properties Liquid Aqueous solution Light blue Values 7 ~ 1.7 °C / ~ 35 °F 99-105 °C / 210-220 °F Not flammable < 1 No information available	TWA: 1000 ppm TWA: 1900 mg/m ³ TWA: 1900 mg/m ³ Source of this product rubber glove s needed under normal use condit sh contaminated clothing and sho g this product. EMICAL PROPERTIES Odor Odor threshold <u>Remarks • Methor</u> ±1 @ 21°C	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m ³ es are recommended. tions. es before reuse. Do not eat, Mild soap No information available
Exposure Guidelines Chemical Name Ethyl alcohol 64-17-5 Appropriate engineering controls Individual protection measures Eye/face protection Skin and body protection Respiratory protection General Hygiene Consideratio Information on basic physical Physical state Appearance Color Property pH Melting point/freezing point Boiling point / boiling range Flash point Evaporation rate Flammability (solid, gas) Flammability Limit in Air Upper flammability limit: Lower flammability limit:	STEL: 1000 ppm ols Eyewash stations. s. such as personal protective Safety goggles when the p For prolonged and frequen No protective equipment is ns Rinse skin with water. Wa drink or smoke when using 9. PHYSICAL AND CH and chemical properties Liquid Aqueous solution Light blue Values 7 ~ 1.7 °C / ~ 35 °F 99-105 °C / 210-220 °F Not flammable < 1 No information available	TWA: 1000 ppm TWA: 1900 mg/m ³ TWA: 1900 mg/m ³ Source of this product rubber glove s needed under normal use condit sh contaminated clothing and sho g this product. EMICAL PROPERTIES Odor Odor threshold <u>Remarks • Methor</u> ±1 @ 21°C	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m ³ es are recommended. tions. es before reuse. Do not eat, Mild soap No information available
Exposure Guidelines Chemical Name Ethyl alcohol 64-17-5 Appropriate engineering controls Individual protection measures Eye/face protection Skin and body protection Respiratory protection General Hygiene Consideratio Information on basic physical Physical state Appearance Color Property pH Melting point/freezing point Boiling point / boiling range Flash point Evaporation rate Flammability (solid, gas) Flammability Limit in Air Upper flammability limit: Lower flammability limit: Vapor pressure	STEL: 1000 ppm ols Eyewash stations. s. such as personal protective Safety goggles when the p For prolonged and frequen No protective equipment is ns Rinse skin with water. Wa drink or smoke when using 9. PHYSICAL AND CH and chemical properties Liquid Aqueous solution Light blue Values 7 ~ 1.7 °C / ~ 35 °F 99-105 °C / 210-220 °F Not flammable < 1 No information available No information available No information available No information available No information available No information available	TWA: 1000 ppm TWA: 1900 mg/m ³ TWA: 1900 mg/m ³ Source of this product rubber glove s needed under normal use condit sh contaminated clothing and sho g this product. EMICAL PROPERTIES Odor Odor threshold <u>Remarks • Methor</u> ±1 @ 21°C	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m ³ es are recommended. tions. es before reuse. Do not eat, Mild soap No information available
Exposure Guidelines Chemical Name Ethyl alcohol 64-17-5 Appropriate engineering controls Individual protection measures Eye/face protection Skin and body protection Respiratory protection General Hygiene Consideratio Information on basic physical Physical state Appearance Color Property pH Melting point/freezing point Boiling point / boiling range Flash point Evaporation rate Flammability (solid, gas) Flammability Limit in Air Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density	STEL: 1000 ppm ols Eyewash stations. s. such as personal protective Safety goggles when the p For prolonged and frequen No protective equipment is ns Rinse skin with water. Wa drink or smoke when using 9. PHYSICAL AND CH and chemical properties Liquid Aqueous solution Light blue Values 7 ~ 1.7 °C / ~ 35 °F 99-105 °C / 210-220 °F Not flammable < 1 No information available No information available No information available > 1 No information available	TWA: 1000 ppm TWA: 1900 mg/m ³ TWA: 1900 mg/m ³ Source of this product rubber glove s needed under normal use condit sh contaminated clothing and sho g this product. EMICAL PROPERTIES Odor Odor threshold <u>Remarks • Methor</u> ±1 @ 21°C	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m ³ es are recommended. tions. es before reuse. Do not eat, Mild soap No information available
Exposure Guidelines Chemical Name Ethyl alcohol 64-17-5 Appropriate engineering controls Individual protection measures Eye/face protection Skin and body protection Respiratory protection General Hygiene Consideratio Information on basic physical Physical state Appearance Color Property pH Melting point/freezing point Boiling point / boiling range Flash point Evaporation rate Flammability (solid, gas) Flammability Limit in Air Upper flammability limit: Lower flammability limit: Vapor pressure	STEL: 1000 ppm ols Eyewash stations. s. such as personal protective Safety goggles when the p For prolonged and frequen No protective equipment is ns Rinse skin with water. Wa drink or smoke when using 9. PHYSICAL AND CH and chemical properties Liquid Aqueous solution Light blue Values 7 ~ 1.7 °C / ~ 35 °F 99-105 °C / 210-220 °F Not flammable < 1 No information available No information available No information available No information available No information available No information available	TWA: 1000 ppm TWA: 1900 mg/m ³ TWA: 1900 mg/m ³ Source of this product rubber glove s needed under normal use condit sh contaminated clothing and sho g this product. EMICAL PROPERTIES Odor Odor threshold <u>Remarks • Methor</u> ±1 @ 21°C	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m ³ es are recommended. tions. es before reuse. Do not eat, Mild soap No information available

Solubility in other solvents	No information					
Partition coefficient	No information available					
Autoignition temperature	No information available					
Decomposition temperature						
Kinematic viscosity	No information available					
Dynamic viscosity	No information					
Explosive properties	No information					
Oxidizing properties	No information					
VOC Content (%)	1.062 (0.140 lbs	s/gal)				
	10. STAI	BILITY AND REA	CTIVITY			
Reactivity						
No data available						
Chemical stability						
Stable under recommended sto						
Possibility of Hazardous Read	<u>ctions</u>					
None under normal processing.						
Conditions to avoid						
None known.						
Incompatible materials						
Oxidizers.	• •					
Hazardous Decomposition Pr						
Carbon monoxide. Carbon dioxi	()					
		OLOGICAL INFO	RMATION			
Information on likely routes o	<u>f exposure</u>					
Product Information						
Inhalation	•	d route of exposure.				
Eye contact	Direct eye conta	act causes eye irritatio	n and redness of eye	tissues.		
Skin Contact	Prolonged conta	act may cause irritatio	n.			
Ingestion	May be harmful	if swallowed.				
Chemical Name	Oral LD50	[Permal LD50	Inhalation LC50		
Cocamido propyl betaine 61789-40-0	= 4900 mg/kg (Rat)	-	-		
Ethyl alcohol 64-17-5	= 7060 mg/kg (Rat)	-	= 124.7 mg/L (Rat)4 h		
Trade Secret 1	= 3 g/kg (Rat	t) > 10	g/kg (Rabbit)	> 42 g/m³ (Rat)1 h		
Trade Secret 3		Rat) > 10	g/kg (Rabbit)	> 570 mg/m³ (Rat)1 h		
Information on toxicological e	effects					
Symptoms	No information					
Delayed and immediate effect			a long-term exposure	<u>e</u>		
Sensitization	No information					
Germ cell mutagenicity	No information		ah aganay haa liatad y	any ingradiant as a corainagan		
Carcinogenicity				any ingredient as a carcinogen.		
			ogenic in long-term st	udies only when consumed as		
Chemical Name	alcoholic bevera	IARC	NTP	OSHA		
Ethyl alcohol - 64-17-5	A3	IARC	Known	X		
IARC (International Agency fe		-	KIIOWII	×		
Group 3 - "not classifiable as hi						
Reproductive toxicity	No information	available.				
STOT - single exposure	No information	available.				
STOT - repeated exposure No information available.						
Aspiration hazard No information available.						
Numerical measures of toxicit	ty - Product Informat	tion				
Unknown Acute Toxicity		nixture consists of ing	redient(s) of unknown	toxicity		
The following values are calc				-		
Mist	8,109.00 mg/l					
	v	LOGICAL INFOR	MATION			
Ecotoxicity						
Toxic to aquatic life with long las 30.59% of the mixture consists		known hazards to the	aquatic environment			

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Cocamido propyl betaine	1.0-10.0: 72 h Desmodesmus	2: 96 h Brachydanio rerio mg/L LC50 semi-static	6.5: 48 h Daphnia magna

DISH SOAP

Revision Date 01-Jan.-2023

61789-40-0	subspicatus mg/L EC50	1.0-10.0: 96 h Brachydanio rerio mg/L LC50 mg/L EC50			
	0.55: 96 h Desmodesmus subspicatus mg/L EC50				
Ethyl alcohol 64-17-5	-	12.0-16.0: 96 100: 96 h l 13400-1510	9268-14221: 48 h Daphnia magna mg/L LC50 2: 48 h Daphnia magna mg/L EC50 Static 10800: 24 h Daphnia magna mg/L EC50		
Trade Secret 1	-	5560-6080: 96 h Lepomis macrochirus mg/L LC50 flow-through 1000: 48 h Daphnia mag 12946: 96 h Lepomis macrochirus mg/L LC50 static mg/L EC50 6020-7070: 96 h Pimephales promelas mg/L LC50 static 340.7-469.2: 48 h Daphri 7050: 96 h Pimephales promelas mg/L LC50 semi-static 340.7-469.2: 48 h Daphri 6420-6700: 96 h Pimephales promelas mg/L LC50 semi-static magna mg/L EC50 Static 4747-7824: 96 h Oncorhynchus mykiss mg/L LC50 flow-through			
Trade Secret 3	-	51-57: 96 h	Oncorhynchus mykiss mL/L LC50 static	500: 24 h Daphnia magna mg/L EC50	
Persistence and deg					
No information availab Bioaccumulation	le.				
Dioaccumulation	Chemical Name		Partition coefficie	nt	
	Ethyl alcohol - 64-17-5		-0.32		
	Trade Secret 3		-1.76		
Mobility Soluble in water.					
Other adverse effects					
	-	DISPOSAL CO	ONSIDERATIONS		
Waste treatment met					
Disposal of wastes			with applicable regional, national and lo	cal laws and regulations.	
Contaminated packa		ordance with fed	eral, state and local regulations.		
	Chemical Name		California Hazardous Wa		
	Ethyl alcohol - 64-17-5		Toxic	Ignitable	
DOT		IRANSPOR	FINFORMATION		
<u>DOT</u>	Not regulated				
International Inven		CEGULATUR			
TSCA	No information av	ailabla			
DSL/NDSL	No information av				
EINECS/ELINCS	No information av				
Legend:	No mornation av	allable			
TSCA - United States To DSL/NDSL - Canadian D EINECS/ELINCS - Europ US Federal Regula		Domestic Substan		25	
			orization Act of 1986 (SARA). This prod		
SARA 311/312 Hazar		irements of the A	Act and Title 40 of the Code of Federal R	egulations, Part 372	
Acute health haza	ard	No			
Chronic Health H	azard	No			
Fire hazard		No			
Sudden release o	f pressure hazard	No			
Reactive Hazard		No			
CWA (Clean Water A	ct)				
		gulated as pollut	ants pursuant to the Clean Water Act (40	CFR 122.21 and 40	

California Proposition 65

Warning! This product may contain trace amounts of: Ethylene oxide 75-21-8; 1,4-dioxane 123-91-1; Dichloroacetic acid 79-43-6; Formaldehyde 500-00-0.

Ethyl alcohol is only a considered a Proposition 65 developmental hazard when it is ingested as an alcoholic beverage

Chemical Name		California Proposition 65		
Ethyl alcohol - 64-17-5		Carcinogen	Developmental	
J.S. State Right-to-Know Regulations				
Chemical Name	New Jersey	Massachusetts	Pennsylvania	
Ethyl alcohol	Х	X	Х	
64-17-5				
Trade Secret 3	Х	X	X	

U.S. EPA Label Information

EPA Pesticide Registration Number Not Applicable

16. OTHER INFORMATION							
<u>NFPA</u>	Health hazards	0	Flammability	0	Instability 0		Physical and Chemical Properties None
HMIS	Health hazards	0	Flammability	0	Physical hazards	0	Personal protection None
Prepared By			Technical Dep	artmer	nt		
Issue Date			29-Apr-2014				
Revision Date			01-Jan2023				
Version			1				
Revision Note							
Company Name	e Update						
Disclaimer							
The informatio	on provided in this	s Safet	y Data Sheet is	correc	t to the best of our k	nowle	edge, information and belief at the
date of its pub	lication. The info	rmatio	n aiven is desia	ned or	nlv as a quidance for	safe	handling, use, processing, storage,

date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The health hazards given on this SDS apply to this product in its concentrated form (as supplied) and may differ significantly at use dilution. The signs and symptoms of exposure apply only to negligence in handling or misuse of the concentrated product and not to the routine exposure of the diluted product under conditions of ordinary use.

End of Safety Data Sheet