

SAFETY DATA SHEET

Revision Date 01-Jan.-2023 Version 1

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name FLOOR-OX

Other means of identification

Product Code 20423

Recommended use of the chemical and restrictions on use

Recommended Use Floor treatment

Uses advised against Follow the directions for use on the label when applying this product

Details of the supplier of the safety data sheet

Manufacturer Address

Safe Foods Chemical Innovations

1501 E. 8th Street

North Little Rock, AR 72114

Emergency telephone number

Company Phone Number 501-758-8500

Emergency Telephone Chemtrec 1-800-424-9300

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 4
Serious eye damage/eye irritation	Category 2B
Oxidizing solids	Category 2

Label elements

Emergency Overview

DANGER

Hazard statements

Harmful if swallowed Causes eye irritation

May intensify fire; oxidizer



Physical state Solid Color White Odor None

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Keep away from heat/sparks/open flames/hot surfaces

Keep/Store away from clothing/combustible materials

Take any precaution to avoid mixing with combustibles

Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention

IF SWALLOWED: Call a poison center or doctor if you feel unwell. Rinse mouth

In case of fire: Use CO2, dry chemical, or foam for extinction

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not Applicable

Other Information

• Toxic to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS					
Chemical Name	CAS No.	weight-%			
Sodium carbonate peroxyhydrate	15630-89-4	100			

FLOOR-OX Revision Date 01-Jan.-2023

4. FIRST AID MEASURES

First aid measures

Eye contact Hold eye(s) open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if

present, after first 5 minutes, then continue rinsing eye(s). Seek immediate medical attention/advice.

Skin contact Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.

Wash contaminated clothing and shoes before reuse. Get medical attention if irritation develops and persists.

Inhalation Remove to fresh air. Administer oxygen if breathing is difficult. Call a physician immediately.

Ingestion Do NOT induce vomiting. Drink plenty of water. Never give anything by mouth to an unconscious person.

Call a physician immediately.

Most important symptoms and effects, both acute and delayed Symptoms

See Section 11 for symptom information.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Water. Water spray (fog).

Unsuitable extinguishing media No information available.

Specific hazards arising from the chemical

Pressure burst may occur due to decomposition in confined spaces. Wet product decomposes exothermally and may cause

combustion of organic materials.

Hazardous combustion products On decomposition product releases oxygen which may intensify fire. Decomposition

releases steam and heat.

Explosion data

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.
Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Cool containers with flooding quantities of water until well after fire is out. Non-combustible, substance itself does not burn but may decompose upon heating to produce corrosive and/or toxic fumes.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protection recommended in Section 8. Ensure adequate ventilation, especially

in confined areas.

For emergency responders

Isolate area. Keep unnecessary personnel away.

Environmental precautions

Environmental precautions Prevent entry into waterways, sewers, basements or confined areas. See Section 12 for

additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Collect spillage. Sweep up and shovel into suitable containers for disposal. Avoid creating

dust. Following product recovery, flush area with water.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Use personal protection recommended in Section 8. Avoid contact with skin, eyes or clothing.

Use only in well-ventilated areas. Avoid breathing dust, vapors, or mist. Wash thoroughly after

handling. Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Do not allow water to

get into container. Keep away from heat. Protect from direct sunlight.

Incompatible materials Water. Acids. Bases. Salts of heavy metals. Reducing agent. Organics. Heat, sparks, open

flame, other ignition sources.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies.

Appropriate engineering controls

Engineering Controls Showers, eyewash stations, ventilation system.

Individual protection measures, such as personal protective equipment

Eye/face protection Splash proof chemical goggles and face shield.

Skin and body protection Wear protective Neoprene™ gloves or rubber gloves. Normal work clothing (long sleeved

shirt and long pants) is recommended. Apron recommended.

FLOOR-OX Revision Date 01-Jan.-2023

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved Respiratory protection

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General Hygiene Considerations Wash face, hands and any exposed skin thoroughly after handling. Wash contaminated clothing and shoes before reuse. Do not eat, drink or smoke when using this product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Solid

Appearance Granules Odor None

Color White **Odor threshold** No information available

Property Values Remarks • Method (1% solution)

Ha 10.5

Melting point/freezing point No information available Boiling point / boiling range No information available No information available Flash point **Evaporation rate** No information available Flammability (solid, gas) No information available

Flammability Limit in Air

Upper flammability limit: No information available Lower flammability limit: No information available Vapor pressure No information available Vapor density No information available

Bulk density 1.0 g/cc

Water solubility 150 g/L @ 20°C (68°F) Solubility in other solvents No information available Partition coefficient No information available **Autoignition temperature** No information available **Decomposition temperature** No information available Kinematic viscosity No information available Dynamic viscosity No information available **Explosive properties** No information available Oxidizing properties No information available

VOC Content (%) 0.00%

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

Pressure burst may occur due to decomposition in confined spaces. Wet product decomposes exothermally and may cause combustion of organic materials.

Conditions to avoid

None known.

Incompatible materials

Water, Acids, Bases, Salts of heavy metals, Reducing agent, Organics, Heat, sparks, open flame, other ignition sources.

Hazardous Decomposition Products

Oxygen. Decomposition releases steam and heat.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation Inhalation of dust in high concentration may cause irritation of respiratory system.

Eye contact Risk of serious damage to eyes. Direct eye contact causes eye irritation and redness of eye

tissues. May cause burns.

Skin Contact Prolonged contact may cause irritation.

Ingestion Ingestion may cause irritation to mucous membranes. Might cause nausea and vomiting.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Sodium carbonate peroxyhydrate	= 1034 mg/kg (Rat)	-	-
15630-89-4			

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

FLOOR-OX Revision Date 01-Jan.-2023

Sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC

or NTP.

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
Aspiration hazard
No information available.
No information available.
No information available.
No information available.
Product Information

Unknown Acute Toxicity 0% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document

Oral LD50 1,034.00 mg/kg

12. ECOLOGICAL INFORMATION

Ecotoxicity

Toxic to aquatic life with long lasting effects

0% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name		Algae/aquatic plants		Fish	Crustacea
Sodium carbonate peroxyhydrate	70:	240 h Chlorella emersonii	70.7:	: 96 h Pimephales promelas	4.9: 48 h Daphnia pulex mg/L
15630-89-4		mg/L EC50		mg/L LC50 static	EC50

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Mobility

Soluble in water.

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastesDisposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging Dispose of in accordance with federal, state and local regulations.

Chemical Name	California Hazardous Waste Status	
Sodium carbonate peroxyhydrate - 15630-89-4	Ignitable	

14. TRANSPORT INFORMATION

<u>DOT</u>

UN/ID No. 1479

Proper shipping name Oxidizing solids, n.o.s. (Sodium carbonate peroxyhydrate)

Hazard Class 5.1
Packing Group III
Emergency Response Guide Number 140

15. REGULATORY INFORMATION

International Inventories

TSCA Complies
DSL/NDSL Complies
EINECS/ELINCS Complies

Leaend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute health hazard Yes
Chronic Health Hazard No
Fire hazard Yes
Sudden release of pressure hazard No
Reactive Hazard No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Revision Date 01-Jan.-2023

FLOOR-OX

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

This product does not contain any substances regulated by state right-to-know regulations

Company Name Update

U.S. EPA Label Information

EPA Pesticide Registration Number Not Applicable

16. OTHER INFORMATION						
NFPA	Health hazards	2	Flammability 0	Instability 1	Physical and Chemical Properties OX - Oxidizer	
HMIS	Health hazards	2	Flammability 0	Physical hazards 1	Personal protection C (safety glasses, gloves, synthetic apron)	
Prepared E Issue Date Revision D Version			Technical Department 15-Jul-2014 01-Jan2023 1			

Disclaimer

Revision Note

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The health hazards given on this SDS apply to this product in its concentrated form (as supplied) and may differ significantly at use dilution. The signs and symptoms of exposure apply only to negligence in handling or misuse of the concentrated product and not to the routine exposure of the diluted product under conditions of ordinary use.

End of Safety Data Sheet
