

SAFETY DATA SHEET

Revision Date 01-Jan.-2023 Version 1

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name GRADE & YIELD

Other means of identification

Product Code 20551

Recommended use of the chemical and restrictions on use

Recommended Use Meat branding ink

Uses advised against Follow the directions for use on the label when applying this product

Details of the supplier of the safety data sheet

Manufacturer Address

Safe Foods Chemical Innovations

1501 E. 8th Street

North Little Rock, AR 72114

Emergency telephone number

Company Phone Number 501-758-8500

Emergency Telephone Chemtrec 1-800-424-9300

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Serious eye damage/eye irritation	Category 2B
Specific target organ toxicity (single exposure)	Category 1 - (H370)
Flammable liquids	Category 2

Label elements

Emergency Overview

Danger

Hazard statements

Causes eye irritation Causes damage to organs

Highly flammable liquid and vapor





Appearance Aqueous solution Physical state Liquid Odor Alcoholic

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not breathe dusts or mists

Do not eat, drink or smoke when using this product

Keep away from heat/sparks/open flames/hot surfaces

Keep container tightly closed

Ground/bond container and receiving equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Use explosion-proof electrical/ventilating/lighting/equipment

Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

IF exposed: Call a POISON CENTER or doctor

Specific treatment (see Section 4 on SDS)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

In case of fire: Use CO2, dry chemical, or foam for extinction

Precautionary Statements - Storage

Store locked up. Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

GRADE & YIELD Revision Date 01-Jan.-2023

Hazards not otherwise classified (HNOC)

Not applicable

Other Information

- · May be harmful if swallowed
- May be harmful in contact with skin
- · Toxic to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS			
Chemical Name	CAS No.	Weight-%	
Ethyl alcohol	64-17-5	68-76	
Water	7732-18-5	18-24	
Methanol	67-56-1	2-6	
1,2-Propylene glycol	57-55-6	1-4	
Trade Secret 1	Proprietary	< 0.5	
C.I. Acid Blue 9, disodium salt	3844-45-9	< 0.5	
Trade Secret 2	Proprietary	< 0.07	

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures

Skin contact

Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if Eye contact

present, after first 5 minutes, then continue rinsing eye. Seek immediate medical attention/advice.

Wash off immediately with soap and plenty of water while removing all contaminated clothes and

shoes. Wash contaminated clothing and shoes before reuse. Get medical attention if irritation

develops and persists.

Inhalation Remove to fresh air. Administer oxygen if breathing is difficult. Call a physician immediately. Ingestion

Do NOT induce vomiting. Drink plenty of water. Never give anything by mouth to an unconscious

person. Call a physician immediately.

Most important symptoms and effects, both acute and delayed **Symptoms** See Section 11 for symptom information.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Dry chemical. Water spray (fog). Carbon dioxide (CO2). Foam.

Unsuitable extinguishing media No information available.

Specific hazards arising from the chemical

Flammable. Vapors may travel to source of ignition and flash back.

Hazardous combustion products Carbon monoxide. Carbon dioxide (CO2).

Explosion data

Sensitivity to Mechanical Impact None

Sensitivity to Static Discharge May be ignited by friction, heat, sparks or flames.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Cool containers with flooding quantities of water until well after fire is out.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protection recommended in Section 8. Ensure adequate ventilation, especially

in confined areas.

For emergency responders **Environmental precautions** Isolate area. Keep unnecessary personnel away.

Environmental precautions Prevent entry into waterways, sewers, basements or confined areas. See section 12 for

additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so. Contain and collect spillage with

> non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13). Use clean non-sparking tools to collect absorbed material. May be ignited by friction, heat,

sparks or flames. Collect spillage. Soak up with inert absorbent material. Sweep up and

shovel into suitable containers for disposal. Following product recovery, flush area with water.

7. HANDLING AND STORAGE

Precautions for safe handling

Methods for cleaning up

GRADE & YIELD Revision Date 01-Jan.-2023

Advice on safe handling

Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product. Use personal protection recommended in Section 8. Avoid contact with skin, eyes or clothing. Use only in well-ventilated areas. Avoid breathing vapors or mists. Wash thoroughly after handling. Handle in accordance with good

industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place. Keep from freezing. Keep

away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors

and static electricity).

Incompatible materials Reacts violently with strong oxidants such as nitric acid and silver nitrate causing fire and

explosion hazard. Reacts slowly with calcium hypochlorite and ammonia causing fire and

explosion hazard.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethyl alcohol	STEL: 1000 ppm	TWA: 1000 ppm	IDLH: 3300 ppm
64-17-5		TWA: 1900 mg/m ³	TWA: 1000 ppm
		_	TWA: 1900 mg/m ³
Methanol	STEL: 250 ppm	TWA: 200 ppm	IDLH: 6000 ppm
67-56-1	TWA: 200 ppm	TWA: 260 mg/m ³	TWA: 200 ppm
		(vacated) STEL: 250 ppm	TWA: 260 mg/m ³
		(vacated) STEL: 325 mg/m ³	STEL: 250 ppm
			STEL: 325 mg/m ³

Appropriate engineering controls

Engineering Controls Showers, eyewash stations, ventilation system.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Wear protective Neoprene™ gloves or rubber gloves. Normal work clothing (long sleeved Skin and body protection

shirt and long pants) is recommended. Apron recommended.

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved Respiratory protection

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

±1 @ 21°C

Closed cup

provided in accordance with current local regulations.

Do not eat, drink or smoke when using this product. Wash contaminated clothing and shoes **General Hygiene Considerations**

before reuse. Wash face, hands and any exposed skin thoroughly after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid

Appearance Aqueous solution Odor Alcoholic

Color Dark purple **Odor threshold** No information available

Values_ Remarks • Method Property

<-6.7 °C / 20 °F Melting point / freezing point 77 °C / 171 °F Boiling point / boiling range

15.6 °C / 60 °F Flash point

Evaporation rate > 1

Flammability (solid, gas) No information available

Flammability Limit in Air

Oxidizing properties

Upper flammability limit: No information available Lower flammability limit: No information available Vapor pressure No information available Vapor density No information available

Specific Gravity 0.862 a/cc

Water solubility Completely soluble Solubility in other solvents No information available **Partition coefficient** No information available

Autoignition temperature No information available **Decomposition temperature** No information available Kinematic viscosity No information available **Dynamic viscosity** No information available **Explosive properties** No information available

No information available

GRADE & YIELD Revision Date 01-Jan.-2023

VOC Content (%) 73.07% (5.18 lbs/gal)

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Heat, flames and sparks.

Incompatible materials

Reacts violently with strong oxidants such as nitric acid and silver nitrate causing fire and explosion hazard. Reacts slowly with calcium hypochlorite and ammonia causing fire and explosion hazard.

Hazardous Decomposition Products

Carbon monoxide. Carbon dioxide (CO2).

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation Inhalation of vapors in high concentration may cause irritation of respiratory system. May cause

central nervous system depression with nausea, headache, dizziness, vomiting, and incoordination.

Irritating to eyes. Symptoms include itching, burning, redness, and tearing of eyes.

Eve contact Skin Contact May cause slight irritation. Prolonged skin contact may defat the skin and produce dermatitis. May cause irritation. May cause nausea, diarrhea, and/or vomiting. May cause drowsiness or Ingestion dizziness. May cause central nervous system depression.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Ethyl alcohol	= 7060 mg/kg (Rat)	-	= 124.7 mg/L (Rat)4 h
64-17-5			
Water 7732-18-5	> 90 mL/kg (Rat)	-	-
Methanol 67-56-1	= 6200 mg/kg (Rat)	= 15800 mg/kg (Rabbit)	= 22500 ppm (Rat) 8 h = 64000 ppm (Rat) 4 h
1,2-Propylene glycol 57-55-6	= 20 g/kg (Rat)	= 20800 mg/kg (Rabbit)	-
Trade Secret 1	= 1840 mg/kg (Rat)	-	-

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

No information available. Sensitization Germ cell mutagenicity No information available.

Carcinogenicity Ethanol has been shown to be carcinogenic in long-term studies only when consumed as alcoholic

beverage.

Chemical Name	ACGIH	IARC	NTP	OSHA
Ethyl alcohol	A3	-	Known	X
64-17-5				
C.I. Acid Blue 9, disodium salt	-	Group 3	-	-
3844-45-9		,		

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 3 - "not classifiable as human carcinogens"

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity No information available.

STOT - single exposure H370 - Causes damage to organs.

STOT - repeated exposure No information available. **Aspiration hazard** No information available. Numerical measures of toxicity - Product Information

Unknown Acute Toxicity 78.2416 % of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document

Oral LD50 2,057.00 mg/kg **Dermal LD50** 2,179.00 mg/kg

GRADE & YIELD Revision Date 01-Jan.-2023

Mist 12.20 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

Toxic to aquatic life with long lasting effects

0.8666 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Ethyl alcohol	-	13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-	through 9268 - 14221: 48 h
64-17-5		12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 sta	
		100: 96 h Pimephales promelas mg/L LC50 static	10800: 24 h Daphnia
			magna mg/L EC50
			2: 48 h Daphnia magna
			mg/L EC50 Static
Methanol	-	100: 96 h Pimephales promelas mg/L LC50 static	-
67-56-1		28200: 96 h Pimephales promelas mg/L LC50 flow-throu	ugh
		18 - 20: 96 h Oncorhynchus mykiss mL/L LC50 static	
		13500 - 17600: 96 h Lepomis macrochirus mg/L LC50 flow-t	through
		19500 - 20700: 96 h Oncorhynchus mykiss mg/L LC50 flow-	through
1,2-Propylene glycol	19000: 96 h	41 - 47: 96 h Oncorhynchus mykiss mL/L LC50 static	1000: 48 h Daphnia magna
57-55-6	Pseudokirchneriella	51600: 96 h Oncorhynchus mykiss mg/L LC50 static	
	subcapitata mg/L EC50	51400: 96 h Pimephales promelas mg/L LC50 static	10000: 24 h Daphnia
		710: 96 h Pimephales promelas mg/L LC50	magna mg/L EC50

Persistence and degradability

No information available.

Bioaccumulation

Chemical Name	Partition coefficient
Ethyl alcohol - 64-17-5	-0.32
Methanol - 67-56-1	-0.77

Mobility

Soluble in water.

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastesDisposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging Dispose of in accordance with federal, state and local regulations.

Chemical Name	RCRA	RCRA - Basi	s for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Methanol	-	Included in w	aste stream:	-	U154
67-56-1		F039			
Chemical Name				California Hazardous Wa	ste Status
Ethyl alcohol - 64-17-5			Toxic	Ignitable	
M	ethanol - 67-56-1			Toxic	Ignitable

14. TRANSPORT INFORMATION

DOT

<u>UN/ID</u> No. 1993

Proper shipping name Flammable liquids, n.o.s. (contains ethanol)

Hazard Class 3
Packing Group | | |
Emergency Response Guide Number 128

15. REGULATORY INFORMATION

International Inventories

TSCA Complies DSL/NDSL Complies

EINECS/ELINCS No information available

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
Methanol - 67-56-1	1.0

SARA 311/312 Hazard Categories

GRADE & YIELD Revision Date 01-Jan.-2023

Acute health hazard Yes
Chronic Health Hazard No
Fire hazard Yes
Sudden release of pressure hazard No
Reactive Hazard No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Methanol	5000 lb	-	RQ 5000 lb final RQ
67-56-1			RQ 2270 kg final RQ

US State Regulations

California Proposition 65

Ethyl alcohol is only a considered a Proposition 65 developmental hazard when it is ingested as an alcoholic beverage

Chemical Name	California Proposition 65	
Ethyl alcohol - 64-17-5	Carcinogen	Developmental
Methanol - 67-56-1	Developmental	

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Ethyl alcohol	X	X	X
64-17-5			
Methanol	X	X	X
67-56-1			
1,2-Propylene glycol	X	-	X
57-55-6			
C.I. Acid Blue 9, disodium salt	-	X	-
3844-45-9			

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION				
NFPA	Health hazards 1	Flammability 4	Instability 0	Physical and Chemical Properties None
HMIS	Health hazards 1	Flammability 4	Physical hazards 0	Personal protection

B (safety glasses, gloves)

Prepared By Technical Department

Issue Date26-Mar-2014Revision Date01-Jan.-2023

Version

Revision Note Company Name Update

Specific gravity update.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The health hazards given on this SDS apply to this product in its concentrated form (as supplied) and may differ significantly at use dilution. The signs and symptoms of exposure apply only to negligence in handling or misuse of the concentrated product and not to the routine exposure of the diluted product under conditions of ordinary use.

End of Safety Data Sheet

.....