



KC-243

CHLORINATED FOAMING CLEANER



DANGER

Causes severe skin burns and eye damage.

Prevention: Do not breathe dusts or mists. Wash face, hands and any exposed skin thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. **Response:** Immediately call a poison center or doctor. Specific treatment (see Section 4 on SDS). **IF IN EYES:** Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor. **IF ON SKIN (or hair):** Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. **IF INHALED:** Remove person to fresh air and keep comfortable for breathing. Immediately call a poison center or doctor. **IF SWALLOWED:** Rinse mouth. DO NOT induce vomiting.

Storage: Store locked up.

Disposal: Dispose of contents/container to an approved waste disposal plant.

Additional Precautions: Corrosive! Contains sodium hypochlorite and potassium hydroxide. Do not mix with acids.

Read SDS before using this product.

KC-243 is a high-foaming chlorinated cleaner designed for safe use on aluminum surfaces. The combination of ingredients in this product, makes it a powerful cleaner for smoke residues, animal fats and oils, and surface soils.

DIRECTION FOR USE: Rinse area to be cleaned with hot water (100°F-140°F) to remove gross soil. Use in any foaming apparatus, diluting 3 to 6 ounces per gallon of hot water, or as desired. Dilution rate varies with length of exposure time to contact surfaces. Exceeding concentration of 12 ounces per gallon of water is not recommended. Let penetrate soils for 10 minutes. Rinse well with water.



PSSI Chemical Innovations
3729 Peddle Hollow Rd.
Kieler, WI 53812 USA
888-671-5366

HEALTH	2
FLAMMABILITY	0
REACTIVITY	0
PPE	C



NET CONTENTS: 55 GALLONS ___
275 GALLONS ___
330 GALLONS ___

BATCH:

FOR INDUSTRIAL USE ONLY
NOT FOR RETAIL SALE ID #20583

CHEMTREC EMERGENCY PHONE 1-800-424-9300

UN1760

, Corrosive liquid, n.o.s., 8, PG II
(potassium hydroxides and sodium hypochlorite)