# SAFETY DATA SHEET

Revision Date 20-Jan-2023 Version 1

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

**Product identifier** 

**Product Name** KC-568

Other means of identification

**Product Code** 20021

Recommended use of the chemical and restrictions on use **Recommended Use** High foaming, caustic cleaner

Uses advised against Follow the directions for use on the label when applying this product

Details of the supplier of the safety data sheet

**Manufacturer Address** 

Safe Foods Chemical Innovations

1501 E. 8th Street

North Little Rock, AR 72114

Emergency telephone number

**Company Phone Number** 501-758-8500

**Emergency Telephone** Chemtrec 1-800-424-9300

# 2. HAZARDS IDENTIFICATION

#### Classification

#### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

:::::	00:17:11022014 00:111110011011100114 (20 0:11 10:10:1200)
Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1

#### Label elements

# **Emergency Overview**

#### Danger

# **Hazard statements**

Causes severe skin burns and eye damage



Appearance Aqueous solution Physical state Liquid Odor Mild

#### **Precautionary Statements - Prevention**

Do not breathe dusts or mists

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

# **Precautionary Statements - Response**

Immediately call a poison center or doctor

Specific treatment (see Section 4 on SDS)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. Wash contaminated clothing before reuse

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a poison center or doctor IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

# **Precautionary Statements - Storage**

Store locked up

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

# Hazards not otherwise classified (HNOC)

Not Applicable

# Other Information

KC-568

· May be harmful in contact with skin

· Harmful to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS					
Chemical Name CAS No. weight-%					
Water	7732-18-5	55-65			
Sodium hydroxide	1310-73-2	27-31			
Potassium hydroxide	1310-58-3	4-8			
Trade Secret 1	Proprietary	1-3			
Trade Secret 2	Proprietary	1-3			
Sodium carbonate	497-19-8	< 0.03			

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

# 4. FIRST AID MEASURES

First aid measures

Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if Eye contact

present, after first 5 minutes, then continue rinsing eye. Seek immediate medical attention/advice.

Skin contact Wash off immediately with soap and plenty of water while removing all contaminated clothes and

shoes. Wash contaminated clothing and shoes before reuse. For severe burns, immediate medical

attention is required.

Inhalation Remove to fresh air. Administer oxygen if breathing is difficult. Call a physician immediately.

Ingestion Do NOT induce vomiting. Drink plenty of water. Never give anything by mouth to an unconscious

person. Call a physician immediately.

Most important symptoms and effects, both acute and delayed

**Symptoms** See Section 11 for symptom information.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

# 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Dry chemical. Water spray (fog). Carbon dioxide (CO2). Foam.

Unsuitable extinguishing media No information available.

Specific hazards arising from the chemical

Exothermic reaction will occur upon dilution with water.

**Hazardous combustion products** Carbon monoxide. Carbon dioxide (CO2).

Explosion data

**Sensitivity to Mechanical Impact** None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Cool containers with flooding quantities of water until well after fire is out. Non-combustible, substance itself does not burn but may decompose upon heating to produce corrosive and/or toxic fumes.

# 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protection recommended in Section 8. Ensure adequate ventilation, especially

in confined areas.

For emergency responders Environmental precautions

Isolate area. Keep unnecessary personnel away.

**Environmental precautions** Prevent entry into waterways, sewers, basements or confined areas. See Section 12 for

additional ecological information.

Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so. Contain and collect spillage with

> non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13). Collect spillage. Soak up with inert absorbent material. Sweep up and shovel into suitable

containers for disposal. Following product recovery, flush area with water.

# 7. HANDLING AND STORAGE

Precautions for safe handling

Methods for cleaning up

Use personal protection recommended in Section 8. Avoid contact with skin, eyes or clothing. Advice on safe handling

Use only in well-ventilated areas. Avoid breathing vapors or mists. Wash thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place. Keep from freezing.

Incompatible materials Acids. Amphoteric metals (aluminum, copper, zinc).

KC-568 Revision Date 20-Jan-2023

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# Control parameters

**Exposure Guidelines** 

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH	
Sodium hydroxide - 1310-73-2	Ceiling: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	IDLH: 10 mg/m <sup>3</sup>	
•		(vacated) Ceiling: 2 mg/m <sup>3</sup>	Ceiling: 2 mg/m <sup>3</sup>	
Potassium hydroxide - 1310-58-3	Ceiling: 2 mg/m <sup>3</sup>	(vacated) Ceiling: 2 mg/m <sup>3</sup>	Ceiling: 2 mg/m <sup>3</sup>	

**Appropriate engineering controls** 

**Engineering Controls** Showers, eyewash stations, ventilation system.

Individual protection measures, such as personal protective equipment

Eye/face protection Splash proof chemical goggles and face shield.

Wear protective Neoprene™ gloves or rubber gloves. Wear suitable protective clothing. Skin and body protection

Rubber boots recommended.

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved Respiratory protection

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

Wash face, hands and any exposed skin thoroughly after handling. Wash contaminated **General Hygiene Considerations** 

clothing and shoes before reuse. Do not eat, drink or smoke when using this product.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid

Aqueous solution **Appearance** Odor Mild

Clear. Brown Odor threshold No information available Color Property Values Remarks • Method

Ha ±1 @ 21°C

< -14 °C / < 7 °F Melting point/freezing point

Boiling point / boiling range No information available

Flash point Not flammable

**Evaporation rate** No information available Flammability (solid, gas) No information available

Flammability Limit in Air

Upper flammability limit: No information available Lower flammability limit: No information available Vapor pressure No information available Vapor density No information available

**Specific Gravity** 1.41 g/cc

Water solubility Completely soluble Solubility in other solvents No information available No information available Partition coefficient No information available **Autoignition temperature Decomposition temperature** No information available Kinematic viscosity No information available Dynamic viscosity No information available **Explosive properties** No information available **Oxidizing properties** No information available

**VOC Content (%)** 0.00%

# 10. STABILITY AND REACTIVITY

#### Reactivity

No data available

# **Chemical stability**

Stable under recommended storage conditions. Exothermic reaction will occur upon dilution with water.

# **Possibility of Hazardous Reactions**

None under normal processing.

#### Conditions to avoid

None known.

#### Incompatible materials

Acids. Amphoteric metals (aluminum, copper, zinc).

# **Hazardous Decomposition Products**

Carbon monoxide. Carbon dioxide (CO2)

# 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

KC-568

\_\_\_\_\_\_

**Product Information** 

**Inhalation** Inhalation of vapors in high concentration may cause irritation of respiratory system. Vapors

may be irritating to eyes, nose, throat, and lungs.

Eye contact Risk of serious damage to eyes. Corrosive to the eyes and may cause severe damage

including blindness.

**Skin Contact** Corrosive. Contact causes severe skin irritation and possible burns.

**Ingestion** Harmful if swallowed. Can burn mouth, throat, and stomach.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50	
Sodium hydroxide 1310-73-2	-	= 1350 mg/kg (Rabbit)	-	
Potassium hydroxide 1310-58-3	= 284 mg/kg (Rat)	-	-	
Sodium carbonate 497-19-8	= 4090 mg/kg (Rat)	-	= 2300 mg/m³ (Rat)2 h	

Information on toxicological effects

**Symptoms** No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity This product does not contain any carcinogens or potential carcinogens as listed by OSHA,

IARC or NTP.

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
Aspiration hazard
Numerical measures of toxicity
No information available.
No information available.
No information available.
Product Information

Numerical measures of toxicity - Product Information

Unknown Acute Toxicity 3.76% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document

 Oral LD50
 7,937.00
 mg/kg

 Dermal LD50
 4,655.00
 mg/kg

# 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

Harmful to aquatic life with long lasting effects

4.21% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Sodium hydroxide 1310-73-2	-	45.4: 96 h Oncorhynchus mykiss mg/L LC50 static	-
Potassium hydroxide 1310-58-3	-	80: 96 h Gambusia affinis mg/L LC50 static	-
Sodium carbonate	242: 120 h Nitzschia mg/L	300: 96 h Lepomis macrochirus mg/L LC50 static	265: 48 h Daphnia magna
497-19-8	EC50	310-1220: 96 h Pimephales promelas mg/L LC50 static	mg/L EC50

# Persistence and degradability

No information available.

# **Bioaccumulation**

Chemical Name	Partition coefficient
Potassium hydroxide	0.65
1310-58-3	0.83

# **Mobility**

Soluble in water.

Other adverse effects No information available

# 13. DISPOSAL CONSIDERATIONS

# Waste treatment methods

**Disposal of wastes**Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated packaging** Dispose of in accordance with federal, state and local regulations.

Chemical Name	California Hazaro	lous Waste Status
Sodium hydroxide - 1310-73-2	Toxic	Corrosive
Potassium hydroxide - 1310-58-3	Toxic	Corrosive
Sodium carbonate - 497-19-8		Corrosive

# 14. TRANSPORT INFORMATION

DOT

**UN/ID No.** 1760

Proper shipping name Corrosive liquids, n.o.s. (contains sodium and potassium hydroxides)

Hazard Class 8

\_\_\_\_\_\_

# KC-568

Packing Group || Emergency Response Guide Number 154

# **15. REGULATORY INFORMATION**

International Inventories

TSCA Complies
DSL/NDSL Complies
EINECS/ELINCS Does not comply

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

# **US Federal Regulations**

**SARA 313** 

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

# SARA 311/312 Hazard Categories

Acute health hazardYesChronic Health HazardNoFire hazardNoSudden release of pressure hazardNoReactive HazardNo

# **CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium hydroxide 1310-73-2	1000 lb	-	-	Х
Potassium hydroxide 1310-58-3	1000 lb	-	-	Х

# **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Sodium hydroxide	1000 lb	-	RQ 1000 lb final RQ
1310-73-2			RQ 454 kg final RQ
Potassium hydroxide	1000 lb	-	RQ 1000 lb final RQ
1310-58-3			RQ 454 kg final RQ

#### **US State Regulations**

# California Proposition 65

This product does not contain any Proposition 65 chemicals

# **U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Sodium hydroxide 1310-73-2	X	X	X
Potassium hydroxide 1310-58-3	Х	Х	X

#### **U.S. EPA Label Information**

EPA Pesticide Registration Number Not Applicable

16. OTHER INFORMATION						
NFPA	Health hazards	2	Flammability	0	Instability 0	Physical and Chemical Properties Corrosive, Alkaline

OTHER INCORMATION

<u>HMIS</u> Health hazards 2 Flammability 0 Physical hazards 0 Personal protection D (face shield, gloves, synthetic apron)

Prepared By Technical Department

Issue Date11-Mar-2014Revision Date20-Jan-2023

Version

**Revision Note** 

Company name update.

\_\_\_\_\_\_

KC-568

**Disclaimer** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The health hazards given on this SDS apply to this product in its concentrated form (as supplied) and may differ significantly at use dilution. The signs and symptoms of exposure apply only to negligence in handling or misuse of the concentrated product and not to the routine exposure of the diluted product under conditions of ordinary use.

**End of Safety Data Sheet**