

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

DANGER. Corrosive. Causes irreversible eye damage and skin burns. Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing spray mist. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves and protective clothing when handling. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and aquatic invertebrates. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product into sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

DISINFECTION PERFORMANCE IN INSTITUTIONS AND NON-MEDICAL FACILITIES:

This product kills the following bacteria in 10 minutes at 0.5 oz. per gallon of water (850 ppm active) in 400 ppm hard water, 5% soil on hard, non-porous surfaces: *Escherichia coli*, *Klebsiella pneumoniae*, *Pseudomonas aeruginosa*, *Salmonella enterica*, *Staphylococcus aureus*.

VIROCIDAL* PERFORMANCE: This product kills the following viruses in 10 minutes at 0.5 oz. per gallon of water (850 ppm active) in 400 ppm hard water, 5% soil on hard, non-porous surfaces: Hepatitis B Virus (HBV), Hepatitis C Virus (HCV), Herpes Simplex Type 1 Virus, Herpes Simplex Type 2 Virus, Human Immunodeficiency Virus Type 1 (HIV-1), Human Coronavirus, Influenza A/Brazil Virus, Respiratory Syncytial Virus, Vaccinia Virus.

NON-FOOD CONTACT SANITIZING PERFORMANCE: This product is an effective one-step sanitizer in 1 minute at 0.5 oz. per 5.5 gallons of water (150 ppm active) in 400 ppm hard water, 5% soil on hard, non-porous surfaces against: *Klebsiella pneumoniae*, *Staphylococcus aureus*.

FUNGISTATIC PERFORMANCE: This product kills the following fungi in 10 minutes at 0.75 oz. per gallon of water in 400 ppm hard water, 5% soil on hard, non-porous surfaces: *Candida albicans*, *Trichophyton mentagrophytes*.

MILDEWSTATIC PERFORMANCE: This product controls the following mold in 10 minutes at 0.5 oz. per gallon of water in 400 ppm hard water, 5% soil on hard non-porous surfaces: *Aspergillus niger*.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Before using this product in federally inspected meat and poultry food processing plants and dairies, food products and packaging materials must be removed from the room or carefully protected. A potable water rinse is required. This product is not for use on medical device surfaces.

FOR USE AS A GENERAL, HOSPITAL, MEDICAL DISINFECTANT/VIROCIDE*/CLEANER:

1. Pre-clean heavily soiled areas. 2. Apply use solution of 0.5 oz. of this product per gal. of water (or equivalent use dilution) to disinfect hard, non-porous surfaces with a sponge, brush, cloth, mop, by immersion, auto scrubber, mechanical spray device, hand pump, coarse pump or trigger spray device. For spray applications, spray 6-8 inches from surface. Do not breathe spray. 3. Treated surfaces must remain wet for 10 minutes. 4. Allow to air dry. Rinsing of floors is not necessary unless they are to be waxed or polished. 5. Prepare a fresh solution daily or when visibly dirty.

***KILLS HIV, HBV AND HCV ON PRE-CLEANED HARD, NON-POROUS SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of hard, non-porous surfaces/objects with blood or body fluids and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1), Hepatitis B Virus (HBV) and Hepatitis C Virus (HCV).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1, HBV AND HCV ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS. Personal Protection:

Wear protective latex gloves, gowns, masks and eye protection. **Cleaning Procedure:** Blood and other body fluids containing HIV-1, HBV & HCV must be thoroughly cleaned from hard, non-porous surfaces and objects before application of this product. **Disposal of Infectious Materials:** Blood and other body fluids, cleaning materials and clothing must be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal. **Contact Time:** Allow hard, non-porous surface to remain wet for 10 minutes to kill HIV, HBV and HCV and other viruses and bacteria listed on the label.

NON-FOOD CONTACT SANITIZING DIRECTIONS

NON-FOOD CONTACT SANITIZING: Pre-clean heavily soiled areas. Add 0.5 oz. of this product per 5.5 gal. of water (150 ppm active) (or equivalent use dilution). Apply solution to hard, non-porous surfaces with a sponge, brush, cloth, mop, by immersion, auto scrubber, mechanical spray device, hand pump, coarse pump or trigger spray device. For spray applications, spray 6-8 inches from surface. Do not breathe spray. Treated surfaces must remain wet for 1 minute. Prepare a fresh solution daily or when visibly dirty.

DIRECTIONS FOR USE CONTINUED ON RIGHT PANEL.



KC-639

Disinfectant, Cleaner, Mildewstat, Non-Food Contact Sanitizer, Virucide*, Deodorizer. For Use in Food Handling and Process Areas and Federally Inspected Meat and Poultry Plants. For use on floors, walls and other hard, non-porous surfaces.

ACTIVE INGREDIENTS:

Alkyl (50% C14, 40% C12, 10% C16)	
Dimethyl Benzyl Ammonium Chloride.....	8.68%
Octyl Decyl Dimethyl Ammonium Chloride.....	6.50%
Didecyl Dimethyl Ammonium Chloride.....	3.26%
Dioctyl Dimethyl Ammonium Chloride.....	3.26%
OTHER INGREDIENTS:	78.30%
TOTAL:	100.00%

**KEEP OUT OF REACH OF CHILDREN
DANGER PELIGRO**

See side panel for additional precautionary statements.

FIRST AID

In case of emergency, call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

IF ON SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

Sold by Packers Chemical

P.O. Box 338, 3729 Peddle Hollow Rd., Kieler, WI 53812

EPA Reg. No. 10324-72-63679 EPA Est. No. 63679-WI-001

**FOR CHEMICAL OR MEDICAL EMERGENCIES,
CALL CHEMTREC 1-800-424-9300.**

NET CONTENTS: 55 GALLONS 275 GALLONS

BATCH: _____ F-15 Rev 2/4/16 non-CA

SHOE/BOOT BATH SANITIZER DIRECTIONS: To prevent cross contamination from area to area, in animal areas, and the packaging and storage areas of food plants, shoe baths containing one inch of freshly made sanitizing solution must be placed at all entrances to buildings, hatcheries and at all the entrances to the production and packaging rooms. Scrape waterproof shoes and place in a 0.5 oz. of this product per 5.5 gal. of water (or equivalent use dilution) (150 ppm active) use solution for 1 minute prior to entering area. Prepare a fresh solution daily or when visibly dirty.

(For food processing or other facilities that have installed entryway sanitizing systems.)

ENTRYWAY SANITIZING SYSTEMS: To prevent cross contamination from area to area, set the system to deliver 0.5 oz. of this product per 5.5 gal. of water (or equivalent use dilution) (150 ppm active) of sanitizing solution. The spray/foam must cover the entire path of the doorway. Set the system so that a continuous wet blanket of sanitizer solution is delivered to the floor. Do not mix other foam additives with the sanitizing solution.

TO KILL FUNGI: Pre-clean heavily soiled areas. Prepare use solution by adding 0.75 oz. of this product per gal. of water (or equivalent use dilution). Apply use solution to hard, non-porous surfaces. Allow surface to remain wet for 10 minutes. Wipe surfaces and let air dry.

TO CONTROL MOLD/MILDEW: Prepare use solution by adding 0.5 oz. of this product per gal. of water (or equivalent use dilution). Apply use solution to pre-cleaned hard, non-porous surfaces for 10 minutes which will effectively inhibit the growth of mold and mildew and their odors. Repeat treatment every seven days, or more often if new growth appears.

TO DISINFECT FOOD-PROCESSING PREMISES: For floors, walls and storage areas, apply 0.5 oz. of this product per gal. of water (or equivalent use dilution) (850 ppm active). For heavily soiled areas, a pre-cleaning step is required. Apply solution with a brush, mop, cloth, sponge, immersion, auto scrubber, mechanical spray device, hand pump, coarse pump or trigger spray device. For sprayer applications, spray 6-8 inches from surface. For sprayer applications, use a coarse spray device. Do not breathe spray. Allow surface to remain wet for 10 minutes, then remove excess liquid. After use, all surfaces in the area must be thoroughly rinsed with potable water.

FOGGING IN FOOD PREMISES

ALL SURFACES MUST BE CLEANED AND DISINFECTED IN ACCORDANCE WITH LABEL DIRECTIONS PRIOR TO FOGGING.

DIRECTIONS FOR FOGGING IN DAIRIES AND FOOD PROCESSING PLANTS: Prior to fogging, food products and packaging material must be removed from the room or carefully protected. After disinfecting, fog desired areas using 1 quart per 1,000 cubic feet of room area with a solution containing 0.75 oz. of product per gal. of water (1,200 ppm active). Wear a dust mist respirator when mixing the use solution and pouring it into the fogging apparatus. Vacate the area of all personnel during fogging and for a minimum of 2 hours after fogging and a minimum of 4 air exchanges (ACH) per hour in the facility. All food contact surfaces must be sanitized with an EPA approved food contact sanitizer solution prior to use. All food contact surfaces must be thoroughly rinsed with potable water prior to sanitizing.

Note: The fog generated is irritating to the eyes, skin and mucous membranes. Under no circumstances must a room or building be entered by anyone within two hours of the actual fogging and a minimum of 4 air exchanges (ACH) per hour in the facility. If the building must be entered, then the individuals entering the building must wear a self-contained respirator approved by NIOSH/MSHA, goggles, long sleeves, gloves and long pants.

GENERAL DEODORIZATION: To deodorize, apply 0.5 oz. of this product per gal. of water to hard, non-porous surfaces. Allow to air dry.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Store only in original container. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING: Non-Refillable Container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip back and forth several times. Turn the container over onto its other end and tip back and forth several times. Follow Pesticide Disposal instructions for rinsate disposal. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration.



UN1903

, Disinfectants, Liquid,
Corrosive, n.o.s., 8, PG II (Quaternary ammonium compound)