

## NEUTRALEZE

## ACIDIFIER



**Causes severe skin burns and eye damage. Prevention:** Do not breathe dusts or mists. Wash face, hands and any exposed skin thoroughly after handling. Wear protective gloves/protective clothing/eye protection/ face protection. **Response:** Immediately call a poison center or doctor. Specific treatment (see Section 4 on SDS). **IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. Immediately call a poison center or doctor. **IF ON SKIN (or hair):** Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. **IF INHALED:** Remove person to fresh air and keep comfortable for breathing. Immediately call a poison center or doctor. **IF SWALLOWED:** Rinse mouth. DO NOT induce vomiting.

Storage: Store locked up.

**Disposal:** Dispose of contents/container to an approved waste disposal plant.

Additional Precautions: Contains citric acid.

Read SDS before using this product.



NET CONTENTS: 40 POUNDS \_\_\_\_\_ 400 GALLONS \_\_\_\_

ватсн:

FOR INDUSTRIAL USE ONLY NOT FOR RETAIL SALE ID #20338 Neutraleze is for use as a general acidifier, and in particular for neutralizing tripe after scalding. Neutraleze will help reduce pH of the finished tripe to the required pH of 6 to 7.5.

**DIRECTION FOR USE:** For use as a general acidifier, and in particular for neutralizing tripe after scalding. The following directions are based on a cylinder loaded with about 70 tripe that have been previously washed and bleached.

Check the pH. If the pH is greater than 8, fill the cylinder with cold water and add  $1\frac{1}{2}$  pounds of Neutraleze. Rinse for 5 minutes. Rinse with cold water for 3 minutes.

Check the pH again. If it is still too high, repeat the procedure. If the pH is acceptable, remove the tripe.

Safe Foods Chemical Innovations 1501 E 8<sup>th</sup> Street North Little Rock, AR 72114 501-758-8500

CHEMTREC EMERGENCY PHONE 1-800-424-9300