SAFETY DATA SHEET



Revision Date 27-Jan-2023

Version 1

SUBSIANCE/PREPARATION	NAND OF THE COMPANY/UNDERTAKING
OATCIP	
20586	
	label when applying this product
/ data sheet	
504 750 0500	
2. HAZARDS IDENTIFIC	CATION
us by the 2012 OSHA Hazard Commur	
	Category 1 Sub-category A
	Category 1
	Category 1
Emergency Overview	W
amage xidizer	
Physical state Liquid	id Odor Punge
Physical state Liquio	d Odor Punge
· _ · _ ·	d Odor Punge
	amage

In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion In case of fire: Use CO2, dry chemical, or foam for extinction

Precautionary Statements - Storage Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

• May be harmful if swallowed

· Toxic to aquatic life with long lasting effects

3.	COMPOSITION/INFORMATION ON INGRE	EDIENTS			
Chemical Name	CAS No.	Weight-%			
Water	7732-18-5	65.6-66.5			
Hydrogen peroxide	7722-84-1	33.5-34.4			
*The exact percentage (concentration) of composition has been withheld as a trade secret.					
	4. FIRST AID MEASURES				
First aid measures	4. TINGT AID MILASONES				
ye contact Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses present, after first 5 minutes, then continue rinsing eye. Seek immediate medical attention/advice kin contact Wash off immediately with soap and plenty of water while removing all contaminated clothes an shoes. Wash contaminated clothing and shoes before reuse. Get medical attention if irritation develops and persists.					
Inhalation R	emove to fresh air. Administer oxygen if breathing is d	lifficult. Call a physician immediately.			
	o NOT induce vomiting. Clean mouth with water and c				
ar	nything by mouth to an unconscious person. Call a phy	ysician immediately.			
Most important symptoms and e	ffects, both acute and delayed				
	ee Section 11 for symptom information.				
	lical attention and special treatment needed				
Note to physicians Tr	reat symptomatically.				
	5. FIRE-FIGHTING MEASURES				
Suitable extinguishing media					
Hazardous combustion prod <u>Explosion data</u> Sensitivity to Mechanical Imp Sensitivity to Static Discharg <u>Protective equipment and preca</u> As in any fire, wear self-contained	Dry chemical or CO2. edia Do not use halogenated extinguishing agent e chemical burst may occur due to decomposition in confined space ourst may occur due to decomposition in confined space On decomposition product releases oxygen combustion of organic matter and causes ov pact None. ge None.	ces. which may intensify fire. Supports verpressure if confined. I (approved or equivalent) and full			
	6. ACCIDENTAL RELEASE MEASUR	ES			
	equipment and emergency procedures				
Personal precautions	Use personal protection recommended in Section 8 in confined areas.	 Ensure adequate ventilation, especially 			
For emergency responders	Isolate area. Keep unnecessary personnel away.				
Environmental precautions					
	–				
Environmental precautions	Prevent entry into waterways, sewers, basements of	or confined areas. See section 12 for			
-	additional ecological information.	or confined areas. See section 12 for			
Methods and material for contain	additional ecological information. nment and cleaning up				
-	additional ecological information.	uitable clean container or dike area and aterials exposed to this product should be bunts of water to ensure that all hydrogen			

Precautions for safe handling				
Advice on safe handling	Never return unused product to the original container. Ensure an adequate supply of water is available in the event of an accident. Use personal protection recommended in Section 8. Avoid contact with skin, eyes or clothing. Use only in well-ventilated areas. Avoid breathing vapors or mists. Wash thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice.			
Conditions for safe storage, in	cluding any incompatibilities			
Storage Conditions	Class 2 oxidizer. Containers (46°C). Hydrogen peroxide (wooden pallets (NFPA 400, an aisle (NFPA 400, 15.2.12 Reducing agent. Caustics. N		perature not exceeding 115°F in drums shall not be stored on each pile of oxidizers shall be on aper, oil, clothing, etc.). Contact	
8.	EXPOSURE CONTROLS	PERSONAL PROTECTIC	N	
Control parameters				
Exposure Guidelines				
Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH	
Hydrogen peroxide	TWA: 1 ppm	TWA: 1 ppm	IDLH: 75 ppm	
7722-84-1		TWA: 1.4 mg/m ³	TWA: 1 ppm TWA: 1.4 mg/m ³	
Appropriate engineering control	ols			
Engineering Controls	Showers, eyewash station	s, ventilation system.		
Individual protection measures	s, such as personal protective	equipment		
Eye/face protection	Splash proof chemical goggles and face shield.			
Skin and body protection	and body protection Wear protective Neoprene [™] gloves or rubber gloves. Fire or flame resistant clothing is			

recommended. Rubber boots recommended.

provided in accordance with current local regulations.

Respiratory protection

General Hygiene Considerations

clothing and shoes before reuse. Do not eat, drink or smoke when using this product. 9. PHYSICAL AND CHEMICAL PROPERTIES

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

Wash face, hands and any exposed skin thoroughly after handling. Wash contaminated

	S. I III OIGAE AND OIIEIMIG		
Information on basic physical an	nd chemical properties		
Physical state	Liquid		
Appearance	Aqueous solution	Odor	Pungent
Color	Clear, Colorless	Odor threshold	No information available
Property	<u>Values</u>	Remarks • Method	_
рН	3	±1 @ 21°C	
Melting point / freezing point	-33 °C / -27 °F		
Boiling point / boiling range	108 °C / 226 °F		
Flash point	Not flammable		
Evaporation rate	> 1	kPa @ 20 °C	
Flammability (solid, gas)	No information available		
Flammability Limit in Air			
Upper flammability limit:	No information available		
Lower flammability limit:	No information available		
Vapor pressure	3.2	kPa @ 20 °C	
Vapor density	1.0	C	
Specific Gravity	1.130 g/cc		
Water solubility	Soluble in water		
Solubility in other solvents	No information available		
Partition coefficient	No information available		
Autoignition temperature	Not flammable		
Decomposition temperature	= 60°C (140°F)	self-accelerated decon	nposition temperature (SADT)
		with oxygen release	
Kinematic viscosity	No information available		
Dynamic viscosity	No information available		
Explosive properties	No information available		
Oxidizing properties	May intensify fire; oxidizer		
VOC Content (%)	0.00%		

10. STABILITY AND REACTIVITY

			10. STABILITY A	ND REAC	TIVITY		
Reactivity							
No data available							
Chemical stability	dad ator	ana aanditi					
Stable under recommen Possibility of Hazardou			0115.				
		<u>.ions</u>					
None under normal proc Hazardous polyme		Will	not occur.				
Conditions to avoid Heat. Incompatible mate	erials.						
Incompatible materials	3						
Reducing agent. Caustic	cs. May ig	gnite comb	ustibles (wood, paper	, oil, clothing,	etc.). Contact with n	netals may evolve flamm	able
hydrogen gas. Organic r	material.	Flammable	substances.				
Hazardous Decompos							
Oxygen which supports	combust	ion. Decom	position releases stea	am and heat.			
		1	1. TOXICOLOGIC	AL INFOR	MATION		
Information on likely re	outes of	exposure					
Product Information							
Inhalation		Inha	lation of vapors in hig	h concentratio	on may cause irritati	on of respiratory system.	. Vapors
		may	be irritating to eyes, r	nose, throat, a	and lungs.		
Eye contact						may cause severe dama	ige
		inclu	iding blindness.				
Skin Contact		Corr	osive. Contact causes	s severe skin	irritation and possibl	e burns.	
Ingestion		Harr	nful if swallowed. Can	burn mouth,	throat, and stomach		
Chemical Name			Oral LD50		rmal LD50	Inhalation LC50	
Water		> 9	0 mL/kg (Rat)		-	-	
7732-18-5		Ū	o				
Hydrogen peroxide 7722-84-1		= 15	18 mg/kg (Rat)		g (Rabbit)= 4060 /kg (Rat)	= 2 g/m ³ (Rat) 4	h
Information on toxicol	ogical ef	fects					
Symptoms			nformation available.				
Delayed and immediat	e effects			n short and I	ona-term exposure	9	
Sensitization			nformation available.				
Germ cell mutagenicity	v	No i	nformation available.				
Carcinogenicity	,	The	table below indicates	whether each	n agency has listed a	any ingredient as a carcir	nogen.
Chemical Name	A	CGIH	IARC		NTP	OSHA	
Hydrogen peroxide 7722-84-1		A3	Group 3		-	-	
		of Governn	nental Industrial Hygier	nists)		·	
A3 - Animal Carcinoge							
IARC (International A							
Group 3 - "not classifia	able as hui						
Reproductive toxicity No information available. STOT - single exposure No information available.							
STOT - single exposur STOT - repeated expos			nformation available.				
Aspiration hazard	sure		nformation available.				
•							
Numerical measures o				.	1(-) - f +	-14.	
Unknown Acute Toxici			of the mixture consist			city	
The following values a	re calcu			ne GHS doci	ument		
Oral LD50			5.00 mg/kg				
Mist		6.00	mg/l				
			12. ECOLOGICA	L INFORM	ATION		
Ecotoxicity							_
Toxic to aquatic life with	long last	ing effects					
0 % of the mixture consi) of unknown hazards	to the aquation	c environment		
Chemical Name		quatic plan		Fish		Crustacea	
Hydrogen peroxide		Chlorella vul	garis 16.4: 96 h	n Pimephales pi	romelas mg/L LC50	18 - 32: 48 h Daphni	a magna
7722-84-1		g/L EC50	10.0 - 32.0: 96 h	n Oncorhynchus	s mykiss mg/L LC50 st chirus mg/L LC50 stati	atic mg/L EC50 Sta	atic magna
Persistence and degra	dability						

Persistence and degradability No information available.

Bioaccumulation				
No information available.				
Mobility				
Soluble in water.				
Other adverse effects	No information available			
	13. DISPOSAL C	ONSIDERATIONS		
Waste treatment methods	Dianagal should be in accordance	a with applicable regional patier	al and least lows and	regulations
	Disposal should be in accordance Dispose of in accordance with fe			regulations.
	D001 (Ignitable) D002 (Corrosive			
	cal Name		rdous Waste Status	
Hydrogen perc	oxide - 7722-84-1	Toxic Corrosive	Ignitable	Reactive
	14. TRANSPOR	T INFORMATION		
DOT				
UN/ID No.	2014			
Proper shipping name		de, aqueous solutions with 34%	hydrogen peroxide	
Hazard Class	5.1			
Subsidiary class	8			
Packing Group	II.			
Emergency Response Gui				
	15. REGULATOR	RY INFORMATION		
nternational Inventories				
	Complies			
	Complies Complies			
Legend:	Complies			
	stances Control Act Section 8(b) Inve	ntory		
DSL/NDSL - Canadian Domestic	Substances List/Non-Domestic Substances List/Non-Domestic Substances	stances List	al Substances	
US Federal Regulations	, ,			
SARA 313				
	perfund Amendments and Reaut			
chemicals which are subject to t SARA 311/312 Hazard Catego	the reporting requirements of the ries_	Act and Title 40 of the Code of I	ederal Regulations, I	Part 372
Acute health hazard	Yes			
Chronic Health Hazard	No			
Fire hazard	Yes			
Fire hazard Sudden release of pressur Reactive Hazard				
Sudden release of pressur Reactive Hazard	re hazard No			
Sudden release of pressur Reactive Hazard CWA (Clean Water Act) This product does not contain an CFR 122.42)	re hazard No	tants pursuant to the Clean Wat	er Act (40 CFR 122.2	1 and 40
Sudden release of pressur Reactive Hazard <u>CWA (Clean Water Act)</u> This product does not contain an CFR 122.42) <u>CERCLA</u>	re hazard No Yes ny substances regulated as pollu		·	
Sudden release of pressur Reactive Hazard <u>CWA (Clean Water Act)</u> This product does not contain an CFR 122.42) <u>CERCLA</u> This material, as supplied, conta	re hazard No Yes ny substances regulated as pollu ains one or more substances regu	ulated as a hazardous substance	·	
Sudden release of pressur Reactive Hazard <u>CWA (Clean Water Act)</u> This product does not contain an CFR 122.42) <u>CERCLA</u> This material, as supplied, conta Environmental Response Comp	re hazard No Yes ny substances regulated as pollu ains one or more substances regu ensation and Liability Act (CERC	ulated as a hazardous substance LA) (40 CFR 302)	e under the Comprehe	ensive
Sudden release of pressur Reactive Hazard CWA (Clean Water Act) This product does not contain an CFR 122.42) CERCLA This material, as supplied, conta	re hazard No Yes ny substances regulated as pollu ains one or more substances regu	ulated as a hazardous substance	·	ensive
Sudden release of pressur Reactive Hazard <u>CWA (Clean Water Act)</u> This product does not contain an CFR 122.42) <u>CERCLA</u> This material, as supplied, conta Environmental Response Comp <u>Chemical Name</u> Hydrogen peroxide 7722-84-1	re hazard No Yes ny substances regulated as pollu ains one or more substances regu ensation and Liability Act (CERC	ulated as a hazardous substance LA) (40 CFR 302) CERCLA/SARA RQ	e under the Comprehe	ensive
Sudden release of pressur Reactive Hazard CWA (Clean Water Act) This product does not contain an CFR 122.42) CERCLA This material, as supplied, conta Environmental Response Comp Chemical Name Hydrogen peroxide 7722-84-1 US State Regulations	re hazard No Yes ny substances regulated as pollu ains one or more substances regu ensation and Liability Act (CERC	ulated as a hazardous substance LA) (40 CFR 302) CERCLA/SARA RQ	e under the Comprehe	ensive
Sudden release of pressur Reactive Hazard <u>CWA (Clean Water Act)</u> This product does not contain an CFR 122.42) <u>CERCLA</u> This material, as supplied, conta Environmental Response Comp <u>Chemical Name</u> Hydrogen peroxide 7722-84-1 <u>US State Regulations</u> California Proposition 65	re hazard No Yes ny substances regulated as pollu ains one or more substances regu ensation and Liability Act (CERC Hazardous Substances RQs -	ulated as a hazardous substance LA) (40 CFR 302) CERCLA/SARA RQ	e under the Comprehe	ensive
Sudden release of pressur Reactive Hazard CWA (Clean Water Act) This product does not contain an CFR 122.42) CERCLA This material, as supplied, conta Environmental Response Comp Chemical Name Hydrogen peroxide 7722-84-1 US State Regulations California Proposition 65 This product does not contain an	re hazard No Yes ny substances regulated as pollu ains one or more substances regu ensation and Liability Act (CERC Hazardous Substances RQs - ny Proposition 65 chemicals	ulated as a hazardous substance LA) (40 CFR 302) CERCLA/SARA RQ	e under the Comprehe	ensive
Sudden release of pressur Reactive Hazard CWA (Clean Water Act) This product does not contain an CFR 122.42) CERCLA This material, as supplied, conta Environmental Response Comp Chemical Name Hydrogen peroxide 7722-84-1 US State Regulations California Proposition 65 This product does not contain an	re hazard No Yes ny substances regulated as pollu ains one or more substances regu ensation and Liability Act (CERC Hazardous Substances RQs - ny Proposition 65 chemicals	ulated as a hazardous substance LA) (40 CFR 302) CERCLA/SARA RQ	e under the Comprehe	ensive ntity (RQ)
Sudden release of pressur Reactive Hazard <u>CWA (Clean Water Act)</u> This product does not contain an CFR 122.42) <u>CERCLA</u> This material, as supplied, conta Environmental Response Comp <u>Chemical Name</u> Hydrogen peroxide 7722-84-1 US State Regulations <u>California Proposition 65</u> This product does not contain an U.S. State Right-to-Know Reg <u>Chemical Name</u> Hydrogen peroxide	re hazard No Yes ny substances regulated as pollu ains one or more substances regu ensation and Liability Act (CERC Hazardous Substances RQs - ny Proposition 65 chemicals ulations	ulated as a hazardous substance LA) (40 CFR 302) CERCLA/SARA RQ 1000 lb	e under the Comprehe Reportable Qua	ensive ntity (RQ)
Sudden release of pressur Reactive Hazard <u>CWA (Clean Water Act)</u> This product does not contain an CFR 122.42) <u>CERCLA</u> This material, as supplied, conta Environmental Response Comp <u>Chemical Name</u> Hydrogen peroxide 7722-84-1 US State Regulations <u>California Proposition 65</u> This product does not contain an U.S. State Right-to-Know Reg <u>Chemical Name</u> Hydrogen peroxide 7722-84-1 U.S. State Right-to-Know Reg	re hazard No Yes ny substances regulated as pollu ains one or more substances regu ensation and Liability Act (CERC Hazardous Substances RQs Hazardous Substances RQs - ny Proposition 65 chemicals ulations New Jersey X	ulated as a hazardous substance LA) (40 CFR 302) CERCLA/SARA RQ 1000 lb Massachusetts	e under the Comprehe Reportable Qua	ensive ntity (RQ)
Sudden release of pressur Reactive Hazard <u>CWA (Clean Water Act)</u> This product does not contain an CFR 122.42) <u>CERCLA</u> This material, as supplied, conta Environmental Response Comp <u>Chemical Name</u> Hydrogen peroxide 7722-84-1 US State Regulations <u>California Proposition 65</u> This product does not contain an U.S. State Right-to-Know Reg <u>Chemical Name</u> Hydrogen peroxide 7722-84-1 U.S. EPA Label Information	re hazard No Yes ny substances regulated as pollu ains one or more substances regu eensation and Liability Act (CERC Hazardous Substances RQs Hazardous Substances RQs Hazardous Substances RQs Later Substances RQs New Jersey X umber Not applicable	ulated as a hazardous substance LA) (40 CFR 302) CERCLA/SARA RQ 1000 lb Massachusetts X	e under the Comprehe Reportable Qua	ensive ntity (RQ)
Sudden release of pressur Reactive Hazard CWA (Clean Water Act) This product does not contain an CFR 122.42) CERCLA This material, as supplied, conta Environmental Response Comp Chemical Name Hydrogen peroxide 7722-84-1 US State Regulations California Proposition 65 This product does not contain an U.S. State Right-to-Know Reg Chemical Name Hydrogen peroxide 7722-84-1 U.S. EPA Label Information EPA Pesticide Registration Nu	re hazard No Yes ny substances regulated as pollu ains one or more substances regu eensation and Liability Act (CERC Hazardous Substances RQs Hazardous Substances RQs Hazardous Substances RQs New Jersey X umber Not applicable	ulated as a hazardous substance LA) (40 CFR 302) CERCLA/SARA RQ 1000 lb Massachusetts X	e under the Comprehe Reportable Qua - - Pennsylva X	ensive ntity (RQ) ania
Sudden release of pressur Reactive Hazard <u>CWA (Clean Water Act)</u> This product does not contain all CFR 122.42) <u>CERCLA</u> This material, as supplied, conta Environmental Response Comp <u>Chemical Name</u> Hydrogen peroxide 7722-84-1 <u>US State Regulations California Proposition 65</u> This product does not contain an <u>U.S. State Right-to-Know Reg</u> <u>Chemical Name</u> Hydrogen peroxide 7722-84-1 <u>U.S. EPA Label Information</u> EPA Pesticide Registration Nu	re hazard No Yes ny substances regulated as pollu ains one or more substances regu eensation and Liability Act (CERC Hazardous Substances RQs Hazardous Substances RQs - ny Proposition 65 chemicals ulations New Jersey X umber Not applicable 16. OTHER I	ulated as a hazardous substance LA) (40 CFR 302) CERCLA/SARA RQ 1000 lb Massachusetts X NFORMATION Instability 1 P	e under the Comprehe Reportable Qua - - - Pennsylva X	ensive ntity (RQ) ania
Sudden release of pressur Reactive Hazard CWA (Clean Water Act) This product does not contain an CFR 122.42) CERCLA This material, as supplied, conta Environmental Response Comp Chemical Name Hydrogen peroxide 7722-84-1 US State Regulations California Proposition 65 This product does not contain an U.S. State Right-to-Know Reg Chemical Name Hydrogen peroxide 7722-84-1 U.S. EPA Label Information EPA Pesticide Registration Nu	re hazard No Yes ny substances regulated as pollu ains one or more substances regu eensation and Liability Act (CERC Hazardous Substances RQs Hazardous Substances RQs Hazardous Substances RQs New Jersey X umber Not applicable	ulated as a hazardous substance LA) (40 CFR 302) CERCLA/SARA RQ 1000 lb Massachusetts X	e under the Comprehe Reportable Qua - - Pennsylva X	ensive ntity (RQ) ania

Revision Date 27-Jan-2023

OXYCIP

<u>HMIS</u>	Health hazards	3 Flammability 0	Physical hazards	1	Personal protection H (splash goggles, gloves, synthetic apron, vapor respirator)
Prepared By		Technical Department			
Issue Date		14-Mar-2014			
Revision Date		27-Jan-2023			
Version		1			
Revision Note					
Company name upda	ate.				

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The health hazards given on this SDS apply to this product in its concentrated form (as supplied) and may differ significantly at use dilution. The signs and symptoms of exposure apply only to negligence in handling or misuse of the concentrated product and not to the routine exposure of the diluted product under conditions of ordinary use.

End of Safety Data Sheet