

Other Information

- Harmful to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	weight-%
Water	7732-18-5	54-65
Trade Secret	Proprietary	23-29
Ethyl alcohol	64-17-5	8-15
Fatty acid	112-80-1	1-3
Methanol	67-56-1	0.4-0.8

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES**First aid measures****Eye contact**

Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. If eye irritation persists: Get medical advice/attention.

Skin contact

Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Wash contaminated clothing and shoes before reuse. Get medical attention if irritation develops and persists.

Inhalation

Remove to fresh air. Administer oxygen if breathing is difficult. Call a physician immediately.

Ingestion

Do NOT induce vomiting. Do not give anything by mouth. If spontaneous vomiting is about to occur, place victim's head below knees. If victim is drowsy or unconscious, place on left side with head down. Immediate medical attention is required.

Most important symptoms and effects, both acute and delayed**Symptoms**

See Section 11 for symptom information.

Indication of any immediate medical attention and special treatment needed**Note to physicians**

Treat symptomatically.

5. FIRE-FIGHTING MEASURES**Suitable extinguishing media**

Dry chemical. Water spray (fog). Carbon dioxide (CO₂). Foam.

Unsuitable extinguishing media No information available.

Specific hazards arising from the chemical

Flammable. Vapors may travel to source of ignition and flash back.

Hazardous combustion products Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).

Explosion data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge May be ignited by heat, sparks or flames.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Cool containers with flooding quantities of water until well after fire is out.

6. ACCIDENTAL RELEASE MEASURES**Personal precautions, protective equipment and emergency procedures****Personal precautions**

Use personal protection recommended in Section 8. Ensure adequate ventilation, especially in confined areas.

For emergency responders

Isolate area. Keep unnecessary personnel away.

Environmental precautions**Environmental precautions**

Prevent entry into waterways, sewers, basements or confined areas. See Section 12 for additional ecological information.

Methods and material for containment and cleaning up**Methods for containment**

Prevent further leakage or spillage if safe to do so. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

Methods for cleaning up

Use clean non-sparking tools to collect absorbed material. May be ignited by friction, heat, sparks or flames. Spilled material will make surfaces slippery. Collect spillage. Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal. Following product recovery, flush area with water.

7. HANDLING AND STORAGE**Precautions for safe handling**

Advice on safe handling Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product. Use personal protection recommended in Section 8. Avoid contact with skin, eyes or clothing. Use only in well-ventilated areas. Avoid breathing vapors or mists. Wash thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place. Keep from freezing. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Do not store at temperatures above 120°F or in direct sunlight for extended periods of time.

Incompatible materials Strong oxidizing agents. Strong acids. Heat, sparks, open flame, other ignition sources.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethyl alcohol 64-17-5	STEL: 1000 ppm	TWA: 1000 ppm TWA: 1900 mg/m ³	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m ³

Appropriate engineering controls

Engineering Controls Showers, eyewash stations, ventilation system.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).
Skin and body protection Wear protective Neoprene™ gloves or rubber gloves. Normal work clothing (long sleeved shirt and long pants) is recommended. Apron recommended.
Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

General Hygiene Considerations Wash face, hands and any exposed skin thoroughly after handling. Wash contaminated clothing and shoes before reuse. Do not eat, drink or smoke when using this product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	Liquid		
Appearance	Viscous	Odor	Alcoholic
Color	Clear to pale yellow	Odor threshold	No information available
Property	Values	Remarks • Method	
pH	8	±1 @ 21°C	
Melting point/freezing point	< -6.7 °C / < 20 °F		
Boiling point / boiling range	No information available		
Flash point	~ 24 °C / ~ 75 °F		
Evaporation rate	No information available		
Flammability (solid, gas)	No information available		
Flammability Limit in Air			
Upper flammability limit:	No information available		
Lower flammability limit:	No information available		
Vapor pressure	No information available		
Vapor density	> 1		
Specific Gravity	0.974 g/cc		
Water solubility	Soluble in water		
Solubility in other solvents	No information available		
Partition coefficient	No information available		
Autoignition temperature	No information available		
Decomposition temperature	No information available		
Kinematic viscosity	No information available		
Dynamic viscosity	164 mPa s	@ 21°C	
Explosive properties	No information available		
Oxidizing properties	No information available		
VOC Content (%)	10.17% (0.827 lbs/gal)		

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Heat, flames and sparks.

Incompatible materials

Strong oxidizing agents. Strong acids. Heat, sparks, open flame, other ignition sources.

Hazardous Decomposition Products

Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation Inhalation of vapors in high concentration may cause irritation of respiratory system.
Eye contact Irritating to eyes. Direct eye contact causes eye irritation and redness of eye tissues.
Skin Contact Prolonged contact may cause irritation.
Ingestion Harmful if swallowed. May cause drowsiness or dizziness.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Water 7732-18-5	> 90 mL/kg (Rat)	-	-
Trade Secret	> 5 g/kg (Rat)	> 2 g/kg (Rat)	-
Ethyl alcohol 64-17-5	= 7060 mg/kg (Rat)	-	= 124.7 mg/L (Rat) 4 h
Fatty acid 112-80-1	= 25 g/kg (Rat)	-	-
Methanol 67-56-1	= 6200 mg/kg (Rat)	= 15800 mg/kg (Rabbit)	= 22500 ppm (Rat) 8 h = 64000 ppm (Rat) 4 h

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity Ethanol has been shown to be carcinogenic in long-term studies only when consumed as alcoholic beverage.

Chemical Name	ACGIH	IARC	NTP	OSHA
Ethyl alcohol - 64-17-5	A3	-	Known	X

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Aspiration hazard No information available.

Numerical measures of toxicity - Product Information

Unknown Acute Toxicity 0% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document

Oral LD50 7,655.00 mg/kg
Dermal LD50 6,709.00 mg/kg
Mist 75.30 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life with long lasting effects

25.71% of the mixture consists of component(s) of unknown hazards to the aquatic environment

Chemical Name	Fish	Crustacea
Ethyl alcohol 64-17-5	13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-through 12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static 100: 96 h Pimephales promelas mg/L LC50 static	9268 - 14221: 48 h Daphnia magna mg/L LC50 10800: 24 h Daphnia magna mg/L EC50 2: 48 h Daphnia magna mg/L EC50 Static
Fatty acid 112-80-1	205: 96 h Pimephales promelas mg/L LC50 static	-
Methanol 67-56-1	100: 96 h Pimephales promelas mg/L LC50 static 28200: 96 h Pimephales promelas mg/L LC50 flow-through 18 - 20: 96 h Oncorhynchus mykiss mL/L LC50 static 13500 - 17600: 96 h Lepomis macrochirus mg/L LC50 flow-through 19500 - 20700: 96 h Oncorhynchus mykiss mg/L LC50 flow-through	-

Persistence and degradability

No information available.

Bioaccumulation

Chemical Name	Partition coefficient
Ethyl alcohol - 64-17-5	-0.32
Methanol - 67-56-1	-0.77

Mobility

Soluble in water.

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging

Dispose of in accordance with federal, state and local regulations.

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Methanol - 67-56-1	-	Included in waste stream: F039	-	U154

Chemical Name	California Hazardous Waste Status
Ethyl alcohol - 64-17-5	Toxic Ignitable
Methanol - 67-56-1	Toxic Ignitable

14. TRANSPORT INFORMATION

DOT

UN/ID No.	1993
Proper shipping name	Flammable liquids, n.o.s. (contains ethanol)
Hazard Class	3
Packing Group	III
Emergency Response Guide Number	128

15. REGULATORY INFORMATION

International Inventories

TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
Methanol - 67-56-1	1.0

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	Yes
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Methanol 67-56-1	5000 lb	-	RQ 5000 lb final RQ RQ 2270 kg final RQ

US State Regulations

California Proposition 65

Ethyl alcohol is only a considered a Proposition 65 developmental hazard when it is ingested as an alcoholic beverage WARNING! This product contains a chemical known to the state of California to cause cancer.

Chemical Name	California Proposition 65
Ethyl alcohol - 64-17-5	Carcinogen Developmental

Methanol - 67-56-1		Developmental	
U.S. State Right-to-Know Regulations			
Chemical Name	New Jersey	Massachusetts	Pennsylvania
Ethyl alcohol - 64-17-5	X	X	X
Fatty acid - 112-80-1	-	-	X
Methanol - 67-56-1	X	X	X

U.S. EPA Label Information

EPA Pesticide Registration Number Not Applicable

16. OTHER INFORMATION

NFPA Health hazards 1 Flammability 3 Instability 0 **Physical and Chemical Properties**
None

HMIS Health hazards 1 Flammability 3 Physical hazards 0 **Personal protection**
B (safety glasses, gloves)

Prepared By Technical Department
Issue Date 14-Apr-2014
Revision Date 27-Jan-2023
Version 1

Revision Note

Company name update.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The health hazards given on this SDS apply to this product in its concentrated form (as supplied) and may differ significantly at use dilution. The signs and symptoms of exposure apply only to negligence in handling or misuse of the concentrated product and not to the routine exposure of the diluted product under conditions of ordinary use.

End of Safety Data Sheet