# SAFETY DATA SHEET

Revision Date 27-Jan-2023 Version 1

### 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

**Product identifier** 

**Product Name** PACKERS' BLEND-NK

Other means of identification

**Product Code** 20535

Recommended use of the chemical and restrictions on use

**Recommended Use** Trolley oil

Uses advised against Follow the directions for use on the label when applying this product

Details of the supplier of the safety data sheet

**Manufacturer Address** 

Safe Foods Chemical Innovations

1501 E. 8th Street

North Little Rock, AR 72114 Emergency telephone number

**Company Phone Number** 501-758-8500

**Emergency Telephone** Chemtrec 1-800-424-9300

#### 2. HAZARDS IDENTIFICATION

#### Classification

### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Serious eye damage/eye irritation	Category 2B	
Aspiration toxicity	Category 1	

#### Label elements

### **Emergency Overview**

#### Danger

#### **Hazard statements**

Causes eye irritation

May be fatal if swallowed and enters airways



Appearance Viscous Physical state Liquid Odor None

### **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling

### **Precautionary Statements - Response**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention

IF SWALLOWED: Immediately call a poison center or doctor. Do NOT induce vomiting

#### **Precautionary Statements - Storage**

Store locked up.

### Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

## Hazards not otherwise classified (HNOC)

Not Applicable

3. COMPOSITION/INFORMATION ON INGREDIENTS			
Chemical Name	CAS No.	weight-%	
White mineral oil, petroleum	8042-47-5	85-95	
Fatty acid	112-80-1	5-15	

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

### 4. FIRST AID MEASURES

#### First aid measures

PACKERS' BLEND-NK Revision Date 27-Jan-2023

Eye contact Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact

lenses, if present, after first 5 minutes, then continue rinsing eye. If eye irritation persists: Get

medical advice/attention.

**Skin contact** Wash off immediately with soap and plenty of water while removing all contaminated clothes

and shoes. Wash contaminated clothing and shoes before reuse. Get medical attention if

irritation develops and persists.

**Inhalation** Remove to fresh air. Administer oxygen if breathing is difficult. Aspiration into lungs can

produce severe lung damage. Call a physician immediately.

**Ingestion** Do NOT induce vomiting. Do not give anything by mouth. If spontaneous vomiting is about to

occur, place victim's head below knees. If victim is drowsy or unconscious, place on left side with head down. Immediate medical attention is required. Aspiration Hazard if swallowed -

can enter lungs and cause damage.

Most important symptoms and effects, both acute and delayed

Symptoms See Section 11 for symptom information. Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

### 5. FIRE-FIGHTING MEASURES

### Suitable extinguishing media

Dry chemical. Water spray (fog). Carbon dioxide (CO2). Foam.

Unsuitable extinguishing media

No information available.

### Specific hazards arising from the chemical

This product can burn but will not readily ignite. This product will release vapors when heated above the flash point temperature and can ignite when exposed to a source of ignition. In enclosed spaces, heated vapor can ignite with explosive force. Mists or sprays may burn at temperatures below the flashpoint.

**Hazardous combustion products** Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).

**Explosion data** 

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Cool containers with flooding quantities of water until well after fire is out.

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protection recommended in Section 8. Ensure adequate ventilation, especially

in confined areas.

For emergency responders Environmental precautions Isolate area. Keep unnecessary personnel away.

**Environmental precautions** 

Prevent entry into waterways, sewers, basements or confined areas. See Section 12 for

additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so. Contain and collect spillage with

non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13). Collect spillage. Soak up with inert absorbent material. Sweep up and shovel into suitable

containers for disposal. Following product recovery, flush area with water.

### 7. HANDLING AND STORAGE

Precautions for safe handling

Methods for cleaning up

Advice on safe handling Use personal protection recommended in Section 8. Avoid contact with skin, eyes or clothing.

Use only in well-ventilated areas. Avoid breathing vapors or mists. Wash thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep from freezing. Do

not store at temperatures above 120°F or in direct sunlight for extended periods of time.

**Incompatible materials** Strong oxidizing agents. Heat, sparks, open flame, other ignition sources.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies.

Appropriate engineering controls

**Engineering Controls** Showers, eyewash stations, ventilation system.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

\_\_\_\_\_

Revision Date 27-Jan-2023

PACKERS' BLEND-NK

Wear protective Neoprene™ gloves or rubber gloves. Normal work clothing (long sleeved Skin and body protection

shirt and long pants) is recommended. Apron recommended.

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved Respiratory protection

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

mm Hg @25°C

provided in accordance with current local regulations.

Wash face, hands and any exposed skin thoroughly after handling. Wash contaminated **General Hygiene Considerations** 

clothing and shoes before reuse. Do not eat, drink or smoke when using this product.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid **Appearance** Viscous Odor None

Color Clear. Colorless Odor threshold No information available Remarks • Method

**Property** Values No information available Hq Not Applicable

<-6.7 °C / < 20 °F Melting point/freezing point

No information available Boiling point / boiling range

Flash point 177 °C / 351 °F Cleveland Open Cup

**Evaporation rate** No information available Flammability (solid, gas) No information available

Flammability Limit in Air **Upper flammability limit:** No information available

Lower flammability limit: No information available

Vapor pressure < 0.1 Vapor density > 1

**Specific Gravity** 0.87 g/cc Water solubility Insoluble in water

Solubility in other solvents No information available **Partition coefficient** No information available **Autoignition temperature** 400 °C / 752 °F

**Decomposition temperature** No information available No information available Kinematic viscosity Dynamic viscosity No information available **Explosive properties** No information available **Oxidizing properties** No information available 0.00%

**VOC Content (%)** 

### 10. STABILITY AND REACTIVITY

#### Reactivity

No data available

#### **Chemical stability**

Stable under recommended storage conditions.

#### **Possibility of Hazardous Reactions**

None under normal processing.

### **Conditions to avoid**

Heat, flames and sparks.

#### **Incompatible materials**

Strong oxidizing agents. Heat, sparks, open flame, other ignition sources.

### **Hazardous Decomposition Products**

Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).

### 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

**Product Information** 

Inhalation Inhalation of vapors in high concentration may cause irritation of respiratory system.

Eye contact Moderately irritating to the eyes. **Skin Contact** 

Prolonged contact may cause irritation. Harmful if swallowed. Ingestion can cause a laxative effect. Aspiration may cause Ingestion

pulmonary edema and pneumonitis

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
White mineral oil, petroleum 8042-47-5	> 5000 mg/kg (Rat)	-	-
Fatty acid 112-80-1	= 25 g/kg (Rat)	-	-

### Information on toxicological effects

PACKERS' BLEND-NK Revision Date 27-Jan-2023

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity This product does not contain any carcinogens or potential carcinogens as listed by OSHA,

IARC or NTP.

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
No information available.
No information available.

**Aspiration hazard** May be fatal if swallowed and enters airways.

Numerical measures of toxicity - Product Information

Unknown Acute Toxicity 0% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document ...

**Oral LD50** 5,442.00 mg/kg

### 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

0% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
White mineral oil, petroleum	-	10000: 96 h Lepomis macrochirus	-
8042-47-5		mg/L LC50	
Fatty acid	-	205: 96 h Pimephales promelas	-
112-80-1		mg/L LC50 static	

#### Persistence and degradability

No information available.

#### **Bioaccumulation**

Chemical Name	Partition coefficient
White mineral oil, petroleum - 8042-47-5	>6

### Mobility

The product is insoluble and floats on water.

Other adverse effects No information available

### 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

**Disposal of wastes**Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging
Dispose of in accordance with federal, state and local regulations.

Dispose of in accordance with federal, state and local regulations.

### 14. TRANSPORT INFORMATION

DOT Not regulated

#### 15. REGULATORY INFORMATION

#### **International Inventories**

TSCA Complies
DSL/NDSL Complies
EINECS/ELINCS Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

### US Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute health hazard Yes
Chronic Health Hazard No
Fire hazard Yes
Sudden release of pressure hazard No
Reactive Hazard No

**CWA (Clean Water Act)** 

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

### PACKERS' BLEND-NK

\_\_\_\_

### **US State Regulations**

### **California Proposition 65**

This product does not contain any Proposition 65 chemicals

**U.S. State Right-to-Know Regulations** 

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Fatty acid	-	-	X
112-80-1			

U.S. EPA Label Information

EPA Pesticide Registration Number Not Applicable

HMIS Health hazards 1 Flammability 1 Physical hazards 0 Personal protection B (safety glasses, gloves)

Prepared By Technical Department

 Issue Date
 16-Apr-2014

 Revision Date
 27-Dec-2023

Version 1

**Revision Note** 

Company name update.

**Disclaimer** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The health hazards given on this SDS apply to this product in its concentrated form (as supplied) and may differ significantly at use dilution. The signs and symptoms of exposure apply only to negligence in handling or misuse of the concentrated product and not to the routine exposure of the diluted product under conditions of ordinary use.

**End of Safety Data Sheet**