

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name Red G&Y

Other means of identification

Product Code 20499

Recommended use of the chemical and restrictions on use

Recommended Use Red meat branding ink

Uses advised against Follow the directions for use on the label when applying this product

Details of the supplier of the safety data sheet

Manufacturer Address

PSSI Chemical Innovations
3729 Peddle Hollow Road
Kieler, WI 53812 USA

Emergency telephone number

Company Phone Number 888-671-5366
Emergency Telephone Chemtrec 1-800-424-9300

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 4
Acute toxicity - Dermal	Category 4
Serious eye damage/eye irritation	Category 2B
Specific target organ toxicity (single exposure)	Category 1 - (H370)
Flammable liquids	Category 2

Label elements

Emergency Overview

Danger

Hazard statements

Harmful if swallowed or in contact with skin
Causes eye irritation
Causes damage to organs
Highly flammable liquid and vapor



Appearance Aqueous solution

Physical state Liquid

Odor Alcoholic

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling
Do not eat, drink or smoke when using this product
Wear protective gloves/protective clothing/eye protection/face protection
Do not breathe dusts or mists
Keep away from heat/sparks/open flames/hot surfaces
Keep container tightly closed
Ground/bond container and receiving equipment
Use only non-sparking tools
Take precautionary measures against static discharge
Use explosion-proof electrical/ventilating/lighting/equipment

Precautionary Statements - Response

Specific treatment (see Section 4 on SDS)
IF exposed: Call a POISON CENTER or doctor
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/attention

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a POISON CENTER or doctor if you feel unwell. Wash contaminated clothing before reuse

IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell. Rinse mouth

In case of fire: Use CO₂, dry chemical, or foam for extinction

Precautionary Statements - Storage

Store locked up. Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Other Information

- Toxic to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%
Ethyl alcohol	64-17-5	69-74
Water	7732-18-5	12-17
1,2-Propylene glycol	57-55-6	2-8
Isopropyl alcohol	67-63-0	2-6
Methanol	67-56-1	2-6
Trade Secret	Proprietary	0.5-1.5

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures

Eye contact

Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. Seek immediate medical attention/advice.

Skin contact

Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Wash contaminated clothing and shoes before reuse. Get medical attention if irritation develops and persists.

Inhalation

Remove to fresh air. Administer oxygen if breathing is difficult. Call a physician immediately.

Ingestion

Do NOT induce vomiting. Drink plenty of water. Never give anything by mouth to an unconscious person. Call a physician immediately.

Most important symptoms and effects, both acute and delayed

Symptoms See Section 11 for symptom information.

Indication of any immediate medical attention and special treatment needed

Note to physicians

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Dry chemical. Water spray (fog). Carbon dioxide (CO₂). Foam.

Unsuitable extinguishing media No information available.

Specific hazards arising from the chemical

Flammable. Vapors may travel to source of ignition and flash back.

Hazardous combustion products Carbon monoxide. Carbon dioxide (CO₂).

Explosion data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge May be ignited by friction, heat, sparks or flames.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Cool containers with flooding quantities of water until well after fire is out.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions

Use personal protection recommended in Section 8. Ensure adequate ventilation, especially in confined areas.

For emergency responders

Isolate area. Keep unnecessary personnel away.

Environmental precautions

Environmental precautions

Prevent entry into waterways, sewers, basements or confined areas. See section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for containment

Prevent further leakage or spillage if safe to do so. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

Methods for cleaning up Use clean non-sparking tools to collect absorbed material. May be ignited by friction, heat, sparks or flames. Collect spillage. Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal. Following product recovery, flush area with water.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product. Use personal protection recommended in Section 8. Avoid contact with skin, eyes or clothing. Use only in well-ventilated areas. Avoid breathing vapors or mists. Wash thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep from freezing. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity).

Incompatible materials Reacts violently with strong oxidants such as nitric acid and silver nitrate causing fire and explosion hazard. Reacts slowly with calcium hypochlorite and ammonia causing fire and explosion hazard.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethyl alcohol 64-17-5	STEL: 1000 ppm	TWA: 1000 ppm, 1900 mg/m ³	IDLH: 3300 ppm TWA: 1000 ppm, 1900 mg/m ³
Isopropyl alcohol 67-63-0	STEL: 400 ppm TWA: 200 ppm	TWA: 400 ppm, 980 mg/m ³ (vacated) STEL: 500 ppm, 1225 mg/m ³	IDLH: 2000 ppm TWA: 400 ppm, 980 mg/m ³ STEL: 500 ppm, 1225 mg/m ³
Methanol 67-56-1	STEL: 250 ppm TWA: 200 ppm	TWA: 200 ppm, 260 mg/m ³ (vacated) STEL: 250 ppm, 325 mg/m ³	IDLH: 6000 ppm TWA: 200 ppm, 260 mg/m ³ STEL: 250 ppm, 325 mg/m ³

Appropriate engineering controls

Engineering Controls Showers, eyewash stations, ventilation system.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin and body protection Wear protective Neoprene™ gloves or rubber gloves. Normal work clothing (long sleeved shirt and long pants) is recommended. Apron recommended.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

General Hygiene Considerations Wash face, hands and any exposed skin thoroughly after handling. Wash contaminated clothing and shoes before reuse. Do not eat, drink or smoke when using this product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	Liquid	Odor	Alcoholic
Appearance	Aqueous solution	Odor threshold	No information available
Color	Red	Remarks • Method	
Property	Values		
pH	8		±1 @ 21°C
Melting point / freezing point	< -14 °C / 7 °F		
Boiling point / boiling range	77 °C / 171 °F		
Flash point	~ 15.6 °C / ~ 60 °F		Closed cup
Evaporation rate	> 1		
Flammability (solid, gas)	No information available		
Flammability Limit in Air			
Upper flammability limit:	No information available		
Lower flammability limit:	No information available		
Vapor pressure	No information available		
Vapor density	No information available		
Specific Gravity	0.854 g/cc		
Water solubility	Completely soluble		
Solubility in other solvents	No information available		
Partition coefficient	No information available		
Autoignition temperature	No information available		

Decomposition temperature	No information available
Kinematic viscosity	No information available
Dynamic viscosity	No information available
Explosive properties	No information available
Oxidizing properties	No information available
VOC Content (%)	76.89% (5.482 lbs/gal)

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Heat, flames and sparks.

Incompatible materials

Reacts violently with strong oxidants such as nitric acid and silver nitrate causing fire and explosion hazard. Reacts slowly with calcium hypochlorite and ammonia causing fire and explosion hazard.

Hazardous Decomposition Products

Carbon monoxide. Carbon dioxide (CO₂).

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation

Inhalation of vapors in high concentration may cause irritation of respiratory system. May cause central nervous system depression with nausea, headache, dizziness, vomiting, and incoordination. Irritating to eyes. Symptoms include itching, burning, redness, and tearing of eyes.

Eye contact

Skin Contact

Ingestion

May cause slight irritation. Prolonged skin contact may defat the skin and produce dermatitis. May cause irritation. May cause nausea, diarrhea, and/or vomiting. May cause drowsiness or dizziness. May cause central nervous system depression.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Ethyl alcohol 64-17-5	= 7060 mg/kg (Rat)	-	= 124.7 mg/L (Rat) 4 h
Water 7732-18-5	> 90 mL/kg (Rat)	-	-
1,2-Propylene glycol 57-55-6	= 20 g/kg (Rat)	= 20800 mg/kg (Rabbit)	-
Isopropyl alcohol 67-63-0	= 1870 mg/kg (Rat)	= 4059 mg/kg (Rabbit)	= 72600 mg/m ³ (Rat) 4 h
Methanol 67-56-1	= 6200 mg/kg (Rat)	= 15800 mg/kg (Rabbit)	= 22500 ppm (Rat) 8 h = 64000 ppm (Rat) 4 h
Trade Secret	= 1840 mg/kg (Rat)	-	-

Information on toxicological effects

Symptoms

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization

No information available.

Germ cell mutagenicity

No information available.

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen. Ethanol has been shown to be carcinogenic in long-term studies only when consumed as alcoholic beverage.

Chemical Name	ACGIH	IARC	NTP	OSHA
Ethyl alcohol - 64-17-5	A3	-	Known	X
Isopropyl alcohol - 67-63-0	-	Group 3	-	X

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 3 - "not classifiable as human carcinogens"

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity

No information available.

STOT - single exposure

H370 - Causes damage to organs.

STOT - repeated exposure

No information available.

Aspiration hazard

No information available.

Numerical measures of toxicity - Product Information

Unknown Acute Toxicity 85.4534 % of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document

Oral LD50	1,952.00 mg/kg
Dermal LD50	1,966.00 mg/kg
Mist	12.10 mg/l

12. ECOLOGICAL INFORMATION**Ecotoxicity**

Toxic to aquatic life with long lasting effects

1 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Ethyl alcohol 64-17-5	-	13400-15100: 96 h Pimephales promelas mg/L LC50 flow-through 12.0-16.0: 96 h Oncorhynchus mykiss mL/L LC50 static 100: 96 h Pimephales promelas mg/L LC50 static	9268-14221: 48 h Daphnia magna mg/L LC50 10800: 24 h Daphnia magna mg/L EC50 2: 48 h Daphnia magna mg/L EC50 Static
1,2-Propylene glycol 57-55-6	19000: 96 h Pseudokirchneriella subcapitata mg/L EC50	41-47: 96 h Oncorhynchus mykiss mL/L LC50 static 51600: 96 h Oncorhynchus mykiss mg/L LC50 static 51400: 96 h Pimephales promelas mg/L LC50 static 710: 96 h Pimephales promelas mg/L LC50	1000: 48 h Daphnia magna mg/L EC50 Static 10000: 24 h Daphnia magna mg/L EC50
Isopropyl alcohol 67-63-0	1000: 96 h Desmodesmus subspicatus mg/L EC50 1000: 72 h Desmodesmus subspicatus mg/L EC50	1400000: 96 h Lepomis macrochirus µg/L LC50 9640: 96 h Pimephales promelas mg/L LC50 flow-through 11130: 96 h Pimephales promelas mg/L LC50 static	13299: 48 h Daphnia magna mg/L EC50
Methanol 67-56-1	-	100: 96 h Pimephales promelas mg/L LC50 static 28200: 96 h Pimephales promelas mg/L LC50 flow-through 18-20: 96 h Oncorhynchus mykiss mL/L LC50 static 13500-17600: 96 h Lepomis macrochirus mg/L LC50 flow-through 19500-20700: 96 h Oncorhynchus mykiss mg/L LC50 flow-through	-

Persistence and degradability

No information available.

Bioaccumulation

Chemical Name	Partition coefficient
Ethyl alcohol - 64-17-5	-0.32
Isopropyl alcohol - 67-63-0	0.05
Methanol - 67-56-1	-0.77

Mobility

Soluble in water.

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS**Waste treatment methods**

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging Dispose of in accordance with federal, state and local regulations.

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Methanol - 67-56-1	-	Included in waste stream: F039	-	U154

Chemical Name	California Hazardous Waste Status
Ethyl alcohol - 64-17-5	Toxic Ignitable
Isopropyl alcohol - 67-63-0	Toxic Ignitable
Methanol - 67-56-1	Toxic Ignitable

14. TRANSPORT INFORMATION**DOT**

UN/ID No.	1993
Proper shipping name	Flammable liquids, n.o.s. (contains ethanol and isopropanol)
Hazard Class	3
Emergency Response Guide Number	128

15. REGULATORY INFORMATION**International Inventories**

TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372
Note: Isopropyl alcohol only needs to be reported if it is being manufactured by the strong acid process. Facilities that process or otherwise use isopropyl alcohol are NOT covered and should NOT file a report.

Chemical Name	SARA 313 - Threshold Values %
Isopropyl alcohol - 67-63-0	1.0
Methanol - 67-56-1	1.0

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	Yes
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Methanol 67-56-1	5000 lb	-	RQ 5000 lb final RQ RQ 2270 kg final RQ

US State Regulations

California Proposition 65

Ethyl alcohol is only a considered a Proposition 65 developmental hazard when it is ingested as an alcoholic beverage

Chemical Name	California Proposition 65
Ethyl alcohol - 64-17-5	Carcinogen Developmental
Methanol - 67-56-1	Developmental

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Ethyl alcohol - 64-17-5	X	X	X
1,2-Propylene glycol - 57-55-6	X	-	X
Isopropyl alcohol - 67-63-0	X	X	X
Methanol - 67-56-1	X	X	X

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION

NFPA	Health hazards 1	Flammability 4	Instability 0	Physical and Chemical Properties None Personal protection B (safety glasses, gloves)
HMIS	Health hazards 1	Flammability 4	Physical hazards 0	

Prepared By	Technical Department
Issue Date	15-Apr-2014
Revision Date	18-Dec-2019
Version	2

Revision Note
 New information on raw ingredient has become available.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The health hazards given on this SDS apply to this product in its concentrated form (as supplied) and may differ significantly at use dilution. The signs and symptoms of exposure apply only to negligence in handling or misuse of the concentrated product and not to the routine exposure of the diluted product under conditions of ordinary use.

End of Safety Data Sheet