



SCALDEX

FOR DEHAIRING BEEF FEET



DANGER

Causes severe skin burns and eye damage. Harmful in contact with skin. May be corrosive to metals. Prevention: Wear protective gloves/protective clothing/eye protection/face protection. Do not breathe dusts or mists. Wash face, hands and any exposed skin thoroughly after handling. Keep only in

original container. **Response:** Immediately call a POISON CENTER or doctor. Specific treatment (see Section 4 on SDS). **IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor. **IF ON SKIN (or hair):** Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a POISON CENTER or doctor if you feel unwell. Wash contaminated clothing before reuse. **IF INHALED:** Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor. **IF SWALLOWED:** Rinse mouth. DO NOT induce vomiting. **In case of spill:** Absorb spillage to prevent material damage.

Storage: Store locked up. Store in corrosive resistant container with a resistant inner liner. **Disposal:** Dispose of contents/container to an approved waste disposal plant.

Additional Precautions: Corrosive! Contains sodium hydroxide.

Read SDS before using this product.

HEALTH	2
FLAMMABILITY	0
REACTIVITY	0
PPE	F



NET CONTENTS: 45 POUNDS ____

400 POUNDS ____

BATCH:

FOR INDUSTRIAL USE ONLY
NOT FOR RETAIL SALE

ID #20043

Scaldex is a granulated scalding compound and dehairing additive.

DIRECTIONS FOR USE: Use between 1 to 8 ounces of Scaldex per 1 gallon of hot water at temperatures between 100–140°F. Rinse product thoroughly with potable water. Dissolve in cold water only, prior to addition of hot water or steam. Call your Safe Foods Chemical Innovations' Representative for additional usage instructions.



Safe Foods Chemical Innovations

1501 E 8th Street
North Little Rock, AR 72114
501-758-8500

CHEMTREC EMERGENCY PHONE 1-800-424-9300

UN1759

, Corrosive solid, n.o.s, 8, PGI
(contains sodium hydroxide)