

SAFETY DATA SHEET

Revision Date 24-Feb-2023

Version 1

1. IDENTIFICATION OF THE	SUBSTANCE/PREPARA	TION AND OF THE COMPANY/UNDE	RTAK	ING
Product identifier				
Product Name	TRIPEMAX LS			
Other means of identification				
Product Code	20056			
Recommended use of the chemical				
Recommended Use	Tripe Washing Compound			
Uses advised against		n the label when applying this product		
Details of the supplier of the safety	data sheet			
Manufacturer Address Safe Foods Chemical Innovations				
1501 E. 8th Street				
North Little Rock, AR 72114				
Emergency telephone number				
Company Phone Number	501-758-8500			
Emergency Telephone	Chemtrec 1-800-424-9300			
	2. HAZARDS IDEN	TIFICATION		
Classification				
OSHA Regulatory Status				
	s by the 2012 OSHA Hazard Co	mmunication Standard (29 CFR 1910.1200)		
Skin corrosion/irritation		Category 1		
Serious eye damage/eye irritation		Category 1		
Label elements				
	Emergency Ov	verview		
Causes severe skin burns and eye da	-			
Appearance Aqueous solution	Physical state	Liquid	Odor	None
Precautionary Statements - Prevent			Outr	None
Do not breathe dusts or mists Wash face, hands and any exposed sl Wear protective gloves/protective cloth Precautionary Statements - Respon Immediately call a poison center or do Specific treatment (see Section 4 on S IF IN EYES: Rinse cautiously with wat Immediately call a poison center or do IF ON SKIN (or hair): Take off immedia before reuse	kin thoroughly after handling ning/eye protection/face protect se ctor DS) er for several minutes. Remove ctor ately all contaminated clothing. air and keep comfortable for br OT induce vomiting	on contact lenses, if present and easy to do. Conti Rinse skin with water/shower, Wash contaminat eathing. Immediately call a poison center or doc	ed cloth	-
May be harmful if swallowedHarmful to aquatic life with long lastir	ng effects			

3. COMPOSITION/INFORMATION ON INGREDIENTS						
Chemical Na		CAS No.	weight-%			
Water		7732-18-5	63-71			
Potassium hydr	oxide	1310-58-3	14-22.5			
Sodium hydro:		1310-73-2	10-19			
*The exact percentage (concentration) of composition has been withheld as a trade secret.						
	1 0 (FIRST AID MEASURES				
First aid measures	T. 1					
	Hold eve open and ri	nse slowly and gently with water for 15	-20 minutes. Remove contact lenses, if			
Skin contact	present, after first 5 minutes, then continue rinsing eye. Seek immediate medical attention/advice. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Wash contaminated clothing and shoes before reuse. For severe burns, immediate medical attention is required.					
		Administer oxygen if breathing is diffic	It Call a physician immediately			
		ting. Drink plenty of water. Never give				
	person. Call a physic		any amy by mouth to an anotherious			
Most important symptoms an						
	See Section 11 for sy					
Indication of any immediate n						
	Treat symptomaticall					
		E-FIGHTING MEASURES				
Suitable extinguishing media Dry chemical. Water spray (fog). Carbon dioxide (CO2). Foam. Unsuitable extinguishing media No information available. Specific hazards arising from the chemical Exothermic reaction will occur upon dilution with water. Hazardous combustion products Carbon monoxide. Carbon dioxide (CO2).						
Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None. Protective equipment and precautions for firefighters						
	s with flooding quantit	us pressure-demand, MSHA/NIOSH (a ies of water until well after fire is out. N e corrosive and/or toxic fumes.				
	6. ACCIDE	ENTAL RELEASE MEASURES	i			
Personal precautions, protect	tive equipment and	emergency procedures				
Personal precautions	in confined area	as.	insure adequate ventilation, especially			
For emergency responders Environmental precautions						
Environmental precautions	additional ecological information.					
Methods and material for con Methods for containment			ntain and collect anillage with			
Methods for containmentPrevent further leakage or spillage if safe to do so. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).Methods for cleaning upCollect spillage. Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal. Remainder may be neutralized with a mild acid (vinegar) and rinsed to a sewer.						
7. HANDLING AND STORAGE						
Precautions for safe handling						
Advice on safe handling Conditions for safe storage, i	Use only in wel handling. Hand	l-ventilated areas. Avoid breathing vap le in accordance with good industrial h				
Storage Conditions		s tightly closed in a dry, cool and well-v	entilated place. Keep from freezing			
Incompatible materials		eric metals (aluminum, copper, zinc).	renaliated place. Reep nom neezing.			
-	· · · · ·	ONTROLS/PERSONAL PROTE				
	D. EAFOSORE CO	SITTOLS/PERSONAL FRUIE				
Control parameters						
Exposure Guidelines						

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH		
Potassium hydroxide	Ceiling: 2 mg/m ³	(vacated) Ceiling: 2 mg/m ³	Ceiling: 2 mg/m ³		
1310-58-3					
Sodium hydroxide	Ceiling: 2 mg/m ³	Ceiling: 2 mg/m ³ TWA: 2 mg/m ³ IDLH: 10 mg/m ³			
1310-73-2		(vacated) Ceiling: 2 mg/m ³	Ceiling: 2 mg/m ³		
Appropriate engineering contr					
Engineering Controls	Showers, eyewash stations				
	s, such as personal protective				
Eye/face protection	Splash proof chemical gogg				
Skin and body protection		[™] gloves or rubber gloves. Wear su	itable protective clothing.		
	Rubber boots recommende				
Respiratory protection		ded or irritation is experienced, NIO			
		Positive-pressure supplied air respirent entrations. Respiratory protection mu			
	with current local regulation		ist be provided in accordance		
General Hygiene Consideratio		exposed skin thoroughly after hand	lling Wash contaminated		
		euse. Do not eat, drink or smoke wi			
	5		nen using this product.		
nformation on basis abusisal		IEMICAL PROPERTIES			
nformation on basic physical Physical state					
Appearance	Liquid Aqueous solution	Odor	None		
Color	Clear, Colorless	Odor threshold	No information available		
Property	Values	Remarks • Method			
oH	13	±1 @ 21°C (2% solut			
Melting point/freezing point	< -17 °C / < 2 °F				
Boiling point / boiling range	No information available				
Flash point	Not flammable				
Evaporation rate	No information available				
Flammability (solid, gas)	No information available				
Flammability Limit in Air					
Upper flammability limit:	No information available				
Lower flammability limit:	No information available				
Vapor pressure	No information available				
Vapor density	No information available				
Specific Gravity	1.34 g/cc				
Water solubility	Soluble in water				
Solubility in other solvents	No information available				
Partition coefficient	No information available				
Autoignition temperature	No information available				
Decomposition temperature	No information available				
Kinematic viscosity	No information available				
Dynamic viscosity Explosive properties	No information available No information available				
Oxidizing properties	No information available				
VOC Content (%)	0.00%				
		AND REACTIVITY			
Reactivity					
No data available					
Chemical stability					
	age conditions. Exothermic reac	tion will occur upon dilution with wa	ter.		
Possibility of Hazardous Reac					
None under normal processing.					
Conditions to avoid					
None known.					
ncompatible materials					
Acids. Amphoteric metals (alumi					
Hazardous Decomposition Pro	oducts				
Carbon monoxide. Carbon dioxid	de (CO2).				
	11. TOXICOLOGIO	CAL INFORMATION			
nformation on likely routes of					
Product Information			.		
Inhalation		gh concentration may cause irritation	n ot respiratory system. Vapo		
	may be irritating to eyes	nose throat and lungs			

Inhalation of vapors in high concentration may cause irritation of respiratory system. Vapors may be irritating to eyes, nose, throat, and lungs.

Eye contact	Risk of serious damage to	eves Corrosive to the eves and	may cause severe damage		
Lyc contact	Risk of serious damage to eyes. Corrosive to the eyes and may cause severe damage including blindness.				
Skin Contact	Corrosive. Contact causes severe skin irritation and possible burns.				
Ingestion	Harmful if swallowed. Can burn mouth, throat, and stomach. Ingestion causes burns of the upper digestive and respiratory tracts.				
Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50		
Potassium hydroxide 1310-58-3	= 284 mg/kg (Rat)	-			
Sodium hydroxide 1310-73-2	-	= 1350 mg/kg (Rabbit)	-		
Information on toxicological ef					
	No information available. as well as chronic effects from	n short and long-term exposure	<u>e</u>		
Sensitization	No information available.				
Germ cell mutagenicity Carcinogenicity	No information available.	tain any carcinogens or potential	carcinogons as listed by OSHA		
	IARC or NTP. No information available.	tain any carcinogens of potential	carcinogens as listed by OSHA,		
Reproductive toxicity STOT - single exposure	No information available.				
STOT - repeated exposure	No information available.				
Aspiration hazard	No information available.				
Numerical measures of toxicity					
Unknown Acute Toxicity		of ingredient(s) of unknown toxic	city		
The following values are calcu Oral LD50	lated based on chapter 3.1 of t	he GHS document			
Oral LD50 Dermal LD50	2,737.00 mg/kg 9,310.00 mg/kg				
Dermai LD30					
	12. ECOLOGICA	LINFORMATION			
Ecotoxicity					
Harmful to aquatic life with long I	asting effects mponents(s) of unknown hazards	to the aquatic environment			
Chemical Name	Algae/aquatic plants	Fish	Crustacea		
Potassium hydroxide 1310-58-3	-	80: 96 h Gambusia affinis mg/L LC50 static	-		
Sodium hydroxide 1310-73-2	-	45.4: 96 h Oncorhynchus mykiss mg/L LC50 static	-		
Persistence and degradability					
No information available. Bioaccumulation					
	al Name	Partition	coefficient		
	n hydroxide	0.1			
1310)-58-3	0.	83		
<u>Mobility</u> Soluble in water.					
Other adverse effects	No information available				
	13. DISPOSAL CO	ONSIDERATIONS			
Waste treatment methods	No				
	Disposal should be in accordance Dispose of in accordance with fed		and local laws and regulations.		
	al Name	California Hazard	ous Waste Status		
	hydroxide		xic		
	0-58-3	Corre			
Sodium hydroxide Toxic 1310-73-2 Corrosive					
	14. TRANSPORT	FINFORMATION			
DOT					
UN/ID No.	1760				
Proper shipping name	-	.o.s. (contains potassium and so	dium hydroxides)		
Hazard Class	8				
Packing Group	ll de Number 154				
Emergency Response Guid					
	15. REGULATOR	Y INFORMATION			
International Inventories					

TSCA DSL/NDSL EINECS/ELINCS

Complies Complies Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372 SARA 311/312 Hazard Categories

Acute health hazardYesAcute health hazardNoChronic Health HazardNoFire hazardNoSudden release of pressure hazardNoReactive HazardNo

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Potassium hydroxide 1310-58-3	1000 lb	-	-	Х
Sodium hydroxide 1310-73-2	1000 lb	-	-	Х

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Potassium hydroxide	1000 lb	-	RQ 1000 lb final RQ
1310-58-3			RQ 454 kg final RQ
Sodium hydroxide	1000 lb	-	RQ 1000 lb final RQ
1310-73-2			RQ 454 kg final RQ

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Potassium hydroxide 1310-58-3	Х	X	Х
Sodium hydroxide 1310-73-2	Х	X	Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not Applicable

	•						
16. OTHER INFORMATION							
<u>NFPA</u>	Health hazards	2	Flammability	0	Instability 0		Physical and Chemical Properties Corrosive, Alkaline
<u>HMIS</u>	Health hazards	2	Flammability	0	Physical hazards	0	Personal protection D (face shield, gloves, synthetic apron)
Prepared By Issue Date			Technical Depa 07-Nov-2016	artment			
Revision Date Version)		24-Feb-2023 1				
Revision Note Disclaimer	9		Company name	e updat	э.		

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The health hazards given on this SDS apply to this product in its concentrated form (as supplied) and may differ significantly at use dilution. The signs and symptoms of exposure apply only to negligence in handling or misuse of the concentrated product and not to the routine exposure of the diluted product under conditions of ordinary use.

End of Safety Data Sheet