

TROLLEX LQ

TROLLEY CLEANER



DANGER

Causes severe skin burns and eye damage. Prevention: Do not breathe dusts or mists. Wash face, hands and any exposed skin thoroughly after handling. Wear protective gloves/protective clothing/eye protection/ face protection. Response: Immediately call a poison center or doctor. Specific treatment (see Section 4 on SDS). IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. Immediately call a poison center of doctor. **IF ON SKIN (or hair):** Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. **IF INHALED:** Remove person to fresh air and keep comfortable for breathing. Immediately call a poison center or doctor. **IF SWALLOWED:** Rinse mouth. DO NOT induce vomiting.

Storage: Store locked up.

Disposal: Dispose of contents/container to an approved waste disposal

plant.

Additional Precautions: Corrosive! Contains sodium and potassium

hydroxide.

Read SDS before using this product,

Trollex LQ is a powerful blend of caustic and surface active agents. Trollex LQ is designed to be used as a heavy duty trolley cleaner and features outstanding performance on hard surfaces to remove soils and oil buildups. It adheres to and cleans vertical surfaces.

DIRECTIONS FOR USE: Use in any cleaning apparatus. Dilute 2-14 ounces of Trollex LQ per gallon of hot water (110-170°F). Dilution rate depends upon soil to be removed, water temperature and time allowed for cleaning. Apply to surfaces such as stainless steel, black iron, and mild steel. After use tinse thoroughly with potable water to remove all residue. Do not use on aluminum or other soft metals. When in doubt, pretest on small areas.

Safe Foods Chemical Innovations

1501 E 8th Street North Little Rock, AR 72114 501-758-8500



CHEMTREC EMERGENCY PHONE 1-800-424-9300

HEALTH 2
FLAMMABILITY 0
REACTIVITY 0
PPE D



BATCH:	

NET CONTENTS: 5 GALLONS ____

FOR INDUSTRIAL USE ONLY

ID #20052

UN1760, Corrosive liquid, n.o.s., 8, PG II (contains sodium and potassium hydroxide)