

SAFETY DATA SHEET

Revision Date 24-Feb-2023

Version 1

1. IDENTIFICATION OF THE	SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING
Product identifier	
Product Name	PSSI E-SAN
	F331 E-3AN
Other means of identification	000.44
Product Code	20044
Recommended use of the chemical	
Recommended Use	Antiseptic hand sanitizer
Uses advised against	Follow the directions for use on the label when applying this product
Details of the supplier of the safety	data sheet
Manufacturer Address	
Safe Foods Chemical Innovations	
1501 E. 8th Street	
North Little Rock, AR 72114	
Emergency telephone number	
Company Phone Number	501-758-8500
Emergency Telephone	Chemtrec 1-800-424-9300
	2. HAZARDS IDENTIFICATION
Classification	
OSHA Regulatory Status	
	s by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)
Flammable liquids	Category 2
Serious eye damage/eye irritation	Category 2
	Calegoly 2A
Label elements	Emergeney Overview
	Emergency Overview
DANGER	
Hazard statements	
Highly flammable liquid and vapor	
Causes serious eye irritation	
Physical state Liquid	Color Clear Odor Alcoholic
Precautionary Statements - Prevent	
Keep away from heat/sparks/open flar	
Keep container tightly closed	
Ground/bond container and receiving	equipment
Use only non-sparking tools	
Take precautionary measures against	static discharge
Use explosion-proof electrical/ventilati	
Wear eye/face protection	igning of a priority
Precautionary Statements - Respon	62
	er for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
If eye irritation persists: Get medical ad	
IN CASE OF FIRE: Use CO2, dry che	
Precautionary Statements - Storage	
Store in a well-ventilated place. Keep	
Precautionary Statements - Disposa	
Dispose of contents/container to an ap	
Hazards not otherwise classified (H	NUC)
Not applicable	
Other Information	
Not applicable	
3. CC	MPOSITION/INFORMATION ON INGREDIENTS

Chamical Na		CAS No				
Chemical Na Ethanol	ime	CAS No. 64-17-5	Volume-% 80%			
Glycerol		56-81-5	1.45%			
Hydrogen perc	vide	7722-84-1	0.125%			
Tiydrogen perc			0.12376			
	4.	FIRST AID MEASURES				
First aid measures						
Eye contact		rinse slowly and gently with water for 15				
	advice/attention.	5 minutes, then continue rinsing eye. If	eye initation persists. Get medical			
Skin contact For accidental exposure to large quantities, not normal usage. Rinse skin with water. Get						
attention if irritation develops and persists.						
Inhalation						
	immediately.					
Ingestion		niting. Drink plenty of water. Never give	anything by mouth to an unconscious			
•• •• • • •	person. Call a phys					
Most important symptoms an						
Symptoms		symptom information.				
Indication of any immediate r Note to physicians	Treat symptomatica					
		-				
		RE-FIGHTING MEASURES				
Suitable extinguishing media						
Dry chemical. Water spray (fog						
Unsuitable extinguishing		vater spray when fighting fire may be ine	efficient.			
Specific hazards arising from		Vapara are beaution than air and mout	travel to course of ignition and flach			
back. Vapors may form explosi		e. Vapors are heavier than air and may	laver to source of ignition and hash			
Hazardous combustion p		oxides				
Explosion data						
Sensitivity to Mechanical	Impact None.					
Sensitivity to Static Disch						
Protective equipment and pre	-	nters				
		us pressure-demand, MSHA/NIOSH (ap	pproved or equivalent) and full			
		ies of water until well after fire is out.				
	6. ACCID	ENTAL RELEASE MEASURES				
Personal precautions, protec	tive equipment and	emergency procedures				
Personal precautions	Use personal prote	ction recommended in Section 8. Ensure				
		e precautionary measures against station	c discharges.			
For emergency responders	Isolate area. Keep	unnecessary personnel away.				
Environmental precautions		additional and a signification of the Descent	4 4			
Environmental precautions		additional ecological information. Prever	it entry into waterways, sewers,			
Methods and material for con	basements or confi					
Methods for containment		age or spillage if safe to do so. Absorb	with dry earth, sand or other			
	non-combustible m		· , · · · , · · · · · · · · · · · · · ·			
Methods for cleaning up		iction, heat, sparks or flames. Use clear				
		Collect spillage. Sweep up and shovel in	nto suitable containers for disposal.			
	Following product r	ecovery, flush area with water.				
	7. HA	ANDLING AND STORAGE				
Precautions for safe handling						
Advice on safe handling		heat, sparks, or flame. Take precaution	ary measures against static			
5		eat, drink or smoke when using this pro				
	recommended in Section 8. Avoid contact with eyes. Use only in well-ventilated areas. Avoid					
		mists. Handle in accordance with good	industrial hygiene and safety practice.			
Conditions for safe storage, i						
Storage Conditions		e all applicable regulations and fire code				
Incompatible materials		entilated place. Keep at temperatures b	etween 40 - 100°F (4 - 38°C).			
Incompatible materials		ents. Inorganic acids. Halogens.				
	8. EXPOSURE C	ONTROLS/PERSONAL PROTE	CTION			
Control parameters						
Exposure Guidelines						

	ACGIH TLV	OSHA PEL	NIOSH IDLH		
Ethanol	STEL: 1000 ppm	TWA: 1000 ppm, 1900 mg/m ³	IDLH: 3300 ppm		
64-17-5			TWA: 1000 ppm, 1900 mg/m ³		
Legend	wornmontal Industrial Lucianiat	Throshold Limit Value			
ACGIH TLV: American Conference of Go OSHA PEL: Occupational Safety and He					
VIOSH IDLH: Immediately Dangerous to					
STEL (Short Term Exposure Limit)					
TWA (time-weighted average)					
Appropriate engineering controls					
Engineering Controls	Showers, eyewash station	· ·			
ndividual protection measures, su					
Eye/face protection	None under normal use conditions. Safety glasses when the possibility of splashing exist				
Skin and body protection	None under normal use conditions. If splashes are likely to occur: Long sleeved shirt, lon				
	pants, and apron.				
Respiratory protection	-	, NIOSH/MSHA approved respirate			
General Hygiene Considerations		ing and shoes before reuse. Do no	ot eat, drink or smoke when		
	using this product.				
	9. PHYSICAL AND CH	IEMICAL PROPERTIES			
nformation on basic physical and	chemical properties				
Physical state	Liquid				
Appearance	Aqueous solution	Odor	Alcoholic		
Color	Clear	Odor threshold	No information available		
Property	<u>Values</u>	<u>Remarks</u> • Metho	d		
pH	Not applicable				
Melting point / freezing point	No information available				
Boiling point / boiling range	No information available				
Flash point	~ 13 °C /~ 55 °F	Pensky-Martens Clo	osea Cup (PMCC)		
Evaporation rate	No information available				
Flammability (solid, gas) Flammability Limit in Air	No information available				
Upper flammability limit:	No information available				
Lower flammability limit:	No information available				
Vapor pressure	No information available				
Vapor pressure Vapor density	No information available				
Specific Gravity	0.860-0.885 g/cc				
Water solubility	Soluble in water				
Solubility in other solvents	No information available				
Partition coefficient	No information available				
Autoignition temperature	No information available				
Decomposition temperature	No information available				
Kinematic viscosity	No information available				
Dynamic viscosity	No information available				
Explosive properties	No information available				
Oxidizing properties	No information available				
VOC Content (%)	77.4%				
	10. STABILITY A	AND REACTIVITY			
Reactivity					
No data available					
Chemical stability	154				
Stable under recommended storage					
Possibility of Hazardous Reaction	<u>s</u>				
None under normal processing.	None under normal areas	and and a second s			
Hazardous polymerization	None under normal proce	essing.			
Conditions to avoid					
Heat, flames and sparks.					
I ncompatible materials Strong oxidizing agents. Inorganic ad	cide Halogens				
Strong oxidizing agents, morganic ad Hazardous Decomposition Produc					
Carbon oxides.	<u>,13</u>				
		CAL INFORMATION			

Information on likely routes of exposure

Product Informatio Inhalation	n	Inhalat	tion of high concentration	as of vanor or mist may	cause irrite	ation of the respi	ratory tract
minaidtion		Inhalation of high concentrations of vapor or mist may cause irritation of the respirate headaches, dizziness, nausea, vomiting, and malaise.				ומנטוץ נופטו,	
Eye contact			eye contact causes eye			S.	
Skin Contact			ause open cuts to burn o				ss or cracking.
Ingestion			on may cause central n				
geenen			ng, and diarrhea.		en, gaenen		,,
Chemical Name			Oral LD50	Dermal LD50		Inhalatio	
Ethanol 64-17-5		= 7	7060 mg/kg (Rat)	-		= 124.7 mg/L	(Rat) 4 h
Glycerol 56-81-5			2600 mg/kg (Rat)	> 10 g/kg (Rabbi	it)	> 570 mg/m ³	(Rat) 1 h
Hydrogen peroxide 7722-84-1		= '	1518 mg/kg (Rat)	= 9200 mg/kg (Rat	obit)	= 2000 mg/m ³	(Rat) 4 h
Information on tox	icological eff						
Symptoms			ormation available.				
	diate effects		as chronic effects from	n short and long-term	exposure	_	
Sensitization			ormation available.				
Germ cell mutagen Carcinogenicity	licity		ormation available. I has been shown to be	carcinogonic in long to	m ctudioc /	only when cons	umod oc
Carcinogenicity			lic beverage.	carcinogenic in long-lei			unieu as
Reproductive toxic	ity		ol has been shown to be	a reproductive toxin onl	ly when cor	nsumed as an a	Icoholic
	•	bevera	ige.				-
STOT - single expo			ormation available.				
STOT - repeated ex	cposure		ormation available.				
Aspiration hazard			aspiration hazard.				
Numerical measure				· · · · · · · · · · ·			
Unknown Acute To			3% of the mixture cons		nknown tox	acity	
Oral LD50	es are calcul		sed on chapter 3.1 of t 50 mg/kg	ne GHS document			
			00				
Mist		6.95					
			12. ECOLOGICA	L INFORMATION			
Ecotoxicity	avetia lifa						
0 % of the mixture c	onsists of con		(s) of unknown hazards		ent		
0 % of the mixture c Chemical Name				Fish		Crustace	
0 % of the mixture c Chemical Name Ethanol	onsists of con		12.0 - 16.0: 96 h Oncorhy	Fish nchus mykiss mL/L LC50 s	static 9268 -	14221: 48 h Daph	
0 % of the mixture c Chemical Name	onsists of con		12.0 - 16.0: 96 h Oncorhy 100: 96 h Pimephales	Fish	static 9268 - c		nnia magna mg/L
0 % of the mixture c Chemical Name Ethanol	onsists of con		12.0 - 16.0: 96 h Oncorhy 100: 96 h Pimephales 13400 - 15100: 96 h Pim flow	Fish nchus mykiss mL/L LC50 s promelas mg/L LC50 static ephales promelas mg/L LC -through	static 9268 - c C50 2: 48 h 10800	14221: 48 h Daph LC50 Daphnia magna r : 24 h Daphnia ma	nnia magna mg/L mg/L EC50 Static agna mg/L EC50
0 % of the mixture c Chemical Name Ethanol 64-17-5 Glycerol 56-81-5	onsists of cor Algae/aquati	c plants	12.0 - 16.0: 96 h Oncorhy 100: 96 h Pimephales 13400 - 15100: 96 h Pim flow 51 - 57: 96 h Oncorhync	Fish nchus mykiss mL/L LC50 s promelas mg/L LC50 static ephales promelas mg/L LC through hus mykiss mL/L LC50 sta	static 9268 - c C50 2: 48 h 10800 ttic 500:	14221: 48 h Daph LC50 Daphnia magna r : 24 h Daphnia ma 24 h Daphnia ma	nnia magna mg/L mg/L EC50 Statio agna mg/L EC50 gna mg/L EC50
0 % of the mixture c Chemical Name Ethanol 64-17-5 Glycerol 56-81-5 Hydrogen peroxide	onsists of cor Algae/aquati	c plants	12.0 - 16.0: 96 h Oncorhy 100: 96 h Pimephales 13400 - 15100: 96 h Pim flow 51 - 57: 96 h Oncorhync 16.4: 96 h Pimepha	Fish nchus mykiss mL/L LC50 s promelas mg/L LC50 static ephales promelas mg/L LC -through hus mykiss mL/L LC50 sta les promelas mg/L LC50	static 9268 - c C50 2: 48 h 10800 ttic 500: 18 - 32	14221: 48 h Daph LC50 Daphnia magna r : 24 h Daphnia ma 24 h Daphnia ma 2: 48 h Daphnia m	nnia magna mg/L mg/L EC50 Static agna mg/L EC50 gna mg/L EC50
0 % of the mixture c Chemical Name Ethanol 64-17-5 Glycerol 56-81-5	onsists of cor Algae/aquati	c plants	12.0 - 16.0: 96 h Oncorhy 100: 96 h Pimephales 13400 - 15100: 96 h Pim flow 51 - 57: 96 h Oncorhync 16.4: 96 h Pimepha 18 - 56: 96 h Lepomis n	Fish nchus mykiss mL/L LC50 s promelas mg/L LC50 static ephales promelas mg/L LC through hus mykiss mL/L LC50 sta	static 9268 - c C50 2: 48 h 10800 ttic 500: 18 - 32 ttic	14221: 48 h Daph LC50 Daphnia magna r : 24 h Daphnia ma 24 h Daphnia ma	nnia magna mg/L mg/L EC50 Static agna mg/L EC50 gna mg/L EC50 agna mg/L EC50
0 % of the mixture c Chemical Name Ethanol 64-17-5 Glycerol 56-81-5 Hydrogen peroxide 7722-84-1	onsists of cor Algae/aquati 2.5: 72 h Cł vulgaris mg/	c plants	12.0 - 16.0: 96 h Oncorhy 100: 96 h Pimephales 13400 - 15100: 96 h Pim flow 51 - 57: 96 h Oncorhync 16.4: 96 h Pimepha 18 - 56: 96 h Lepomis n	Fish nchus mykiss mL/L LC50 s promelas mg/L LC50 static ephales promelas mg/L LC -through hus mykiss mL/L LC50 sta les promelas mg/L LC50 nacrochirus mg/L LC50 sta	static 9268 - c C50 2: 48 h 10800 ttic 500: 18 - 32 ttic	14221: 48 h Daph LC50 Daphnia magna r : 24 h Daphnia ma 24 h Daphnia ma 2: 48 h Daphnia m Static	nnia magna mg/L mg/L EC50 Static agna mg/L EC50 gna mg/L EC50 agna mg/L EC50
0 % of the mixture c Chemical Name Ethanol 64-17-5 Glycerol 56-81-5 Hydrogen peroxide 7722-84-1 Persistence and de	onsists of cor Algae/aquati 2.5: 72 h Cł vulgaris mg/l egradability	c plants	12.0 - 16.0: 96 h Oncorhy 100: 96 h Pimephales 13400 - 15100: 96 h Pim flow 51 - 57: 96 h Oncorhync 16.4: 96 h Pimepha 18 - 56: 96 h Lepomis n	Fish nchus mykiss mL/L LC50 s promelas mg/L LC50 static ephales promelas mg/L LC -through hus mykiss mL/L LC50 sta les promelas mg/L LC50 nacrochirus mg/L LC50 sta	static 9268 - c C50 2: 48 h 10800 ttic 500: 18 - 32 ttic	14221: 48 h Daph LC50 Daphnia magna r : 24 h Daphnia ma 24 h Daphnia ma 2: 48 h Daphnia m Static	nnia magna mg/L mg/L EC50 Static agna mg/L EC50 gna mg/L EC50 agna mg/L EC50
0 % of the mixture c Chemical Name Ethanol 64-17-5 Glycerol 56-81-5 Hydrogen peroxide 7722-84-1 Persistence and de No information avail Bioaccumulation	onsists of cor Algae/aquati	c plants	12.0 - 16.0: 96 h Oncorhy 100: 96 h Pimephales 13400 - 15100: 96 h Pim flow 51 - 57: 96 h Oncorhync 16.4: 96 h Pimepha 18 - 56: 96 h Lepomis n	Fish nchus mykiss mL/L LC50 s promelas mg/L LC50 static ephales promelas mg/L LC -through hus mykiss mL/L LC50 sta les promelas mg/L LC50 nacrochirus mg/L LC50 sta	static 9268 - c C50 2: 48 h 10800 ttic 500: 18 - 32 ttic	14221: 48 h Daph LC50 Daphnia magna r : 24 h Daphnia ma 24 h Daphnia ma 2: 48 h Daphnia m Static	nnia magna mg/L mg/L EC50 Static agna mg/L EC50 gna mg/L EC50 agna mg/L EC50
0 % of the mixture c Chemical Name Ethanol 64-17-5 Glycerol 56-81-5 Hydrogen peroxide 7722-84-1 Persistence and de No information avails <u>Bioaccumulation</u> Not expected to bioa	onsists of cor Algae/aquati	c plants	12.0 - 16.0: 96 h Oncorhy 100: 96 h Pimephales 13400 - 15100: 96 h Pim flow 51 - 57: 96 h Oncorhync 16.4: 96 h Pimepha 18 - 56: 96 h Lepomis n	Fish nchus mykiss mL/L LC50 s promelas mg/L LC50 static ephales promelas mg/L LC -through hus mykiss mL/L LC50 sta les promelas mg/L LC50 nacrochirus mg/L LC50 sta	static 9268 - c C50 2: 48 h 10800 ttic 500: 18 - 32 ttic	14221: 48 h Daph LC50 Daphnia magna r : 24 h Daphnia ma 24 h Daphnia ma 2: 48 h Daphnia m Static	nnia magna mg/L mg/L EC50 Static agna mg/L EC50 gna mg/L EC50 agna mg/L EC50
0 % of the mixture c Chemical Name Ethanol 64-17-5 Glycerol 56-81-5 Hydrogen peroxide 7722-84-1 Persistence and de No information avail Bioaccumulation Not expected to bioa Mobility	onsists of cor Algae/aquati	c plants	12.0 - 16.0: 96 h Oncorhy 100: 96 h Pimephales 13400 - 15100: 96 h Pim flow 51 - 57: 96 h Oncorhync 16.4: 96 h Pimepha 18 - 56: 96 h Lepomis n	Fish nchus mykiss mL/L LC50 s promelas mg/L LC50 static ephales promelas mg/L LC -through hus mykiss mL/L LC50 sta les promelas mg/L LC50 nacrochirus mg/L LC50 sta	static 9268 - c C50 2: 48 h 10800 ttic 500: 18 - 32 ttic	14221: 48 h Daph LC50 Daphnia magna r : 24 h Daphnia ma 24 h Daphnia ma 2: 48 h Daphnia m Static	nnia magna mg/L mg/L EC50 Static agna mg/L EC50 gna mg/L EC50 agna mg/L EC50
0 % of the mixture c Chemical Name Ethanol 64-17-5 Glycerol 56-81-5 Hydrogen peroxide 7722-84-1 Persistence and de No information availe Bioaccumulation Not expected to bioa Mobility Soluble in water.	onsists of con Algae/aquati 2.5: 72 h Ch vulgaris mg/l egradability able. accumulate.	c plants	12.0 - 16.0: 96 h Oncorhy 100: 96 h Pimephales 13400 - 15100: 96 h Pim flow 51 - 57: 96 h Oncorhync 16.4: 96 h Pimepha 18 - 56: 96 h Lepomis n 10.0 - 32.0: 96 h Oncorhy	Fish nchus mykiss mL/L LC50 s promelas mg/L LC50 static ephales promelas mg/L LC -through hus mykiss mL/L LC50 sta les promelas mg/L LC50 nacrochirus mg/L LC50 sta	static 9268 - c C50 2: 48 h 10800 ttic 500: 18 - 32 ttic	14221: 48 h Daph LC50 Daphnia magna r : 24 h Daphnia ma 24 h Daphnia ma 2: 48 h Daphnia m Static	nnia magna mg/L mg/L EC50 Static agna mg/L EC50 gna mg/L EC50 agna mg/L EC50
0 % of the mixture c Chemical Name Ethanol 64-17-5 Glycerol 56-81-5 Hydrogen peroxide 7722-84-1 Persistence and de No information availe Bioaccumulation Not expected to bioa Mobility Soluble in water.	onsists of con Algae/aquati 2.5: 72 h Ch vulgaris mg/l egradability able. accumulate.	c plants	12.0 - 16.0: 96 h Oncorhy 100: 96 h Pimephales 13400 - 15100: 96 h Pim flow 51 - 57: 96 h Oncorhync 16.4: 96 h Pimepha 18 - 56: 96 h Lepomis n 10.0 - 32.0: 96 h Oncorhy	Fish nchus mykiss mL/L LC50 s promelas mg/L LC50 static ephales promelas mg/L LC -through hus mykiss mL/L LC50 sta les promelas mg/L LC50 sta nchus mykiss mg/L LC50 sta	static 9268 - c C50 2: 48 h 10800 ttic 500: 18 - 32 ttic	14221: 48 h Daph LC50 Daphnia magna r : 24 h Daphnia ma 24 h Daphnia ma 2: 48 h Daphnia m Static	nnia magna mg/L mg/L EC50 Static agna mg/L EC50 gna mg/L EC50 agna mg/L EC50
0 % of the mixture c Chemical Name Ethanol 64-17-5 Glycerol 56-81-5 Hydrogen peroxide 7722-84-1 Persistence and de No information avail Bioaccumulation Not expected to bioa Mobility Soluble in water. Other adverse effect	onsists of con Algae/aquati	c plants	12.0 - 16.0: 96 h Oncorhy 100: 96 h Pimephales 13400 - 15100: 96 h Pim flow 51 - 57: 96 h Oncorhync 16.4: 96 h Pimepha 18 - 56: 96 h Lepomis n 10.0 - 32.0: 96 h Oncorhy	Fish nchus mykiss mL/L LC50 s promelas mg/L LC50 static ephales promelas mg/L LC -through hus mykiss mL/L LC50 sta les promelas mg/L LC50 nacrochirus mg/L LC50 sta	static 9268 - c C50 2: 48 h 10800 ttic 500: 18 - 32 ttic	14221: 48 h Daph LC50 Daphnia magna r : 24 h Daphnia ma 24 h Daphnia ma 2: 48 h Daphnia m Static	nnia magna mg/L mg/L EC50 Static agna mg/L EC50 gna mg/L EC50 agna mg/L EC50
0 % of the mixture c Chemical Name Ethanol 64-17-5 Glycerol 56-81-5 Hydrogen peroxide 7722-84-1 Persistence and de No information avail Bioaccumulation Not expected to bioa Mobility Soluble in water. Other adverse effect Waste treatment m	onsists of con Algae/aquati 2.5: 72 h Cł vulgaris mg/l able. accumulate. cts ethods	nlorella L EC50	12.0 - 16.0: 96 h Oncorhy 100: 96 h Pimephales 13400 - 15100: 96 h Pim flow 51 - 57: 96 h Oncorhync 16.4: 96 h Pimepha 18 - 56: 96 h Lepomis n 10.0 - 32.0: 96 h Oncorhy	Fish nchus mykiss mL/L LC50 s promelas mg/L LC50 statio ephales promelas mg/L LC -through hus mykiss mL/L LC50 station les promelas mg/L LC50 station nacrochirus mg/L LC50 station nchus mykiss mg/L LC50 station nchus mykiss mg/L LC50 station DNSIDERATIONS	etatic 9268 - C50 2: 48 h 10800 ttic 500: 18 - 32 tic static 7.7: 2	14221: 48 h Daph LC50 Daphnia magna r : 24 h Daphnia mag 24 h Daphnia mag 2: 48 h Daphnia m Static 24 h Daphnia mag	nnia magna mg/L mg/L EC50 Static agna mg/L EC50 gna mg/L EC50 agna mg/L EC50 gna mg/L EC50
0 % of the mixture c Chemical Name Ethanol 64-17-5 Glycerol 56-81-5 Hydrogen peroxide 7722-84-1 Persistence and de No information avail Bioaccumulation Not expected to bioa Mobility Soluble in water. Other adverse effect Waste treatment m Disposal of wastes	Algae/aquati	nlorella L EC50	12.0 - 16.0: 96 h Oncorhy 100: 96 h Pimephales 13400 - 15100: 96 h Pim flow 51 - 57: 96 h Oncorhync 16.4: 96 h Pimepha 18 - 56: 96 h Lepomis n 10.0 - 32.0: 96 h Oncorhy	Fish nchus mykiss mL/L LC50 s promelas mg/L LC50 statio ephales promelas mg/L LC -through hus mykiss mL/L LC50 station les promelas mg/L LC50 station nacrochirus mg/L LC50 station nchus mykiss mg/L LC50 station DNSIDERATIONS e with applicable regional	al, national	14221: 48 h Daph LC50 Daphnia magna r : 24 h Daphnia mag 24 h Daphnia mag 2: 48 h Daphnia m Static 24 h Daphnia mag	nnia magna mg/L mg/L EC50 Static agna mg/L EC50 gna mg/L EC50 agna mg/L EC50 gna mg/L EC50
0 % of the mixture c Chemical Name Ethanol 64-17-5 Glycerol 56-81-5 Hydrogen peroxide 7722-84-1 Persistence and de No information avail Bioaccumulation Not expected to bioa Mobility Soluble in water. Other adverse effect Waste treatment m Disposal of wastes	Algae/aquati	nlorella L EC50	12.0 - 16.0: 96 h Oncorhy 100: 96 h Pimephales 13400 - 15100: 96 h Pim flow 51 - 57: 96 h Oncorhync 16.4: 96 h Pimepha 18 - 56: 96 h Lepomis n 10.0 - 32.0: 96 h Oncorhy	Fish nchus mykiss mL/L LC50 s promelas mg/L LC50 static ephales promelas mg/L LC -through hus mykiss mL/L LC50 static les promelas mg/L LC50 nacrochirus mg/L LC50 static nchus mykiss mg/L LC50 static nchus mykiss mg/L LC50 static e with applicable regionated ederal, state and local regionated	al, national	14221: 48 h Daph LC50 Daphnia magna r : 24 h Daphnia mag 24 h Daphnia mag 2: 48 h Daphnia m Static 24 h Daphnia mag	nnia magna mg/L mg/L EC50 Static agna mg/L EC50 gna mg/L EC50 agna mg/L EC50 gna mg/L EC50
0 % of the mixture c Chemical Name Ethanol 64-17-5 Glycerol 56-81-5 Hydrogen peroxide 7722-84-1 Persistence and de No information avail Bioaccumulation Not expected to bioa Mobility Soluble in water. Other adverse effect Waste treatment m Disposal of wastes Contaminated pack Note:	Algae/aquati	nlorella L EC50	12.0 - 16.0: 96 h Oncorhy 100: 96 h Pimephales 13400 - 15100: 96 h Pim flow 51 - 57: 96 h Oncorhync 16.4: 96 h Pimepha 18 - 56: 96 h Lepomis n 10.0 - 32.0: 96 h Oncorhy mation available 13. DISPOSAL Co al should be in accordance of in accordance with for 14. TRANSPOR	Fish nchus mykiss mL/L LC50 s promelas mg/L LC50 static ephales promelas mg/L LC -through hus mykiss mL/L LC50 static les promelas mg/L LC50 nacrochirus mg/L LC50 static nchus mykiss mg/L LC50 static nchus mykiss mg/L LC50 static e with applicable regionated ederal, state and local regionated	etatic 9268 - C 2: 48 h 10800 tic 500: 18 - 32 tic 7.7: 2 etatic 7.7: 2 al, national egulations.	14221: 48 h Daph LC50 Daphnia magna r : 24 h Daphnia mag 24 h Daphnia mag 2: 48 h Daphnia mag 2: 48 h Daphnia mag 2: 48 h Daphnia mag 2: 40 h Daphnia mag and local laws a	nnia magna mg/L mg/L EC50 Static agna mg/L EC50 gna mg/L EC50 agna mg/L EC50 gna mg/L EC50
0 % of the mixture c Chemical Name Ethanol 64-17-5 Glycerol 56-81-5 Hydrogen peroxide 7722-84-1 Persistence and de No information avail Bioaccumulation Not expected to bioa Mobility Soluble in water. Other adverse effect Waste treatment m Disposal of wastes Contaminated pack Note: DOT	Algae/aquati	nlorella L EC50	12.0 - 16.0: 96 h Oncorhy 100: 96 h Pimephales 13400 - 15100: 96 h Pim flow 51 - 57: 96 h Oncorhync 16.4: 96 h Pimepha 18 - 56: 96 h Lepomis n 10.0 - 32.0: 96 h Oncorhy Table 13. DISPOSAL Co al should be in accordance of in accordance with find the second s	Fish nchus mykiss mL/L LC50 s promelas mg/L LC50 static ephales promelas mg/L LC -through hus mykiss mL/L LC50 static les promelas mg/L LC50 static nacrochirus mg/L LC50 static nchus mykiss mg/L LC50 static nchus mykiss mg/L LC50 static construction of the static static static construction of the static s	etatic 9268 - C 2: 48 h 10800 tic 500: 18 - 32 tic 7.7: 2 etatic 7.7: 2 al, national egulations.	14221: 48 h Daph LC50 Daphnia magna r : 24 h Daphnia mag 24 h Daphnia mag 2: 48 h Daphnia mag 2: 48 h Daphnia mag 2: 48 h Daphnia mag 2: 40 h Daphnia mag and local laws a	nnia magna mg/L mg/L EC50 Static agna mg/L EC50 gna mg/L EC50 agna mg/L EC50 gna mg/L EC50
Chemical Name Ethanol 64-17-5 Glycerol 56-81-5 Hydrogen peroxide 7722-84-1 Persistence and de No information avail Bioaccumulation Not expected to bioa Mobility Soluble in water. Other adverse effer Waste treatment m Disposal of wastes Contaminated pack Note: DOT UN/ID No.	onsists of con Algae/aquati	nlorella L EC50	12.0 - 16.0: 96 h Oncorhy 100: 96 h Pimephales 13400 - 15100: 96 h Pim flow 51 - 57: 96 h Oncorhync 16.4: 96 h Pimepha 18 - 56: 96 h Lepomis n 10.0 - 32.0: 96 h Oncorhy 13. DISPOSAL Co al should be in accordance of in accordance with find the second se	Fish nchus mykiss mL/L LC50 static ephales promelas mg/L LC50 static ephales promelas mg/L LC50 -through hus mykiss mL/L LC50 static les promelas mg/L LC50 static acrochirus mg/L LC50 static inchus mykiss mg/L LC50 static construction of the state of the s	al, national egulations.	14221: 48 h Daph LC50 Daphnia magna r : 24 h Daphnia mag 24 h Daphnia mag 2: 48 h Daphnia mag 2: 48 h Daphnia mag 2: 48 h Daphnia mag 2: 40 h Daphnia mag and local laws a	nnia magna mg/L mg/L EC50 Static agna mg/L EC50 gna mg/L EC50 agna mg/L EC50 gna mg/L EC50
0 % of the mixture c Chemical Name Ethanol 64-17-5 Glycerol 56-81-5 Hydrogen peroxide 7722-84-1 Persistence and de No information avail Bioaccumulation Not expected to bioa Mobility Soluble in water. Other adverse effect Waste treatment m Disposal of wastes Contaminated pack Note: DOT	onsists of con Algae/aquati	nlorella L EC50	12.0 - 16.0: 96 h Oncorhy 100: 96 h Pimephales 13400 - 15100: 96 h Pim flow 51 - 57: 96 h Oncorhync 16.4: 96 h Pimepha 18 - 56: 96 h Lepomis n 10.0 - 32.0: 96 h Oncorhy 13. DISPOSAL Co al should be in accordance of in accordance with find the second se	Fish nchus mykiss mL/L LC50 s promelas mg/L LC50 static ephales promelas mg/L LC -through hus mykiss mL/L LC50 static les promelas mg/L LC50 static nacrochirus mg/L LC50 static nchus mykiss mg/L LC50 static nchus mykiss mg/L LC50 static construction of the static static static construction of the static s	al, national egulations.	14221: 48 h Daph LC50 Daphnia magna r : 24 h Daphnia mag 24 h Daphnia mag 2: 48 h Daphnia mag 2: 48 h Daphnia mag 2: 48 h Daphnia mag 2: 40 h Daphnia mag and local laws a	nnia magna mg/L mg/L EC50 Static agna mg/L EC50 gna mg/L EC50 agna mg/L EC50 gna mg/L EC50

Packing Group	П
Emergency Response Guide Number	127

15. REGULATORY INFORMATION

International Inventories TSCA DSL/NDSL

EINECS/ELINCS Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

Complies

Complies

Complies

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372 SARA 311/312 Hazard Categories

ARA OT HOTE HAEAR Outogonico	
Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	Yes
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

Ethyl alcohol is only a considered a Proposition 65 developmental hazard when it is ingested as an alcoholic beverage **U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Ethanol	Х	Х	X
64-17-5			
Glycerol	Х	Х	Х
56-81-5			

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION						
NFPA	Health hazards	2	Flammability	3	Instability 0	Physical and Chemical Properties None
HMIS	Health hazards	2	Flammability	3	Physical hazards 0	Personal protection A (safety glasses)
Prepared By Issue Date Revision Date			Technical Depa 20-Mar-2020 24-Feb-2023	rtme	ent	
Version Revision Note			1 Company name	e upo	date.	
Disclaimor			1 2	•		

<u>Disclaimer</u>

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The health hazards given on this SDS apply to this product in its concentrated form (as supplied) and may differ significantly at use dilution. The signs and symptoms of exposure apply only to negligence in handling or misuse of the concentrated product and not to the routine exposure of the diluted product under conditions of ordinary use.

End of Safety Data Sheet