



FLOOR-EX

FLOOR TREATMENT



DANGER

Harmful if swallowed. Causes eye irritation. May intensify fire; oxidizer. Prevention: Wash face, hands and any exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product. Keep away from heat/sparks/open flames/hot surfaces. No smoking. Keep/Store away from

clothing/combustible materials. Take any precaution to avoid mixing with combustibles. Wear protective gloves/protective clothing/eye protection/face protection. **Response: IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. **IF SWALLOWED:** Call a poison center or doctor if you feel unwell. Rinse mouth. **In case of fire:** Use CO₂, dry chemical, or foam for extinction. **Disposal:** Dispose of contents/container to an approved waste disposal plant.

Recommended First Aid: IF ON SKIN (or hair): Rinse skin with water. Get medical attention if irritation develops and persists. Wash contaminated clothing and shoes before reuse. **IF INHALED:** Remove to fresh air.

Additional Precautions: Oxidizer. Contains sodium percarbonate.

Read SDS before using this product.

| | |
|--------------|---|
| HEALTH | 2 |
| FLAMMABILITY | 0 |
| REACTIVITY | 1 |
| PPE | C |



NET CONTENTS: 4x8 POUNDS _____
 40 POUNDS _____
 400 POUNDS _____

BATCH:

FOR INDUSTRIAL USE ONLY
 NOT FOR RETAIL SALE

ID #20002

Floor-Ex is a floor treatment used to prevent slipping and provide cleaning action on production floors in meat, poultry, dairy and general processing plants. It contains sodium percarbonate and quaternary ammonia surfactant which makes it an effective odor control and cleaning agent in moist environments, such as floors, drains and any other non-food contact surfaces. When activated, Floor-Ex generates hydrogen peroxide to accelerate activity. This product is proven to be safe to drain systems and does not contain salt or phosphates. Floor-Ex is not meant to replace an effective floor sanitizing program.

DIRECTIONS FOR USE: Apply in thin layer on food plant flooring, either manually or through the use of a drop spreader. Application rate of 10 lbs. per 3750 sq. ft. will deliver an effective level of odor control and prevents slipping of personnel on production floor.



PSSI Chemical Innovations
 3729 Peddle Hollow Rd.
 Kieler, WI 53812 USA
 888-671-5366

CHEMTREC EMERGENCY PHONE 1-800-424-9300

UN1479, Oxidizing solid, n.o.s., 5.1, PG III
 (Sodium carbonate peroxyhydrate)