# SAFETY DATA SHEET



Revision Date 01-Jan-2023

Version 1

1. IDENTIFICATION OF THE	SUBSTANCE/PREPARATION AND OF TH	E COMPANY/UNDERTAKING
Product identifier		
Product Name	KC-413	
	NC-415	
Other means of identification Product Code	20489	
Recommended use of the chemica		
Recommended Use	High foaming acid cleaner	
Uses advised against	Follow the directions for use on the label when apply	ving this product
Details of the supplier of the safety		
Manufacturer Address		
Safe Foods Chemical Innovations		
1501 E. 8 <sup>th</sup> Street		
North Little Rock, AR 72114		
Emergency telephone number		
Company Phone Number	501-758-8500	
Emergency Telephone	Chemtrec 1-800-424-9300	
	2. HAZARDS IDENTIFICATION	
Classification		
OSHA Regulatory Status		
	is by the 2012 OSHA Hazard Communication Standar	d (29 CFR 1910.1200)
Skin corrosion/irritation		Category 1
Serious eye damage/eye irritation		Category 1
Label elements		
	Emergency Overview	
DANGER		
Hazard statements		
Causes severe skin burns and eye da	amade	
	anage	
100		
No Me		
Physical state Liquid	Color Bright pink	<b>Odor</b> Sour
Precautionary Statements - Preven		
Do not breathe dusts or mists		
Wash face, hands and any exposed s	kin thoroughly after handling	
Wear protective gloves/protective clo		
Precautionary Statements - Respo		
Immediately call a POISON CENTER	or doctor	
Specific treatment (see Section 4 on		
	ter for several minutes. Remove contact lenses, if pre-	sent and easy to do. Continue rinsing.
Immediately call a POISON CENTER		
· ,	iately all contaminated clothing. Rinse skin with water/	shower. Wash contaminated clothing
before reuse		
	a air and keep comfortable for breathing. Immediately	call a POISON CENTER or doctor
IF SWALLOWED: Rinse mouth. Do N		
Precautionary Statements - Storag	÷	
Store locked up	al	
Precautionary Statements - Dispos		
Dispose of contents/container to an a Hazards not otherwise classified (I		
Not applicable		
Other Information		

Harmful to aquatic life with long lasting effects

3	COMPOSITIO	N/INFORMATION ON INGRE	DIENTS			
Chemical Name		CAS No.	Weight-%			
Water		7732-18-5	50-60			
Citric acid		77-92-9	15-25			
Hydroxyacetic acid	d	79-14-1	10-18			
Dipropylene glycol monome		34590-94-8	2-8			
Dodecylbenzenesulfoni		27176-87-0	1-5			
	*The exact percentage (concentration) of composition has been withheld as a trade secret.					
4. FIRST AID MEASURES						
First aid measures						
Eye contact Skin contact	lenses, if present, after first 5 minutes, then continue rinsing eye. Seek immediate medie attention/advice.					
		ash contaminated clothing and shoes l ion is required.	before reuse. For severe burns, immediate			
Inhalation			is difficult. Call a physician immediately.			
Ingestion		ce vomiting. Drink plenty of water. No				
-		person. Call a physician immediately.				
Most important symptoms and e						
Symptoms		1 for symptom information.				
Indication of any immediate med						
Note to physicians	Treat symptor					
	, ,	RE-FIGHTING MEASURES				
Suitable extinguishing media	-					
Dry chemical. Water spray (fog). C Unsuitable extinguishing me Specific hazards arising from the No information available. Hazardous combustion prod	dia No infor e chemical	D2). Foam. mation available. monoxide. Carbon dioxide (CO2).				
Explosion data	ucis Carbon					
Sensitivity to Mechanical Imp	oact None.					
Sensitivity to Static Discharg						
Protective equipment and preca		nters				
As in any fire, wear self-contained	breathing apparat th flooding quantil	us pressure-demand, MSHA/NIOSH ies of water until well after fire is out.	(approved or equivalent) and full Non-combustible, substance itself does			
	6. ACCIDI	ENTAL RELEASE MEASURE	S			
Personal precautions, protective						
Personal precautions	Use personal in confined are	•	3. Ensure adequate ventilation, especially			
For emergency responders	Isolate area. k	Keep unnecessary personnel away.				
Environmental precautions		·····				
Environmental precautions		into waterways, sewers, basements o logical information.	or confined areas. See section 12 for			
Methods and material for contain						
Methods for containment		r leakage or spillage if safe to do so.	Contain and collect spillage with			
methods for containment	non-combustil	ble absorbent material, (e.g. sand, ea	rth, diatomaceous earth, vermiculite) and			
Methods for cleaning up	place in container for disposal according to local / national regulations (see Section 13). Collect spillage. Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal. Following product recovery, flush area with water.					
	7. HA	ANDLING AND STORAGE				
Precautions for safe handling						
Advice on safe handling						
Conditions for safe storage, incl						
Storage Conditions         Keep containers tightly closed in a dry, cool and well-ventilated place. Keep from freezing.						

# Incompatible materials

Caustics. Hypochlorites. Percarbonates. Nitric acid. Sulfuric acid.

8. EX	<b>(POSURE CONTRO</b>	LS/PERSONAL PROTECTION	N
Control parameters			
Exposure Guidelines			
Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Dipropylene glycol monomethyl ether	STEL: 150 ppm	TWA: 100 ppm, 600 mg/m <sup>3</sup>	IDLH: 600 ppm
34590-94-8	TWA: 100 ppm	(vacated) STEL: 150 ppm, 900 mg/m <sup>3</sup>	TWA: 100 ppm, 600 mg/m <sup>3</sup> STEL: 150 ppm, 900 mg/m <sup>3</sup>
Appropriate engineering controls			
Engineering Controls	Showers, evewash sta	itions, ventilation system.	
Individual protection measures, su			
Eye/face protection		goggles and face shield.	
Skin and body protection		ene™ gloves or rubber gloves. Norm	al work clothing (long sleeved
ekin and body protoction		s recommended. Apron recommended	
Respiratory protection		exceeded or irritation is experienced, N	
		should be worn. Positive-pressure sup	
		rne contaminant concentrations. Resp	
		e with current local regulations.	
General Hygiene Considerations		any exposed skin thoroughly after ha	
	clothing and shoes bet	fore reuse. Do not eat, drink or smoke	when using this product.
	9. PHYSICAL AND	CHEMICAL PROPERTIES	
Information on basic physical and			
Physical state	Liquid		
Appearance	Aqueous solution	Odor	Sour
Color	Bright pink	Odor threshold	No information available
Property	Values	Remarks • Method	
pH	1	±1 @ 21°C	<u> </u>
Melting point / freezing point	-10.6 °C / 13 °F	1 6 21 6	
Boiling point / boiling range	No information availab	le	
Flash point	Not flammable		
Evaporation rate	No information availab	le	
Flammability (solid, gas)	No information availab		
Flammability Limit in Air			
Upper flammability limit:	No information availab	le	
Lower flammability limit:	No information availab		
Vapor pressure	No information availab		
Vapor density	No information availab		
Specific Gravity	1.14 g/cc		
Water solubility	Soluble in water		
Solubility in other solvents	No information availab	le	
Partition coefficient	No information availab		
Autoignition temperature	No information availab		
Decomposition temperature	No information availab		
Kinematic viscosity	No information availab		
Dynamic viscosity	No information availab	le	
Explosive properties	No information availab	le	
Oxidizing properties	No information availab	le	
VOC Content (%)	4.20% (0.399 lbs./gal)		
	10. STABILITY	Y AND REACTIVITY	
Reactivity			
No data available			
<u>Chemical stability</u> Stable under recommended storage	conditions		
Possibility of Hazardous Reaction			
None under normal processing.	<u>.</u>		
Conditions to avoid			
None known.			
Incompatible materials			
Caustics. Hypochlorites. Percarbona	tes Nitric acid Sulfuric a	cid	
Hazardous Decomposition Produc			
Carbon monoxide. Carbon dioxide (			

	11. TOXICOLOG				
nformation on likely routes of ex	posure				
Product Information					
Inhalation	Inhalation of vapors in high concentration may cause irritation of respiratory system. Vapors				
	may be irritating to eyes, nose, throat, and lungs.				
Eye contact	Risk of serious damage to eyes. Corrosive to the eyes and may cause severe damage				
	including blindness.				
Skin Contact		es severe skin irritation and possible burns.			
Ingestion		and stomach. Ingestion causes burns of the up	per digestive and		
	respiratory tracts.				
Chemical Name	Oral LD50	Dermal LD50	nhalation LC50		
Citric acid	= 3 g/kg (Rat)	-	-		
77-92-9	= 3000 mg/kg (Rat	)			
Hydroxyacetic acid 79-14-1	= 1950 mg/kg (Rat	) – = 3	.6 mg/l (Rat)4 h		
Dipropylene glycol monomethyl ether	= 5.35 g/kg (Rat)	= 9500 mg/kg (Rabbit)	_		
34590-94-8	= 3.35 g/kg ( Nat )	= 9000 mg/kg (Tabbit )	-		
Dodecylbenzenesulfonic acid	= 1260 mg/kg (Rat	) 631 - 1000 mg/kg (Rabbit)	-		
27176-87-0	5 5 5 V	, , , , , , , , , , , , , , , , , , , ,			
nformation on toxicological effect	sts				
Symptoms	No information available.				
	s well as chronic effects f	from short and long-term exposure			
ensitization	No information available.				
Germ cell mutagenicity	No information available.				
Carcinogenicity	This product does not co	ntain any carcinogens or potential carcinogens	as listed by OSHA,		
	IARC or NTP.		•		
Reproductive toxicity	No information available.				
STOT - single exposure	No information available.				
STOT - repeated exposure	No information available.				
Aspiration hazard	No information available.				
Numerical measures of toxicity	- Product Information				
Jnknown Acute Toxicity		consists of ingredient(s) of unknown toxicity			
The following values are calculate	ed based on chapter 3.1 o	of the GHS document			
Oral LD50	5,889.00 mg/kg				
Dermal LD50	5,889.00 mg/kg 13,416.00 mg/kg				
Dermal LD50	13,416.00 mg/kg 18.57 mg/l				
Dermal LD50 Mist	13,416.00 mg/kg 18.57 mg/l	CAL INFORMATION			
Dermal LD50 Mist Ecotoxicity	13,416.00 mg/kg 18.57 mg/l <b>12. ECOLOGI</b>				
Dermal LD50 Mist Ecotoxicity Harmful to aquatic life with long last	13,416.00 mg/kg 18.57 mg/l <b>12. ECOLOGIO</b> ing effects				
Dermal LD50 Mist Ecotoxicity Harmful to aquatic life with long last 0.9048% of the mixture consists of o	13,416.00 mg/kg 18.57 mg/l <b>12. ECOLOGIO</b> ing effects component(s) of unknown	CAL INFORMATION			
Dermal LD50 Mist Ecotoxicity Harmful to aquatic life with long last 0.9048% of the mixture consists of on Chemical Name	13,416.00 mg/kg 18.57 mg/l <b>12. ECOLOGIO</b> ing effects	CAL INFORMATION hazards to the aquatic environment Fish	Crustacea		
Dermal LD50 Mist Ecotoxicity_ Harmful to aquatic life with long last 0.9048% of the mixture consists of of Chemical Name Citric acid	13,416.00 mg/kg 18.57 mg/l <b>12. ECOLOGIO</b> ing effects component(s) of unknown	CAL INFORMATION	120: 72 h Daphnia		
Dermal LD50 Mist Ecotoxicity Harmful to aquatic life with long last 0.9048% of the mixture consists of of Chemical Name Citric acid 77-92-9	13,416.00 mg/kg 18.57 mg/l <b>12. ECOLOGIO</b> ing effects component(s) of unknown	CAL INFORMATION hazards to the aquatic environment Fish 1516: 96 h Lepomis macrochirus mg/L LC50 static	120: 72 h Daphnia		
Dermal LD50 Mist Ecotoxicity Harmful to aquatic life with long last 0.9048% of the mixture consists of of Chemical Name Citric acid 77-92-9 Hydroxyacetic acid	13,416.00 mg/kg 18.57 mg/l <b>12. ECOLOGIO</b> ing effects component(s) of unknown	CAL INFORMATION hazards to the aquatic environment Fish	120: 72 h Daphnia		
Dermal LD50 Mist Ecotoxicity Harmful to aquatic life with long last 0.9048% of the mixture consists of of Chemical Name Citric acid 77-92-9	13,416.00 mg/kg 18.57 mg/l <b>12. ECOLOGIO</b> ing effects component(s) of unknown	CAL INFORMATION hazards to the aquatic environment Fish 1516: 96 h Lepomis macrochirus mg/L LC50 static 5000: 96 h Brachydanio rerio mg/L LC50 static	120: 72 h Daphnia magna mg/L EC50 -		
Dermal LD50 Mist Ecotoxicity Harmful to aquatic life with long last 0.9048% of the mixture consists of o Chemical Name Citric acid 77-92-9 Hydroxyacetic acid 79-14-1 Dipropylene glycol monomethyl ether 34590-94-8	13,416.00 mg/kg 18.57 mg/l <b>12. ECOLOGIO</b> ing effects component(s) of unknown	CAL INFORMATION hazards to the aquatic environment Fish 1516: 96 h Lepomis macrochirus mg/L LC50 static 5000: 96 h Brachydanio rerio mg/L LC50 static 10000: 96 h Pimephales promelas mg/L LC50 static	120: 72 h Daphnia magna mg/L EC50 - : 1919: 48 h Daphnia magna mg/L LC50		
Dermal LD50 Mist Ecotoxicity Harmful to aquatic life with long last 0.9048% of the mixture consists of o Chemical Name Citric acid 77-92-9 Hydroxyacetic acid 79-14-1 Dipropylene glycol monomethyl ether 34590-94-8 Dodecylbenzenesulfonic acid	13,416.00 mg/kg 18.57 mg/l 12. ECOLOGIO ing effects component(s) of unknown   Algae/aquatic plants - - - 29: 96 h Pseudokirchneriella	CAL INFORMATION hazards to the aquatic environment Fish 1516: 96 h Lepomis macrochirus mg/L LC50 static 5000: 96 h Brachydanio rerio mg/L LC50 static 10000: 96 h Pimephales promelas mg/L LC50 static 10.8: 96 h Oncorhynchus mykiss mg/L LC50 static	120: 72 h Daphnia magna mg/L EC50 - 1919: 48 h Daphnia magna mg/L LC50 5.88: 48 h Daphnia		
Dermal LD50 Mist Ecotoxicity Harmful to aquatic life with long last 0.9048% of the mixture consists of o Chemical Name Citric acid 77-92-9 Hydroxyacetic acid 79-14-1 Dipropylene glycol monomethyl ether 34590-94-8 Dodecylbenzenesulfonic acid 27176-87-0	13,416.00 mg/kg 18.57 mg/l 12. ECOLOGIO ing effects component(s) of unknown   Algae/aquatic plants - - -	CAL INFORMATION hazards to the aquatic environment Fish 1516: 96 h Lepomis macrochirus mg/L LC50 static 5000: 96 h Brachydanio rerio mg/L LC50 static 10000: 96 h Pimephales promelas mg/L LC50 static	120: 72 h Daphnia magna mg/L EC50 - 1919: 48 h Daphnia magna mg/L LC50 5.88: 48 h Daphnia		
Dermal LD50 Mist Ecotoxicity Harmful to aquatic life with long last 0.9048% of the mixture consists of o Chemical Name Citric acid 77-92-9 Hydroxyacetic acid 79-14-1 Dipropylene glycol monomethyl ether 34590-94-8 Dodecylbenzenesulfonic acid 27176-87-0 Persistence and degradability	13,416.00 mg/kg 18.57 mg/l 12. ECOLOGIO ing effects component(s) of unknown   Algae/aquatic plants - - - 29: 96 h Pseudokirchneriella	CAL INFORMATION hazards to the aquatic environment Fish 1516: 96 h Lepomis macrochirus mg/L LC50 static 5000: 96 h Brachydanio rerio mg/L LC50 static 10000: 96 h Pimephales promelas mg/L LC50 static 10.8: 96 h Oncorhynchus mykiss mg/L LC50 static	120: 72 h Daphnia magna mg/L EC50 - 1919: 48 h Daphnia magna mg/L LC50 5.88: 48 h Daphnia		
Dermal LD50 Mist Ecotoxicity Harmful to aquatic life with long last 0.9048% of the mixture consists of of Chemical Name Citric acid 77-92-9 Hydroxyacetic acid 79-14-1 Dipropylene glycol monomethyl ether 34590-94-8 Dodecylbenzenesulfonic acid 27176-87-0 Persistence and degradability No information available.	13,416.00 mg/kg 18.57 mg/l 12. ECOLOGIO ing effects component(s) of unknown   Algae/aquatic plants - - - 29: 96 h Pseudokirchneriella	CAL INFORMATION hazards to the aquatic environment Fish 1516: 96 h Lepomis macrochirus mg/L LC50 static 5000: 96 h Brachydanio rerio mg/L LC50 static 10000: 96 h Pimephales promelas mg/L LC50 static 10.8: 96 h Oncorhynchus mykiss mg/L LC50 static	120: 72 h Daphnia magna mg/L EC50 - 1919: 48 h Daphnia magna mg/L LC50 5.88: 48 h Daphnia		
Dermal LD50 Mist <u>Ecotoxicity</u> Harmful to aquatic life with long last 0.9048% of the mixture consists of of <u>Chemical Name</u> Citric acid 77-92-9 Hydroxyacetic acid 79-14-1 Dipropylene glycol monomethyl ether 34590-94-8 Dodecylbenzenesulfonic acid 27176-87-0 <u>Persistence and degradability</u> No information available. <u>Bioaccumulation</u>	13,416.00 mg/kg 18.57 mg/l 12. ECOLOGIC ing effects component(s) of unknown   Algae/aquatic plants - - - 29: 96 h Pseudokirchneriella subcapitata mg/L EC50	Azards to the aquatic environment Fish 1516: 96 h Lepomis macrochirus mg/L LC50 static 5000: 96 h Brachydanio rerio mg/L LC50 static 10000: 96 h Pimephales promelas mg/L LC50 static 10.8: 96 h Oncorhynchus mykiss mg/L LC50 static 3.5 - 10: 96 h Brachydanio rerio mg/L LC50 static	120: 72 h Daphnia magna mg/L EC50 - 1919: 48 h Daphnia magna mg/L LC50 5.88: 48 h Daphnia		
Dermal LD50 Mist <u>Ecotoxicity</u> Harmful to aquatic life with long last 0.9048% of the mixture consists of of <u>Chemical Name</u> Citric acid 77-92-9 Hydroxyacetic acid 79-14-1 Dipropylene glycol monomethyl ether 34590-94-8 Dodecylbenzenesulfonic acid 27176-87-0 <u>Persistence and degradability</u> No information available. <u>Bioaccumulation</u> <u>Chemical Name</u>	13,416.00 mg/kg 18.57 mg/l 12. ECOLOGIC ing effects component(s) of unknown   Algae/aquatic plants - - - 29: 96 h Pseudokirchneriella subcapitata mg/L EC50	CAL INFORMATION         hazards to the aquatic environment         Fish         1516: 96 h Lepomis macrochirus mg/L LC50 static         5000: 96 h Brachydanio rerio mg/L LC50 static         10000: 96 h Pimephales promelas mg/L LC50 static         10.8: 96 h Oncorhynchus mykiss mg/L LC50 static         3.5 - 10: 96 h Brachydanio rerio mg/L LC50 static         Partition coefficient	120: 72 h Daphnia magna mg/L EC50 - 1919: 48 h Daphnia magna mg/L LC50 5.88: 48 h Daphnia		
Dermal LD50 Mist Cotoxicity Harmful to aquatic life with long last 0.9048% of the mixture consists of a Chemical Name Citric acid 77-92-9 Hydroxyacetic acid 79-14-1 Dipropylene glycol monomethyl ether 34590-94-8 Dodecylbenzenesulfonic acid 27176-87-0 Persistence and degradability No information available. Bioaccumulation Chemical N	13,416.00 mg/kg 18.57 mg/l 12. ECOLOGIC ing effects component(s) of unknown   Algae/aquatic plants - - 29: 96 h Pseudokirchneriella subcapitata mg/L EC50 lame 7-92-9	CAL INFORMATION         hazards to the aquatic environment         Fish         1516: 96 h Lepomis macrochirus mg/L LC50 static         5000: 96 h Brachydanio rerio mg/L LC50 static         10000: 96 h Pimephales promelas mg/L LC50 static         10.8: 96 h Oncorhynchus mykiss mg/L LC50 static         3.5 - 10: 96 h Brachydanio rerio mg/L LC50 static         Partition coefficient         -1.72	120: 72 h Daphnia magna mg/L EC50 - 1919: 48 h Daphnia magna mg/L LC50 5.88: 48 h Daphnia		
Dermal LD50 Mist <u>Ecotoxicity</u> Harmful to aquatic life with long last 0.9048% of the mixture consists of of <u>Chemical Name</u> Citric acid 77-92-9 Hydroxyacetic acid 79-14-1 Dipropylene glycol monomethyl ether 34590-94-8 Dodecylbenzenesulfonic acid 27176-87-0 <u>Persistence and degradability</u> No information available. <u>Bioaccumulation</u> <u>Chemical N</u> <u>Citric acid - 7</u> Hydroxyacetic acid	13,416.00 mg/kg 18.57 mg/l 12. ECOLOGIC ing effects component(s) of unknown   Algae/aquatic plants - - 29: 96 h Pseudokirchneriella subcapitata mg/L EC50 lame 7-92-9 d - 79-14-1	CAL INFORMATION         hazards to the aquatic environment         Fish         1516: 96 h Lepomis macrochirus mg/L LC50 static         5000: 96 h Brachydanio rerio mg/L LC50 static         10000: 96 h Pimephales promelas mg/L LC50 static         10.8: 96 h Oncorhynchus mykiss mg/L LC50 static         3.5 - 10: 96 h Brachydanio rerio mg/L LC50 static         Partition coefficient         -1.72         -1.11	120: 72 h Daphnia magna mg/L EC50 - 1919: 48 h Daphnia magna mg/L LC50 5.88: 48 h Daphnia		
Dermal LD50 Mist <u>Ecotoxicity</u> Harmful to aquatic life with long last 0.9048% of the mixture consists of of <u>Chemical Name</u> Citric acid 77-92-9 Hydroxyacetic acid 79-14-1 Dipropylene glycol monomethyl ether 34590-94-8 Dodecylbenzenesulfonic acid 27176-87-0 <u>Persistence and degradability</u> No information available. <u>Bioaccumulation</u> <u>Chemical N</u> <u>Citric acid - 7</u> Hydroxyacetic acid Dipropylene glycol monomet	13,416.00 mg/kg 18.57 mg/l 12. ECOLOGIC ing effects component(s) of unknown   Algae/aquatic plants - - 29: 96 h Pseudokirchneriella subcapitata mg/L EC50 lame 7-92-9 d - 79-14-1	CAL INFORMATION         hazards to the aquatic environment         Fish         1516: 96 h Lepomis macrochirus mg/L LC50 static         5000: 96 h Brachydanio rerio mg/L LC50 static         10000: 96 h Pimephales promelas mg/L LC50 static         10.8: 96 h Oncorhynchus mykiss mg/L LC50 static         3.5 - 10: 96 h Brachydanio rerio mg/L LC50 static         Partition coefficient         -1.72	120: 72 h Daphnia magna mg/L EC50 - 1919: 48 h Daphnia magna mg/L LC50 5.88: 48 h Daphnia		
Dermal LD50 Mist <u>Ecotoxicity</u> Harmful to aquatic life with long last 0.9048% of the mixture consists of of <u>Chemical Name</u> Citric acid 77-92-9 Hydroxyacetic acid 79-14-1 Dipropylene glycol monomethyl ether 34590-94-8 Dodecylbenzenesulfonic acid 27176-87-0 <u>Persistence and degradability</u> No information available. <u>Bioaccumulation</u> <u>Chemical N</u> <u>Citric acid - 7</u> Hydroxyacetic aci Dipropylene glycol monomet <u>Mobility</u>	13,416.00 mg/kg 18.57 mg/l 12. ECOLOGIC ing effects component(s) of unknown   Algae/aquatic plants - - 29: 96 h Pseudokirchneriella subcapitata mg/L EC50 lame 7-92-9 d - 79-14-1	CAL INFORMATION         hazards to the aquatic environment         Fish         1516: 96 h Lepomis macrochirus mg/L LC50 static         5000: 96 h Brachydanio rerio mg/L LC50 static         10000: 96 h Pimephales promelas mg/L LC50 static         10.8: 96 h Oncorhynchus mykiss mg/L LC50 static         3.5 - 10: 96 h Brachydanio rerio mg/L LC50 static         Partition coefficient         -1.72         -1.11	120: 72 h Daphnia magna mg/L EC50 - 1919: 48 h Daphnia magna mg/L LC50 5.88: 48 h Daphnia		
Dermal LD50 Mist <u>Ecotoxicity</u> Harmful to aquatic life with long last 0.9048% of the mixture consists of of <u>Chemical Name</u> Citric acid 77-92-9 Hydroxyacetic acid 79-14-1 Dipropylene glycol monomethyl ether 34590-94-8 Dodecylbenzenesulfonic acid 27176-87-0 <u>Persistence and degradability</u> No information available. <u>Bioaccumulation</u> <u>Chemical N</u> <u>Citric acid - 7</u> Hydroxyacetic aci Dipropylene glycol monomet <u>Mobility</u> Soluble in water.	13,416.00 mg/kg 18.57 mg/l 12. ECOLOGIC ing effects component(s) of unknown   Algae/aquatic plants - - 29: 96 h Pseudokirchneriella subcapitata mg/L EC50 lame 7-92-9 d - 79-14-1 hyl ether - 34590-94-8	CAL INFORMATION         hazards to the aquatic environment         Fish         1516: 96 h Lepomis macrochirus mg/L LC50 static         5000: 96 h Brachydanio rerio mg/L LC50 static         10000: 96 h Pimephales promelas mg/L LC50 static         10.8: 96 h Oncorhynchus mykiss mg/L LC50 static         3.5 - 10: 96 h Brachydanio rerio mg/L LC50 static         Partition coefficient         -1.72         -1.11	120: 72 h Daphnia magna mg/L EC50 - 1919: 48 h Daphnia magna mg/L LC50 5.88: 48 h Daphnia		
Dermal LD50 Mist <u>Ecotoxicity</u> Harmful to aquatic life with long last 0.9048% of the mixture consists of of <u>Chemical Name</u> Citric acid 77-92-9 Hydroxyacetic acid 79-14-1 Dipropylene glycol monomethyl ether 34590-94-8 Dodecylbenzenesulfonic acid 27176-87-0 <u>Persistence and degradability</u> No information available. <u>Bioaccumulation</u> <u>Chemical N</u> <u>Citric acid - 7</u> Hydroxyacetic aci Dipropylene glycol monomet <u>Mobility</u> Soluble in water.	13,416.00 mg/kg 18.57 mg/l 12. ECOLOGIC ing effects component(s) of unknown l Algae/aquatic plants - - - 29: 96 h Pseudokirchneriella subcapitata mg/L EC50 lame 7-92-9 d - 79-14-1 hyl ether - 34590-94-8 No information available	<b>CAL INFORMATION</b> hazards to the aquatic environment         Fish         1516: 96 h Lepomis macrochirus mg/L LC50 static         5000: 96 h Brachydanio rerio mg/L LC50 static         10000: 96 h Pimephales promelas mg/L LC50 static         10.8: 96 h Oncorhynchus mykiss mg/L LC50 static         3.5 - 10: 96 h Brachydanio rerio mg/L LC50 static         Partition coefficient         -1.72         -1.11         -0.064	120: 72 h Daphnia magna mg/L EC50 - 1919: 48 h Daphnia magna mg/L LC50 5.88: 48 h Daphnia		
Dermal LD50 Mist Ecotoxicity Harmful to aquatic life with long last 0.9048% of the mixture consists of o Chemical Name Citric acid 77-92-9 Hydroxyacetic acid 79-14-1 Dipropylene glycol monomethyl ether 34590-94-8 Dodecylbenzenesulfonic acid 27176-87-0 Persistence and degradability No information available. Bioaccumulation Citric acid - 7 Hydroxyacetic acid	13,416.00 mg/kg 18.57 mg/l 12. ECOLOGIC ing effects component(s) of unknown l Algae/aquatic plants - - - 29: 96 h Pseudokirchneriella subcapitata mg/L EC50 lame 7-92-9 d - 79-14-1 hyl ether - 34590-94-8 No information available	CAL INFORMATION         hazards to the aquatic environment         Fish         1516: 96 h Lepomis macrochirus mg/L LC50 static         5000: 96 h Brachydanio rerio mg/L LC50 static         10000: 96 h Pimephales promelas mg/L LC50 static         10.8: 96 h Oncorhynchus mykiss mg/L LC50 static         3.5 - 10: 96 h Brachydanio rerio mg/L LC50 static         Partition coefficient         -1.72         -1.11	120: 72 h Daphnia magna mg/L EC50 - 1919: 48 h Daphnia magna mg/L LC50 5.88: 48 h Daphnia		
Dermal LD50 Mist <u>Ecotoxicity</u> Harmful to aquatic life with long last 0.9048% of the mixture consists of of <u>Chemical Name</u> Citric acid 77-92-9 Hydroxyacetic acid 79-14-1 Dipropylene glycol monomethyl ether 34590-94-8 Dodecylbenzenesulfonic acid 27176-87-0 <u>Persistence and degradability</u> No information available. <u>Bioaccumulation</u> <u>Chemical N</u> <u>Citric acid - 7</u> Hydroxyacetic aci Dipropylene glycol monomet <u>Mobility</u> Soluble in water.	13,416.00 mg/kg 18.57 mg/l 12. ECOLOGIC ing effects component(s) of unknown l Algae/aquatic plants - - - 29: 96 h Pseudokirchneriella subcapitata mg/L EC50 lame 7-92-9 d - 79-14-1 hyl ether - 34590-94-8 No information available	<b>CAL INFORMATION</b> hazards to the aquatic environment         Fish         1516: 96 h Lepomis macrochirus mg/L LC50 static         5000: 96 h Brachydanio rerio mg/L LC50 static         10000: 96 h Pimephales promelas mg/L LC50 static         10.8: 96 h Oncorhynchus mykiss mg/L LC50 static         3.5 - 10: 96 h Brachydanio rerio mg/L LC50 static         Partition coefficient         -1.72         -1.11         -0.064	120: 72 h Daphnia magna mg/L EC50 - 1919: 48 h Daphnia magna mg/L LC50 5.88: 48 h Daphnia		
Dermal LD50 Mist <u>Ecotoxicity</u> Harmful to aquatic life with long last 0.9048% of the mixture consists of of <u>Chemical Name</u> Citric acid 77-92-9 Hydroxyacetic acid 79-14-1 Dipropylene glycol monomethyl ether 34590-94-8 Dodecylbenzenesulfonic acid 27176-87-0 <u>Persistence and degradability</u> No information available. <u>Bioaccumulation</u> <u>Chemical N</u> <u>Citric acid - 7</u> Hydroxyacetic aci Dipropylene glycol monomet <u>Mobility</u> Soluble in water. <u>Dther adverse effects</u>	13,416.00 mg/kg 18.57 mg/l 12. ECOLOGIC ing effects component(s) of unknown l Algae/aquatic plants - - - 29: 96 h Pseudokirchneriella subcapitata mg/L EC50 lame 7-92-9 d - 79-14-1 hyl ether - 34590-94-8 No information available 13. DISPOSAL	CAL INFORMATION         hazards to the aquatic environment         Fish         1516: 96 h Lepomis macrochirus mg/L LC50 static         5000: 96 h Brachydanio rerio mg/L LC50 static         10000: 96 h Pimephales promelas mg/L LC50 static         10.8: 96 h Oncorhynchus mykiss mg/L LC50 static         3.5 - 10: 96 h Brachydanio rerio mg/L LC50 static         0         Partition coefficient         -1.72         -1.11         -0.064	120: 72 h Daphnia magna mg/L EC50 - 1919: 48 h Daphnia magna mg/L LC50 5.88: 48 h Daphnia magna mg/L EC50		
Dermal LD50 Mist <u>Ecotoxicity</u> tarmful to aquatic life with long last 0.9048% of the mixture consists of of <u>Chemical Name</u> Citric acid 77-92-9 Hydroxyacetic acid 79-14-1 Dipropylene glycol monomethyl ether 34590-94-8 Dodecylbenzenesulfonic acid 27176-87-0 <u>Persistence and degradability</u> to information available. <u>Bioaccumulation</u> <u>Chemical N</u> <u>Citric acid - 7</u> Hydroxyacetic aci Dipropylene glycol monomet <u>Mobility</u> Soluble in water. <u>Other adverse effects</u>	13,416.00 mg/kg 18.57 mg/l 12. ECOLOGIC ing effects component(s) of unknown l Algae/aquatic plants - - - 29: 96 h Pseudokirchneriella subcapitata mg/L EC50 lame 7-92-9 d - 79-14-1 hyl ether - 34590-94-8 No information available 13. DISPOSAL	<b>CAL INFORMATION</b> hazards to the aquatic environment         Fish         1516: 96 h Lepomis macrochirus mg/L LC50 static         5000: 96 h Brachydanio rerio mg/L LC50 static         10000: 96 h Pimephales promelas mg/L LC50 static         10.8: 96 h Oncorhynchus mykiss mg/L LC50 static         3.5 - 10: 96 h Brachydanio rerio mg/L LC50 static         Partition coefficient         -1.72         -1.11         -0.064	120: 72 h Daphnia magna mg/L EC50 - 1919: 48 h Daphnia magna mg/L LC50 5.88: 48 h Daphnia magna mg/L EC50		

### Contaminated packaging

Dispose of in accordance with federal, state and local regulations.

# 14. TRANSPORT INFORMATION

DOT	
UN/ID No.	
Proper shipping	name

**Hazard Class** 

3265

8

Corrosive liquid, acidic, organic, n.o.s. (contains glycolic and citric acid)

Packing Group II Emergency Response Guide Number 153

# **15. REGULATORY INFORMATION**

International Inventories	
TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	No information available
Legend:	

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

# US Federal Regulations

### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

# SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

## CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Dodecylbenzenesulfonic acid 27176-87-0	1000 lb	-	-	Х

## **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Dodecylbenzenesulfonic acid	1000 lb	-	RQ 1000 lb final RQ
27176-87-0			RQ 454 kg final RQ

## US State Regulations

## California Proposition 65

WARNING! "This product can expose you to chemicals which is [are] known to the State of California to cause cancer. For more information go to www.p65warnings.ca.gov."

Strong inorganic acid mists containing sulfuric acid Ethylene oxide 75-21-8; 1,4-dioxane 123-91-1; Acetaldehyde 75-07-0;

WARNING! "This product can expose you to chemicals which is [are] known to the State of California to cause birth defects or other reproductive harm. For more information go to www.p65warnings.ca.gov."

Sulfur dioxide 7446-09-5; Ethylene oxide 75-21-8

## U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Dipropylene glycol monomethyl	Х	Х	Х
ether			
34590-94-8			
Dodecylbenzenesulfonic acid	Х	Х	Х
27176-87-0			

## U.S. EPA Label Information

**EPA Pesticide Registration Number** 

Not applicable

16. OTHER INFORMATION						
NFPA	Health hazards	2	Flammability	0	Instability 0	Physical and Chemical Properties Corrosive, Acid
HMIS	Health hazards	2	Flammability	0	Physical hazards 0	<b>Personal protection</b> C (safety glasses, gloves, synthetic apron)
Prepared By Issue Date Revision Date Version Revision Note			Technical Depa 25-Jun-2019 01-Jan-2023 1 Company name			
Disclaimer						

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The health hazards given on this SDS apply to this product in its concentrated form (as supplied) and may differ significantly at use dilution. The signs and symptoms of exposure apply only to negligence in handling or misuse of the concentrated product and not to the routine exposure of the diluted product under conditions of ordinary use.

End of Safety Data Sheet