

SAFETY DATA SHEET

Revision Date 24-Jan-2023 Version 1

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name KC-602

Other means of identification

Product Code 20578

Recommended use of the chemical and restrictions on use **Recommended Use** Antimicrobial solution

Uses advised against Follow the directions for use on the label when applying this product

Details of the supplier of the safety data sheet

Manufacturer Address

Safe Foods Chemical Innovations

1501 E. 8th Street

North Little Rock, AR 72114 Emergency telephone number

Company Phone Number 501-758-8500

Emergency Telephone Chemtrec 1-800-424-9300

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Serious eye damage/eye irritation	Category 1
Skin corrosion/irritation	Category 1 Sub-category A
Acute toxicity - Oral	Category 4
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Oxidizing liquids	Category 2
Organic peroxides	Type F
Corrosive to metals	Category 1

Label elements

Emergency Overview

DANGER

Hazard statements

Causes severe skin burns and eye damage

Harmful if swallowed or inhaled May intensify fire; oxidizer Heating may cause a fire

May be corrosive to metals



Physical state







Color Clear, Colorless

Odor Strong vinegar

Liquid **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Do not breathe dusts or mists

Wear protective gloves/protective clothing/eye protection/face protection

Keep/Store away from clothing/combustible materials

Take any precaution to avoid mixing with combustibles.

Keep away from heat/sparks/open flames/hot surfaces. No smoking

Keep only in original container

KC-602

Precautionary Statements - Response

Immediately call a POISON CENTER or doctor. Specific treatment (see Section 4 on SDS)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. Wash contaminated clothing before reuse

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth. Do NOT induce vomiting In case of fire: Use CO2, dry chemical, or foam for extinction

Absorb spillage to prevent material damage

Precautionary Statements - Storage

Store locked up. Store at temperatures not exceeding 86°F. Keep cool. Store away from other materials. Protect from sunlight. Store in corrosive resistant container with a resistant inner liner

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Other Information

· Toxic to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS					
Chemical Name CAS No. Weight-%					
Acetic acid	64-19-7	40-50			
Peroxyacetic acid	79-21-0	21-23			
Water	7732-18-5	20-35			
Hydrogen peroxide	7722-84-1	4.2-5.2			
1-Hydroxyethane-1, 1-diphosphonic acid	2809-21-4	< 1			
Sulfuric acid	7664-93-9	0.07			

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures

Eye contact Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact

lenses, if present, after first 5 minutes, then continue rinsing eye. Call a poison control

center or doctor for treatment advice.

Skin contact Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20

minutes. Call a poison control center or doctor for treatment advice. Wash contaminated

clothing before reuse.

Inhalation Remove person to fresh air and keep comfortable for breathing. Call a poison control center

or doctor for treatment advice. Administer oxygen if breathing is difficult. If direct contact during rescue breathing poses a threat to the first aid provider, "Avoid mouth-to-mouth contact by using a barrier device.". Symptoms of pulmonary edema can be delayed up to

48 hours after exposure.

Ingestion Rinse mouth. Have person sip a glass of water if able to swallow. Do not induce vomiting

unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. Call a poison control center or doctor immediately for treatment advice.

Most important symptoms and effects, both acute and delayed

Symptoms See Section 11 for symptom information.

Indication of any immediate medical attention and special treatment needed

Note to physicians Probable mucosal damage may contraindicate the use of gastric lavage. Treat

symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Extinguishing powder. Foam. Carbon dioxide (CO2). Water spray (fog).

Unsuitable extinguishing media Do not use halogenated extinguishing agents (NFPA 400, 15.2.5.3.3 2016 edition).

Chemical type extinguishers are not effective with peracetic acid or hydrogen peroxide,

which are ingredients in this product. Do not use straight streams.

Specific hazards arising from the chemical

NFPA Class 1 oxidizer. Non-combustible, substance itself does not burn but may decompose upon heating to produce corrosive and/or toxic fumes.

Hazardous combustion products Oxygen that supports combustion and acetic acid. May cause fire or explosions when in contact with incompatible materials.

Explosion data

Sensitivity to Mechanical Impact None.

KC-602

Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Cool containers with flooding quantities of water until well after fire is out. Stay upwind. Fight fire from maximum distance or use unmanned hose holders or monitor nozzles.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protection recommended in Section 8. Ensure adequate ventilation, especially in

confined areas.

For emergency responders **Environmental precautions** Isolate area. Keep unnecessary personnel away.

Environmental precautions Prevent entry into waterways, sewers, basements or confined areas. See section 12 for

additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Methods for cleaning up

Prevent further leakage or spillage if safe to do so.

Dike to collect large liquid spills. Neutralize with sodium bicarbonate, soda ash, or lime. Use clean non-sparking tools to collect material and place it into loosely covered plastic containers for later disposal. Following product recovery, flush area with water. Never return unused

product to the original container.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling

Never return unused product to the original container. Ensure an adequate supply of water is available in the event of an accident. Do not contaminate water, food or feed. Use personal protection recommended in Section 8. Avoid contact with skin, eyes or clothing. Use only in well-ventilated areas. Avoid breathing vapors or mists. Wash thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Containers must be vented. Keep/store only in original container. Keep from freezing. Never return unused product to the original container. Do not store in direct sunlight, or near sources of ignition or heat. Use first in, first out storage system. Keep at a temperature not exceeding 86°F (30°C). NFPA Class 1 oxidizer. Oxidizers need to be separated by at least 25 feet from flammable and combustible liquid containers. Separation shall be maintained by dikes, drains, or floor slopes to prevent flammable liquid leakage from encroaching on the separation (NFPA 400 15.2.12.13.1). At least one side of each pile of oxidizers shall be on an aisle (NFPA 400, 15.2.11.3 2016 edition). NFPA Class 1 oxidizers must be separated by all least 8 feet from incompatible materials and combustible commodities (NFPA 400 Table 15.3.2.2.2.2(A)(b) 2016 edition).

Incompatible materials

Flammable substances. Heat. Dirt. Strong reducing agents. Certain soft metals. Bases (unless product has been diluted to less than 1000 ppm, then bases may be used to gradually adjust to a pH of less then 9). Solutions of sodium and/or potassium hydroxide may be mixed with or added to water containing peroxyacetic acid solutions (< 4000 ppm) with no known adverse health, safety or physical concerns. No known side reactions or noxious by-products will occur.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Acetic acid	STEL: 15 ppm	TWA: 10 ppm, 25 mg/m ³	IDLH: 50 ppm
64-19-7	TWA: 10 ppm		TWA: 10 ppm, 25 mg/m ³
			STEL: 15 ppm, 37 mg/m ³
Peroxyacetic acid	STEL: 0.4 ppm	-	-
79-21-0	inhalable fraction and vapor		
Hydrogen peroxide	TWA: 1 ppm	TWA: 1 ppm, 1.4 mg/m ³	IDLH: 75 ppm
7722-84-1			TWA: 1 ppm, 1.4 mg/m ³

Appropriate engineering controls

Engineering Controls Showers, eyewash stations, ventilation system.

Individual protection measures, such as personal protective equipment

Eye/face protection Skin and body protection Splash proof chemical goggles and face shield.

Respiratory protection

Chemical resistant gloves, suit and boots. Wash contaminated clothing and shoes before reuse. When handling concentrated product, NIOSH/MSHA approved respiratory protection should be worn. Respiratory protection must be provided in accordance with current local regulations.

General Hygiene Considerations

Wash face, hands and any exposed skin thoroughly after handling. Wash contaminated clothing and shoes before reuse. Do not eat, drink or smoke when using this product.

KC-602 Revision Date 24-Jan-2023

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid

AppearanceAqueous solutionOdorStrong vinegar

Color Clear, Colorless Odor threshold No information available

 Property
 Values
 Remarks • Method

 pH
 0.5
 ±0.5 @ 21°C (10% solution)

Melting point / freezing point < -17 °C / < 0 °F

Boiling point / boiling range
No information available

Flash point > 93.3 °C / > 200 °F Closed cup

Evaporation rate < 1

Flammability (solid, gas) Not flammable

Flammability Limit in Air

Upper flammability limit:

Lower flammability limit:

Vapor pressure

Vapor density

No information available
46.8 mm Hg @25°C
No information available

Specific Gravity 1.11 g/cc **Water solubility** Soluble in water

Solubility in other solventsNo information availablePartition coefficientNo information availableAutoignition temperature270 °C / 518 °FDecomposition temperatureNo information available

Kinematic viscosity 5-15 cSt @ 20°C

Dynamic viscosity

Explosive properties

Oxidizing properties

May intensify fire; oxidizer

VOC Content (%) 72% (6.67 lbs/gal)

10. STABILITY AND REACTIVITY

Reactivity

Reactive with bases, metals, reducing agents and combustible materials.

Chemical stability

Product is shelf-stable for up to 1 year when stored in a closed container at room temperature and not in direct sunlight. Avoid open flames, elevated temperatures. Temperatures above 86°F will degrade product, accelerate decomposition and reduce shelf life.

Possibility of Hazardous Reactions

May react with incompatible materials.

Conditions to avoid

Incompatible materials and high temperatures.

Incompatible materials

Flammable substances. Heat. Dirt. Strong reducing agents. Certain soft metals. Bases (unless product has been diluted to less than 1000 ppm, then bases may be used to gradually adjust to a pH of less then 9). Solutions of sodium and/or potassium hydroxide may be mixed with or added to water containing peroxyacetic acid solutions (< 4000 ppm) with no known adverse health, safety or physical concerns. No known side reactions or noxious by-products will occur.

Hazardous Decomposition Products

Oxygen that supports combustion and acetic acid.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation Inhalation of peracetic acid vapors causes lacrimation and irritation of the mucous

membranes, eyes and nasal passages.

Eye contactCorrosive to the eyes and may cause severe damage including blindness. **Skin Contact**Corrosive. Contact causes severe skin irritation and possible burns.

Ingestion Corrosive. Swallowing causes severe burns of mouth, throat and stomach. Ingestion can

cause nausea, vomiting, diarrhea, corrosion, burns to mouth and esophagus, abdominal

pain, shortness of breath, seizures, and death.

Chemical Name	Oral LD50	Dermal LD50 Inhalation LC50		
Acetic acid 64-19-7	= 3310 mg/kg (Rat)	= 1060 mg/kg (Rabbit)	= 11.4 mg/L (Rat)4 h	
Peroxyacetic acid 79-21-0	= 1540 mg/kg (Rat)	> 2000 mg/kg (Rat)	= 476 mg/m ³ (Rat) 1 h	
Hydrogen peroxide 7722-84-1	= 376 mg/kg (Rat)	= 9200 mg/kg (Rabbit)	= 2000 mg/m ³ (Rat) 4 h	

KC-602

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization Germ cell mutagenicityNo information available.
No information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Hydrogen peroxide - 7722-84-1	A3	Group 3	-	-

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer) Group 3 - "not classifiable as human carcinogens"

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
Aspiration hazard
No information available.
No information available.
No information available.
No information available.
Product Information

Unknown Acute Toxicity 1 % of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document

 Oral LD50
 868.80 mg/kg

 Dermal LD50
 2,094.80 mg/kg

 Mist
 4.480 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life with long lasting effects

0 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Acetic acid 64-19-7	-	75: 96 h Lepomis macrochirus mg/L LC50 static 79: 96 h Pimephales promelas mg/L LC50 static	65: 48 h Daphnia magna mg/L EC50 Static
Peroxyacetic acid 79-21-0	-	1.1: 96 h Lepomis macrochirus mg/L LC50 semi-static	-
Hydrogen peroxide 7722-84-1	-	10.0 - 32.0: 96 h Oncorhynchus mykiss mg/L LC50 static 18 - 56: 96 h Lepomis macrochirus mg/L LC50 static 16.4: 96 h Pimephales promelas mg/L LC50	18 - 32: 48 h Daphnia magna mg/L EC50 Static

Persistence and degradability

Not expected to persist. Readily biodegradable.

Bioaccumulation

Not expected to bioaccumulate

to t					
Chemical Name	Partition coefficient				
Acetic acid - 64-19-7	-0.31				

Mobility

No information available.

Other adverse effects No information available

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Dispose of in accordance with federal, state and local regulations.

US EPA Waste Number D002

14. TRANSPORT INFORMATION

DOT

UN/ID No. 3109

Proper shipping name Organic peroxide type F, liquid (<=25% peracetic acid with <=26% hydrogen peroxide)

Hazard Class 5.2 Subsidiary class 8 Emergency Response Guide Number 145

15. REGULATORY INFORMATION

International Inventories

TSCA Complies
DSL/NDSL Complies
EINECS/ELINCS Complies

KC-602

.....

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

	,	 	<u> </u>
Chemical Name			SARA 313 - Threshold Values %
Peroxyacetic acid - 79-21-0			1.0

SARA 311/312 Hazard Categories

Acute health hazardYesChronic Health HazardNoFire hazardYesSudden release of pressure hazardNoReactive HazardYes

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Acetic acid - 64-19-7	5000 lb	-	-	X

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Acetic acid - 64-19-7	5000 lb	-	RQ 5000 lb final RQ RQ 2270 kg final RQ
Peroxyacetic acid - 79-21-0	-	500 lb	-
Hydrogen peroxide - 7722-84-1	-	1000 lb	-

US State Regulations

California Proposition 65

WARNING! "This product can expose you to chemicals which is [are] known to the State of California to cause cancer. For more information go to www.p65warnings.ca.gov." Sulfuric acid 7664-93-9;

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania				
Acetic acid - 64-19-7	X	X	X				
Peroxyacetic acid - 79-21-0	X	X	X				
Hydrogen peroxide - 7722-84-1	X	X	X				

U.S. EPA Label Information

EPA Pesticide Registration Number 63838-20-63679

		00000 =0 000.0		
16. OTHER INFORMATION				
NFPA	Health hazards 3	Flammability 1	Instability 1	Physical and Chemical Properties OX - Oxidizer - Corrosive
HMIS	Health hazards 3	Flammability 1	Physical hazards 1	Personal protection H (splash goggles, gloves, synthetic apron, vapor respirator)
Prepared By		Technical Departm	ent	

Issue Date12-Aug-2019Revision Date24-Jan-2023

Version

Revision Note Company name update.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The health hazards given on this SDS apply to this product in its concentrated form (as supplied) and may differ significantly at use dilution. The signs and symptoms of exposure apply only to negligence in handling or misuse of the concentrated product and not to the routine exposure of the diluted product under conditions of ordinary use.

End of Safety Data Sheet