- Cleans, disinfects, and deodorizes hard, non-porous, non-food contact surfaces with no rinsing required.
- Cleans, sanitizes, and disinfects hard, non-porous surfaces of personal protective safety equipment, protective headgear, athletic helmets, wrestling/boxing headgear, athletic shoe soles, hard hats, headphones, half mask respirators, full face breathing apparatus, gas masks, goggles, spectacles, face shields, hearing protectors and ear muffs. Rinse all equipment that comes in prolonged contact with skin before reuse with clean warm water (about 120°F), and allow to air dry. (Precaution: Cleaning at 120°F temperature will avoid overheating and distortion of the personal safety equipment that would necessitate replacement.)
- This product is a broad-spectrum, hard non-porous surface disinfectant that has been shown to be effective against SARS-CoV-2 (COVID-19 virus).
- Cleans without bleaching by removing dirt, grime and food soils in food preparation and processing areas, non-food contact kitchen surfaces and food preparation areas.

DISINFECTION PERFORMANCE: This product kills the following bacteria in 10 minutes on hard, non-porous surfaces with 5% soil: Campylobacter jejuni, Escherichia coli, Escherichia coli O157:H7, Listeria monocytogenes, Pseudomonas aeruginosa, Salmonella enterica, Salmonella enterica Paratyphi B, Staphylococcus aureus.

VIRUCIDAL* PERFORMANCE: This product kills the following viruses in 10 minutes on ACTIVE INGREDIENTS: hard, non-porous surfaces with 5% soil: Avian Influenza A (H5N1) Virus, Avian Influenza A (H5N2) Virus, Hepatitis A Virus, Herpes Simplex Virus Type 1, Herpes Simplex Virus Type 2, Human Coronavirus, Influenza A (H1N1) Virus, Influenza A (H3N2) Virus, Respiratory Syncytial Virus, SARS-CoV-2*** (COVID-19 virus).

***Indicates a 1-minute contact time is required for this claim.

NON-FOOD CONTACT SANITIZING PERFORMANCE: This product is an effective one-step sanitizer in 3 minutes on hard, non-porous surfaces with 5% soil; Klebsiella aerogenes, Klebsiella pneumoniae, Staphylococcus aureus.

FUNGICIDAL PERFORMANCE: This product kills the following fungi in 10 minutes on hard, non-porous surfaces with 5% soil: Candida albicans, Trichophyton interdigitale.

MILDEWSTATIC PERFORMANCE: This product controls the following mold for 7 days on hard, non-porous surfaces with 5% soil: Aspergillus niger.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Before using this product, food products and packaging materials must be removed from the room or carefully protected. This product is not for use on medical device surfaces.

FOR USE AS A GENERAL DISINFECTANT, VIRUCIDE*, DEODORIZER, CLEANER:

- 1. Pre-clean visibly soiled areas.
- 2. Apply this ready to use product to disinfect hard, non-porous surfaces with a sponge, brush, cloth, by immersion, auto scrubber, mechanical spray device, hand pump trigger spray device. For spray applications, spray 6 - 8 inches from surface. Do not breathe spray.
- that come in contact with food.
- 4. Allow to air dry. Rinsing of floors is not necessary unless they are to be waxed or polished.
- 5. Change solution when visibly dirty.

NON-FOOD CONTACT SURFACE SANITIZING DIRECTIONS

NON-FOOD CONTACT SURFACE SANITIZING: Pre-clean visibly soiled surfaces. Apply or going for treatment. ready to use product to hard, non-porous surfaces with a sponge, brush, cloth, by IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. immersion, auto scrubber, mechanical spray device, hand pump trigger spray device. For Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. spray applications, spray 6 - 8 inches from surface. Do not breathe spray. Treated surfaces IF ON SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of must remain visibly wet for 3 minutes. Change solution when visibly dirty.

SANITIZATION OF HARD, NON-POROUS SURFACES ON PERSONAL PROTECTIVE EQUIPMENT (RESPIRATORS): Apply ready to use product to surfaces of the respirator with a sponge, brush, cloth, by immersion, mechanical spray device, hand pump trigger spray device. For spray applications, spray 6 - 8 inches from surface. Do not breathe spray. Thoroughly wet surfaces to be sanitized. Treated surfaces must remain visibly wet for 3 minutes. Remove excess solution from equipment prior to storage. Change solution when visibly dirty.

ENTRYWAY SANITIZER DIRECTIONS: To reduce cross contamination on treated surfaces from area to area, shoe baths containing one inch of product must be placed at all entrances to buildings, hatcheries and at all the entrances to the production and packaging rooms. Scrape or brush waterproof shoes and allow to remain visibly wet for 3 minutes prior to entering area. Change solution when visibly dirty.

(For food processing or other facilities that have installed entryway sanitizing systems.) ENTRYWAY SANITIZING SYSTEMS (Not for use in CA.): To reduce cross contamination on treated surfaces from area to area, set the system to deliver ready to use product. The spray/foam must cover the entire path of the doorway. Set the system so that a continuous wet blanket of sanitizer solution is delivered to the floor. Do not mix other foam additives with the product.





Cleaner • Disinfectant • Non-Food Contact Sanitizer Deodorizer • Fungicide • Mildewstat • Virucide*

ACTIVE INCKEDIENTO.	
Alkyl (50%C14, 40%C12, 10%C16) dimethyl benzyl ammonium chloric	le0.034%
Octyl decyl dimethyl ammonium chloride	0.026%
Didecyl dimethyl ammonium chloride	0.013%
Dioctyl dimethyl ammonium chloride	0.013%
OTHER INGREDIENTS:	99.914%
TOTAL:	100.000%

KEEP OUT OF REACH OF CHILDREN CAUTION

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION. Causes moderate eye irritation. Harmful if absorbed through the skin. Avoid contaminated clothing and wash clothing before reuse

ENVIRONMENTAL HAZARDS

This product is toxic to fish and freshwater aquatic invertebrates. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in 3. Treated surfaces must remain visibly wet for 1 minute to kill SARS-CoV-2 and 10 minutes writing prior to discharge. Do not discharge effluent containing this product into sewer to kill all organisms listed on the label. Rinse with potable water after use on surfaces systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

In case of emergency, call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor.

water for 15-20 minutes.

FOR MEDICAL EMERGENCIES, CALL 1-800-424-9300.

EPA Reg. No. 10324-85-63679

63679-WI-001 10508-TN-001 ___10508-CA-001 ____10508-TX-001

> Sold by: PSSI Chemical Innovations 3729 Peddle Hollow Rd., Kieler, WI 53812 Phone: 608.568.3841

> > Product of USA

NET CONTENTS: ___5 GAL ___55 GAL ___275 GAL

BATCH: H-21 Rev. 8/31/2021 ID # 20860

FOR USE AS A DISINFECTANT, CLEANER IN FOOD PROCESSING PLANTS/PREMISES. FOOD STORAGE AREAS AND EQUIPMENT, BREWERIES:

- 1. Pre-clean visibly soiled areas.
- 2. Apply ready to use product to disinfect hard, non-porous surfaces with a sponge, brush, cloth, by immersion, auto scrubber, mechanical spray device, hand pump trigger spray device. For spray applications, spray 6 - 8 inches from surface. Do not breathe spray.
- 3. Treated surfaces must remain visibly wet for 10 minutes.
- 4. Allow to air dry. Rinsing of floors is not necessary unless they are to be waxed or polished.
- 5. When disinfecting food contact surfaces used for food preparation, rinse surfaces thoroughly with potable water. This product must not be used to treat the following surfaces: utensils, glassware, dishes, or interior surfaces of processing equipment.
- 6. Change solution when visibly dirty.

Note: All food contact surfaces such as appliances and kitchen countertops must be rinsed with potable water after treatment.

TO KILL FUNGI: Pre-clean visibly soiled surfaces. Apply ready to use product to hard, non-porous surfaces. Allow surface to remain visibly wet for 10 minutes. Wipe surfaces

TO CONTROL MOLD/MILDEW: Apply ready to use product to hard, non-porous surfaces which will effectively inhibit the growth of mold and mildew and their odors. Repeat treatment every seven days, or more often if new growth appears.

FOR USE AS A GENERAL CLEANER AND/OR DEODORIZER: Apply ready to use product % to hard, non-porous surfaces. Allow to air dry, Rinse with potable water after use on surfaces that come in contact with food.

GLASS CLEANING/DEODORIZING DIRECTIONS: Use this product to clean and deodorize windows, mirrors, and glass surfaces. Use a coarse spray device. For spray applications, spray 6 - 8 inches from surface. Do not breathe spray. Rub with sponge or cloth. Change cloth, sponge or towels frequently to avoid re-deposition of soil.

ELECTRONICS SCREEN SANITIZING PERFORMANCE: This product is an effective ready-to-use sanitizer on hard, non-porous surfaces against the following organisms. Klebsiella aerogenes, Klebsiella pneumoniae, Staphylococcus aureus.

TO SANITIZE ELECTRONIC DEVICES: Apply ready to use product to hard, non-porous surfaces such as screens for electronic devices for 3 minutes. Spray sparingly 6 - 8 inches from the screen and wipe off with a clean dry cloth. For visibly soiled areas, a preliminary cleaning is required.

FOR CONTROL OF DROSOPHILA SPP. AND PHORIDAE FAMILY OF FLIES ON NONcontact with eyes, skin or clothing. Wash thoroughly with soap and water after handling FOOD CONTACT SURFACES: To control flies on hard, non-porous, non-food contact and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove surfaces such as floors, walls, countertops, metal surfaces, painted surfaces, glazed porcelain, glazed tile, glass, chrome, rubber, and plastic in restaurants, bars, kitchens, dishwashing areas, bar and wait station areas, and other food storage areas. After removing visible filth, apply product to surfaces and locations where flies breed. Spray surfaces thoroughly or apply ready to use product by pouring or sponging onto the surface. Allow surface to remain visibly wet for 10 minutes. Repeat application 1 - 2 times per week or as needed. Do not contaminate food and food packaging.

FOR CONTROL OF SMALL FLIES IN DRAINS: For control of small flies: Drosophila spp. and the Phoridae family. Add 14 oz. of ready to use product daily to each drain during time of lowest level of drain use to maintain fly control. Apply product around the edge of the drain and thoroughly coat inside of drain. Repeat application 1 - 2 times per week or as needed. Do not contaminate food and food packaging.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

STORAGE: Store only in original container. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use.

PESTICIDE DISPOSAL: To avoid waste, use all material in this container by application according to label directions. If wastes cannot be avoided, offer remaining product to a waste disposal facility or pesticide disposal program (often such programs are run by state or local governments or by industry).

CONTAINER HANDLING:

For non-refillable containers equal to or less than 5 gal.

Non-Refillable Container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Fill the container 1/4 full with water and recap. Shake for 10 seconds. Drain for 10 seconds after the flow begins to drip. Follow Pesticide Disposal instructions for rinsate disposal. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration.

For non-refillable containers greater than 5 gal.

Non-Refillable Container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip back and forth several times. Turn the container over onto its other end and tip back and forth several times. Follow Pesticide Disposal instructions for rinsate disposal. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration.

Read Product Material Safety Data Sheet prior to use, PRODUCT WARRANTY, DISCLAIMER AND LIMITATION OF LIABILITY ARE FOUND on the Product Material Safety Data Sheet. Unless inconsistent with applicable law, use of Product signifies agreement with these provisions.