

Revision Date 27-Feb-2023

Version 1

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name CC-545

Other means of identification

Product Code 20603

Recommended use of the chemical and restrictions on use

Recommended Use Chlorinated alkaline cleaner

Uses advised against Follow the directions for use on the label when applying this product

Details of the supplier of the safety data sheet

Initial supplier identifier

Safe Foods Chemical Innovations
1501 E. 8th Street
North Little Rock, AR 72114 USA

Emergency telephone number

Initial supplier phone number 1-501-758-8500
Emergency Telephone Chemtrec 1-800-424-9300

2. HAZARDS IDENTIFICATION

Classification

Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1

Label elements

DANGER

Hazard statements

Causes severe skin burns and eye damage



Precautionary Statements - Prevention

Do not breathe dust/fume/gas/mist/vapors/spray
Wash face, hands and any exposed skin thoroughly after handling
Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

Immediately call a POISON CENTER or doctor
Specific treatment (see Section 4 on SDS)
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. Wash contaminated clothing before reuse
IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other Information

Very toxic to aquatic life with long lasting effects

Unknown acute toxicity See Section 11 for additional Toxicological Information

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%
Water	7732-18-5	73-78
Potassium hydroxide	1310-58-3	9-13
Trade Secret 1	Trade Secret	3-5
Sodium hypochlorite	7681-52-9	2-4
Trade Secret 2	Trade Secret	1-3
Trade Secret 3	Trade Secret	1-2

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures

Inhalation	Remove to fresh air. Administer oxygen if breathing is difficult. Call a physician immediately.
Eye contact	In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Call a physician immediately.
Skin contact	Immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. For severe burns, immediate medical attention is required. Wash contaminated clothing before reuse.
Ingestion	Do NOT induce vomiting. Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Call a physician immediately.

Most important symptoms and effects, both acute and delayed

Symptoms See Section 11 for additional Toxicological Information.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media	Water spray, carbon dioxide (CO ₂), dry chemical, foam.
Unsuitable extinguishing media	No information available.
Specific hazards arising from the chemical	Exothermic reaction will occur upon dilution with water.
Hazardous combustion products	Chlorine gas released on contact with acids, or during thermal decomposition. Carbon monoxide. Carbon dioxide (CO ₂).
Explosion data	
Sensitivity to Mechanical Impact	None.
Sensitivity to Static Discharge	None.
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Fight fire from maximum distance or use unmanned hose holders or monitor nozzles. Cool containers with flooding quantities of water until well after fire is out. Non-combustible, substance itself does not burn but may decompose upon heating to produce corrosive and/or toxic fumes.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment as required. Ensure adequate ventilation.

For emergency responders Isolate area. Keep unnecessary personnel away.

Environmental precautions

Environmental precautions Prevent entry into waterways, sewers, basements or confined areas. See section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so. Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container.

Methods for cleaning up Soak up with inert absorbent material. Collect spillage. Sweep up and shovel into suitable containers for disposal. After cleaning, flush away traces with water.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Exothermic reaction will occur upon dilution with water. Use personal protection equipment. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Avoid breathing vapors or mists. Wash thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep from freezing. Store in accordance with local regulations.

Incompatible materials Acids. Amphoteric metals (aluminum, copper, zinc).

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

Chemical Name	Alberta	British Columbia	Ontario TWA	Quebec
Potassium hydroxide 1310-58-3	Ceiling: 2 mg/m ³	Ceiling: 2 mg/m ³	CEV: 2 mg/m ³	Ceiling: 2 mg/m ³

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)
STEL	STEL (Short Term Exposure Limit)
Ceiling (CEV)	Maximum limit value
*	Skin designation

Appropriate engineering controls

Engineering controls Showers, eyewash stations, and ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles. Face protection shield.

Skin and body protection If there is a risk of contact: Chemical resistant gloves, suit and boots.

Respiratory protection When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

General hygiene considerations Do not eat, drink or smoke when using this product. Wash face, hands and any exposed skin thoroughly after handling. Take off contaminated clothing and wash it before reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	Liquid
Appearance	Aqueous solution
Color	Clear light yellow
Odor	Chlorine
Odor threshold	No information available
Property	Values
pH	13.5
Melting point / freezing point	< -7 °C / < 20 °F
Boiling point / boiling range	99-105 °C / 210-220 °F
Flash point	Not flammable
Evaporation rate	< 1
Flammability (solid, gas)	No information available
Flammability Limit in Air	
Upper flammability limit:	No data available
Lower flammability limit:	No data available
Vapor pressure	No data available
Vapor density	> 1
Relative density	1.229 g/cc
Water solubility	Soluble in water
Solubility in other solvents	No data available
Partition coefficient	No data available
Autoignition temperature	No information available
Decomposition temperature	No data available
Kinematic viscosity	No information available
Dynamic viscosity	No data available
Explosive properties	No information available
Oxidizing properties	No information available
VOC Content (%)	0.00%

Remarks • Method

±0.5 @ 21°C

10. STABILITY AND REACTIVITY

Reactivity	No information available.
Chemical stability	Stable under normal conditions. This product will gradually lose some of its oxidizing power over time. Elevated temperatures and contaminants can rapidly accelerate decomposition, possible leading to a hazardous condition. See section 7 for more information.
Possibility of Hazardous Reactions	None under normal processing.
Conditions to avoid	Extremes of temperature and direct sunlight.
Incompatible materials	Acids. Amphoteric metals (aluminum, copper, zinc).
Hazardous Decomposition Products	Chlorine gas released on contact with acids, or during thermal decomposition. Carbon monoxide. Carbon dioxide (CO ₂).

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation

Inhalation of vapors in high concentration may cause irritation of respiratory system. Vapors may be irritating to eyes, nose, throat, and lungs.

Eye contact

Corrosive to the eyes and may cause severe damage including blindness.

Skin contact

Contact causes severe skin irritation and possible burns.

Ingestion

Ingestion causes burns of the upper digestive and respiratory tracts. Can burn mouth, throat, and stomach.

Information on toxicological effects

Symptoms

No information available.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Water 7732-18-5	> 90 mL/kg (Rat)	-	-
Potassium hydroxide 1310-58-3	= 284 mg/kg (Rat)	-	-
Trade Secret 1	-	> 4640 mg/kg (Rabbit)	-
Sodium hypochlorite 7681-52-9	= 8200 mg/kg (Rat)	> 10000 mg/kg (Rabbit)	-
Trade Secret 2	= 3 g/kg (Rat)	> 10 g/kg (Rabbit)	> 42 g/m ³ (Rat) 1 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation

No information available.

Serious eye damage/eye irritation

No information available.

Respiratory or skin sensitization

No information available.

Germ cell mutagenicity

No information available.

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Sodium hypochlorite 7681-52-9	-	Group 3	-	-

IARC (International Agency for Research on Cancer)

Group 3 - "not classifiable as human carcinogens" (listed as hypochlorite salts)

Reproductive toxicity

No information available.

STOT - single exposure

No information available.

STOT - repeated exposure

No information available.

Aspiration hazard

No information available.

Numerical measures of toxicity

Acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)

4,232.00

ATEmix (dermal)

60,393.00

Unknown acute toxicity

22.535 % of the mixture consists of ingredient(s) of unknown toxicity

5.91 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

12.96 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

22.535 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

22.535 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

22.535 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Potassium hydroxide 1310-58-3	-	80: 96 h <i>Gambusia affinis</i> mg/L LC50 static	-
Trade Secret 1	-	100: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50	100: 48 h water flea mg/L EC50
Sodium hypochlorite 7681-52-9	0.095: 24 h <i>Skeletonema costatum</i> mg/L EC50	4.5 - 7.6: 96 h <i>Pimephales promelas</i> mg/L LC50 static 0.06 - 0.11: 96 h <i>Pimephales promelas</i> mg/L LC50 flow-through 0.4 - 0.8: 96 h <i>Lepomis macrochirus</i> mg/L LC50 static 0.28 - 1: 96 h <i>Lepomis macrochirus</i> mg/L LC50 flow-through 0.03 - 0.19: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 semi-static 0.05 - 0.771: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 flow-through 0.18 - 0.22: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 static	2.1: 96 h <i>Daphnia magna</i> mg/L EC50 0.033 - 0.044: 48 h <i>Daphnia magna</i> mg/L EC50 Static

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Trade Secret 2	-	5560 - 6080: 96 h Lepomis macrochirus mg/L LC50 flow-through 12946: 96 h Lepomis macrochirus mg/L LC50 static 6420 - 6700: 96 h Pimephales promelas mg/L LC50 static 6020 - 7070: 96 h Pimephales promelas mg/L LC50 static 7050: 96 h Pimephales promelas mg/L LC50 semi-static 4747 - 7824: 96 h Oncorhynchus mykiss mg/L LC50 flow-through	1000: 48 h Daphnia magna mg/L EC50 340.7 - 469.2: 48 h Daphnia magna mg/L EC50 Static

Persistence and degradability No information available.
Bioaccumulation

Chemical Name	Partition coefficient
Potassium hydroxide 1310-58-3	0.65 0.83

Mobility Soluble in water.
Other adverse effects No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused products Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Empty containers must be triple rinsed prior to disposal. Dispose of in accordance with local regulations.

14. TRANSPORT INFORMATION

UN/ID No. 1760
Proper shipping name Corrosive liquids, n.o.s. (contains potassium hydroxide and sodium hypochlorite)
Hazard Class 8
Packing Group II

15. REGULATORY INFORMATION

Regulatory information

International Regulations

Ozone-depleting substances (ODS) Not applicable

Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories

TSCA No information available

DSL/NDSL No information available

EINECS/ELINCS No information available

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

Prepared By Technical Department.
Issue Date 29-Nov-2016
Revision Date 27-Feb-2023
Version 1
Revision Note Company name update.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The health hazards given on this SDS apply to this product in its concentrated form (as supplied) and may differ significantly at use dilution. The signs and symptoms of exposure apply only to negligence in handling or misuse of the concentrated product and not to the routine exposure of the diluted product under conditions of ordinary use.

End of Safety Data Sheet