

## TECHNICAL DATA

### CC-568

#### Description:

PSSI Chemical Innovations' CC-568 is a heavy-duty high caustic cleaner and degreaser. This product contains a powerful mixture of surfactants and chelating agents for use in difficult cleaning applications. Although the product may be used cold, best results are usually obtained at temperatures from 38°C - 50°C. CC-568 may be used in all departments of meat, poultry and general food processing plants.

#### Physical Properties:

Appearance - Clear brown liquid  
 Odor - Mild  
 pH, as is - > 13  
 Density - 1.41 kg/L  
 Foaming - Very high  
 Rinsing - Excellent

#### Directions for Use:

CC-568 is normally diluted at the rate of 15-90 mL per Litre of water depending upon the soil to be removed, the temperature of the cleaning bath and the time allowed for cleaning. When used in pressure washing, the typical dilution is 50-100:1. After cleaning, rinse surfaces with potable water to remove all residues. Note: DO NOT use CC-568 on aluminum or other soft metals. When in doubt, pre-test on small areas.

#### Testing:

Use PKTK3000-Z for verifying the concentration of CC-568 solutions.

Concentration	15.6 mL/L 1.6% v/v	31.3 mL/L 3.1% v/v	46.9 mL/L 4.7% v/v	62.5 mL/L 6.3% v/v	78.1 mL/L 7.8% v/v	93.8 mL/L 9.3% v/v
# of drops	7	13	19	25	32	38
% caustic as NaOH	0.7	1.3	1.9	2.5	3.2	3.8



Revision Date:  
February 2020

**Safety:**

Danger! Corrosive. Contains sodium and potassium hydroxides. Causes severe skin burns and eye damage. Avoid contact with eyes, skin or clothing. Avoid breathing vapors or mists. In case of eye contact, flush eyes with water for at least 15 minutes and call a physician. In case of skin contact, flush skin with water and consult a physician if symptoms develop and persist. Wash thoroughly after handling. Read SDS before using this product

**Storage:**

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep from freezing.