

**DANGER**

Causes severe skin burns and eye damage.

Do not breathe dusts or mists.

Wash hands thoroughly after handling.

Wear protective gloves, protective clothing, and eye/face protection.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a poison centre or physician.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

Wash contaminated clothing before reuse.

Immediately call a poison centre or physician.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a poison centre or physician.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. Immediately call a poison centre or physician.

Store locked up.

Batch: 000000

Net Content: 0 Litres

**DANGER**

Provoque de graves brûlures de la peau et de graves lésions des yeux.

Ne pas respirer les poussières ou les brouillards. Se laver les mains soigneusement après manipulation. Porter des gants de protection, des vêtements de protection, un équipement de protection des yeux/du visage.

EN CAS D'INGESTION: Rincer la bouche. Ne PAS faire vomir. Appeler immédiatement un centre antipoison ou un médecin.

EN CAS DE CONTACT AVEC LA PEAU (ou les cheveux): Enlever immédiatement tous les vêtements contaminés. Rincer la peau à l'eau. Laver les vêtements contaminés avant réutilisation. Appeler immédiatement un centre antipoison ou un médecin.

EN CAS D'INHALATION: Transporter la personne à l'extérieur et la maintenir dans une position où elle peut confortablement respirer. Appeler immédiatement un centre antipoison ou un médecin.

EN CAS DE CONTACT AVEC LES YEUX: Rincer avec précaution à l'eau pendant plusieurs minutes. Enlever les lentilles de contact si la victime en porte et si elles peuvent être facilement enlevées. Continuer à rincer. Appeler immédiatement un centre antipoison ou un médecin.

Garder sous clef.

PAC-100

LIQ CHLORINE (12%) SANITIZER

This product is an effective sanitizer and bleaching compound for a wide variety of applications. It provides an easy and economical way of cleaning and removing stains without scratching porcelain finishes. Ideal for food plant use.

DIRECTIONS: When used as a sanitizer, 200 ppm is normally required. For mold control, use at 1000 ppm. When used in low temperature dishwashing machines, limit available chlorine to 50-100 ppm.

Available Chlorine:

50 ppm

100 ppm

200 ppm

1000 ppm

Use dilution:

5 ml/10 L of water

10 ml/10 L of water

20 ml/10 L of water

100 ml/10 L of water

For microbial control in cooling towers, a free residual of 1 ppm chlorine is sufficient, if maintained for more than 1 hour. Chlorine dosages should be 2 ppm based on three cycles per hour.

Available Chlorine:

2 ppm

Use dilution:

1 ml/60 L of water

CAUTION: Do not mix with acids (toilet bowl cleaners, vinegar, etc.) or ammonia.

Food equipment and food contact surfaces should be rinsed clean with potable water after use. Avoid contamination of food during application and storage.

CONTAINS: sodium hypochlorite

UN 1791; HYPOCHLORITE SOLUTION

FOR FOOD PLANT & INDUSTRIAL USE ONLY