



PC-857 SODIUM CITRATE LIQUID

ANTICOAGULANT

WARNING

Causes eye irritation. Prevention: Wash face, hands and any exposed skin thoroughly after handling. **Response: IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Recommended First Aid: IF ON SKIN (or hair): Rinse skin with water. Get medical attention if irritation develops and persists. Wash contaminated clothing and shoes before reuse. **IF SWALLOWED:** Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person.

Read SDS before using this product.

HEALTH	1
FLAMMABILITY	0
REACTIVITY	0
PPE	A



NET CONTENTS: 55 GALLONS

FOR INDUSTRIAL USE ONLY
NOT FOR RETAIL SALE

ID #20857

PC-857 Sodium Citrate Liquid is for use as anticoagulant in blood rendering operations.

DIRECTION FOR USE: For bovine blood anticoagulation use:

Concentration of Sodium Citrate in final product	Amount in fluid ounces of PC-857 Liquid to add per 50 gallons of bovine blood
0.1%	14.8
0.2%	29.5
0.3%	44.3
0.4%	59.01
0.5%	73.8

Per 9 CFR 424.21, Sodium Citrate can be used as anti-coagulant at maximum concentration of 0.5%.

Please contact your Safe Foods Chemical Innovations' Representative for specific directions for use recommendations.

Safe Foods Chemical Innovations

1501 E 8th Street
North Little Rock, AR 72114
501-758-8500

CHEMTREC EMERGENCY PHONE 1-800-424-9300

BATCH: