

FLOOR-EX

FLOOR TREATMENT



DANGER

Causes eye irritation. May intensify fire; oxidizer.

Prevention: Wear protective gloves/protective clothing/eye protection/face protection. Wash face, hands and any exposed skin thoroughly after handling. Keep away from heat/sparks/open flames/hot surfaces. No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/

equipment. **Response: IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. **In case of fire:** Use CO2, dry chemical, or foam for extinction.

Recommended First Aid: IF ON SKIN (or hair): Remove contaminated clothing. Rinse skin thoroughly with plenty of water. **IF SWALLOWED:** Do NOT induce vomiting. Drink plenty of water. Never give anything by mouth to an unconscious person. **IF INHALED:** Remove to fresh air.

Disposal: Dispose of contents/container to an approved waste disposal plant.

Additional Precautions: Oxidizer. Contains sodium percarbonate.

Read SDS before using this product.

HEALTH	2
FLAMMABILITY	0
REACTIVITY	1
PPE	C



NET CONTENTS: 4x8 POUNDS ____
 40 POUNDS ____
 400 POUNDS ____

FOR INDUSTRIAL USE ONLY
 NOT FOR RETAIL SALE

ID #20002

BATCH:

Floor-Ex is a floor treatment used to prevent slipping and provide cleaning action on production floors in meat, poultry, dairy and general processing plants. It contains sodium percarbonate and quaternary ammonia surfactant which makes it an effective odor control and cleaning agent in moist environments, such as floors, drains and any other non-food contact surfaces. When activated, Floor-Ex generates hydrogen peroxide to accelerate activity. This product is proven to be safe to drain systems and does not contain salt or phosphates. Floor-Ex is not meant to replace an effective floor sanitizing program.

DIRECTIONS FOR USE: Apply in thin layer on food plant flooring, either manually or through the use of a drop spreader. Application rate of 10 lbs. per 3750 sq. ft. will deliver an effective level of odor control and prevents slipping of personnel on production floor.



Safe Foods Chemical Innovations

1501 E 8th Street
 North Little Rock, AR 72114
 501-758-8500

CHEMTREC EMERGENCY PHONE 1-800-424-9300

UN1479, Oxidizing solid, n.o.s., 5.1, PG III
 (Sodium carbonate peroxyhydrate)