

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name **TRIPEMAX E**

Other means of identification

Product Code 20585

Recommended use of the chemical and restrictions on use

Recommended Use Bleaching compound

Uses advised against Follow the directions for use on the label when applying this product

Details of the supplier of the safety data sheet

Manufacturer Address

PSSI Chemical Innovations
3729 Peddle Hollow Road
Kieler, WI 53812 USA

Emergency telephone number

Company Phone Number 888-671-5366

Emergency Telephone Chemtrec 1-800-424-9300

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 1 Sub-category A
Serious eye damage/eye irritation	Category 1
Oxidizing liquids	Category 1

Label elements

Emergency Overview

Danger

Hazard statements

Causes severe skin burns and eye damage
May cause fire or explosion; strong oxidizer



Appearance Aqueous solution

Physical state Liquid

Odor Pungent

Precautionary Statements - Prevention

Do not breathe dusts or mists
Wash face, hands and any exposed skin thoroughly after handling
Wear protective gloves/protective clothing/eye protection/face protection
Keep away from heat/sparks/open flames/hot surfaces. No smoking
Keep/Store away from clothing/combustible materials
Take any precaution to avoid mixing with combustibles.
Wear fire/flame resistant/retardant clothing

Precautionary Statements - Response

Immediately call a POISON CENTER or doctor
Specific treatment (see Section 4 on SDS)
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
Immediately call a POISON CENTER or doctor
IF ON CLOTHING: Rinse immediately contaminated clothing and skin with plenty of water before removing clothes. Rinse skin with water/shower. Wash contaminated clothing before reuse
IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting
In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion
In case of fire: Use CO2, dry chemical, or foam for extinction

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Other Information

- May be harmful if swallowed
- Toxic to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%
Water	7732-18-5	65.6-66.5
Hydrogen peroxide	7722-84-1	33.5-34.4

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES**First aid measures****Eye contact**

Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. Seek immediate medical attention/advice.

Skin contact

Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Wash contaminated clothing and shoes before reuse. Get medical attention if irritation develops and persists.

Inhalation

Remove to fresh air. Administer oxygen if breathing is difficult. Call a physician immediately.

Ingestion

Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Call a physician immediately.

Most important symptoms and effects, both acute and delayed**Symptoms**

See Section 11 for symptom information.

Indication of any immediate medical attention and special treatment needed**Note to physicians**

Treat symptomatically.

5. FIRE-FIGHTING MEASURES**Suitable extinguishing media**

Flood fire area with water from a distance.

Small Fire

Dry chemical or CO2.

Unsuitable extinguishing media

Do not use halogenated extinguishing agents (NFPA 400, 15.2.6.3.2).

Specific hazards arising from the chemical

NFPA Class 2 oxidizer. Pressure burst may occur due to decomposition in confined spaces.

Hazardous combustion products

On decomposition product releases oxygen which may intensify fire. Supports combustion of organic matter and causes overpressure if confined.

Explosion data**Sensitivity to Mechanical Impact**

None.

Sensitivity to Static Discharge

None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Cool containers with flooding quantities of water until well after fire is out. Stay upwind.

6. ACCIDENTAL RELEASE MEASURES**Personal precautions, protective equipment and emergency procedures****Personal precautions**

Use personal protection recommended in Section 8. Ensure adequate ventilation, especially in confined areas.

For emergency responders

Isolate area. Keep unnecessary personnel away.

Environmental precautions**Environmental precautions**

Prevent entry into waterways, sewers, basements or confined areas. See section 12 for additional ecological information.

Methods and material for containment and cleaning up**Methods for containment**

Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Dilute with large volume of water and collect into suitable clean container or dike area and hold until the product decomposes. Combustible materials exposed to this product should be immediately submerged in or rinsed with large amounts of water to ensure that all hydrogen peroxide is removed. Following product recovery, flush area with water. Never return unused product to the original container.

7. HANDLING AND STORAGE**Precautions for safe handling**

Advice on safe handling Never return unused product to the original container. Ensure an adequate supply of water is available in the event of an accident. Use personal protection recommended in Section 8. Avoid contact with skin, eyes or clothing. Use only in well-ventilated areas. Avoid breathing vapors or mists. Wash thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a cool, well-ventilated place. Keep from freezing. NFPA Class 2 oxidizer. Containers must be vented. Keep at a temperature not exceeding 115°F (46°C). Hydrogen peroxide (Class 2 through Class 4) stored in drums shall not be stored on wooden pallets (NFPA 400, 15.2.12.2). At least one side of each pile of oxidizers shall be on an aisle (NFPA 400, 15.2.12.3).

Incompatible materials Reducing agent. Caustics. May ignite combustibles (wood, paper, oil, clothing, etc.). Contact with metals may evolve flammable hydrogen gas. Organic material. Flammable substances.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Hydrogen peroxide 7722-84-1	TWA: 1 ppm	TWA: 1 ppm TWA: 1.4 mg/m ³	IDLH: 75 ppm TWA: 1 ppm TWA: 1.4 mg/m ³

Appropriate engineering controls

Engineering Controls Showers, eyewash stations, ventilation system.

Individual protection measures, such as personal protective equipment

Eye/face protection Splash proof chemical goggles and face shield.
Skin and body protection Wear protective Neoprene™ gloves or rubber gloves. Fire or flame resistant clothing is recommended. Rubber boots recommended.
Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

General Hygiene Considerations Wash face, hands and any exposed skin thoroughly after handling. Wash contaminated clothing and shoes before reuse. Do not eat, drink or smoke when using this product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	Liquid		
Appearance	Aqueous solution	Odor	Pungent
Color	Clear, Colorless	Odor threshold	No information available
Property	Values	Remarks • Method	
pH	3	±1 @ 21°C	
Melting point / freezing point	-33 °C / -27 °F		
Boiling point / boiling range	108 °C / 226 °F		
Flash point	Not flammable		
Evaporation rate	> 1	kPa @ 20 °C	
Flammability (solid, gas)	No information available		
Flammability Limit in Air			
Upper flammability limit:	No information available		
Lower flammability limit:	No information available		
Vapor pressure	3.2	kPa @ 20 °C	
Vapor density	1.0		
Specific Gravity	1.130 g/cc		
Water solubility	Soluble in water		
Solubility in other solvents	No information available		
Partition coefficient	No information available		
Autoignition temperature	Not flammable		
Decomposition temperature	= 60°C (140°F)	self-accelerated decomposition temperature (SADT) with oxygen release	
Kinematic viscosity	No information available		
Dynamic viscosity	No information available		
Explosive properties	No information available		
Oxidizing properties	May intensify fire; oxidizer		
VOC Content (%)	0.00%		

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous polymerization Will not occur.

Conditions to avoid

Heat. Incompatible materials.

Incompatible materials

Reducing agent. Caustics. May ignite combustibles (wood, paper, oil, clothing, etc.). Contact with metals may evolve flammable hydrogen gas. Organic material. Flammable substances.

Hazardous Decomposition Products

Oxygen which supports combustion. Decomposition releases steam and heat.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation Inhalation of vapors in high concentration may cause irritation of respiratory system. Vapors may be irritating to eyes, nose, throat, and lungs.

Eye contact Risk of serious damage to eyes. Corrosive to the eyes and may cause severe damage including blindness.

Skin Contact Corrosive. Contact causes severe skin irritation and possible burns.

Ingestion Harmful if swallowed. Can burn mouth, throat, and stomach.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Water 7732-18-5	> 90 mL/kg (Rat)	-	-
Hydrogen peroxide 7722-84-1	= 1518 mg/kg (Rat)	= 2000 mg/kg (Rabbit) = 4060 mg/kg (Rat)	= 2 g/m ³ (Rat) 4 h

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Hydrogen peroxide 7722-84-1	A3	Group 3	-	-

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 3 - "not classifiable as human carcinogens"

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Aspiration hazard No information available.

Numerical measures of toxicity - Product Information

Unknown Acute Toxicity 0 % of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document

Oral LD50 4,465.00 mg/kg

Mist 6.00 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

Toxic to aquatic life with long lasting effects

0 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Hydrogen peroxide 7722-84-1	2.5: 72 h Chlorella vulgaris mg/L EC50	16.4: 96 h Pimephales promelas mg/L LC50 10.0 - 32.0: 96 h Oncorhynchus mykiss mg/L LC50 static 18 - 56: 96 h Lepomis macrochirus mg/L LC50 static	18 - 32: 48 h Daphnia magna mg/L EC50 Static 7.7: 24 h Daphnia magna mg/L EC50

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Mobility

Soluble in water.

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging Dispose of in accordance with federal, state and local regulations.

US EPA Waste Number D001 (Ignitable) D002 (Corrosive)

Chemical Name	California Hazardous Waste Status			
Hydrogen peroxide - 7722-84-1	Toxic	Corrosive	Ignitable	Reactive

14. TRANSPORT INFORMATION

DOT

UN/ID No.	2014
Proper shipping name	Hydrogen peroxide, aqueous solutions with 34% hydrogen peroxide
Hazard Class	5.1
Subsidiary class	8
Packing Group	II
Emergency Response Guide Number	140

15. REGULATORY INFORMATION

International Inventories

TSCA Complies

DSL/NDSL Complies

EINECS/ELINCS Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	Yes
Sudden release of pressure hazard	No
Reactive Hazard	Yes

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Hydrogen peroxide 7722-84-1	-	1000 lb	-

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Hydrogen peroxide 7722-84-1	X	X	X

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION

NFPA	Health hazards 3	Flammability 0	Instability 1	Physical and Chemical Properties Oxidizer, Corrosive Personal protection H (splash goggles, gloves, synthetic apron, vapor respirator)
HMIS	Health hazards 3	Flammability 0	Physical hazards 1	

Prepared By	Technical Department
Issue Date	14-Mar-2014
Revision Date	19-Dec-2019
Version	4

Revision Note

SDS Section(s) updated: 15

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The health hazards given on this SDS apply to this product in its concentrated form (as supplied) and may differ significantly at use dilution. The signs and symptoms of exposure apply only to negligence in handling or misuse of the concentrated product and not to the routine exposure of the diluted product under conditions of ordinary use.

End of Safety Data Sheet